


REQUIREMENT AND CONDITIONS FOR ESTABLISHING A FACTORY

1. Proper and adequate means of light and ventilation shall be provided and maintained in working order.
2. The floor shall be paved or surfaced and the proper drainage shall be provided
3. All electric motors, engines or moving parts of machinery shall be property fenced and belts and gears shall be properly guarded.
4. A notice board with the words "Caution 460 Volts" in English with its Marathi version shall be provided near each and every point where electric supply exceeds 230 Volts.
5. No part of the machinery shall be attached to the walls or any part of the building except the floor on which the said machinery is supported

Special Requirement.

6. a) The said permission is the Temporary Permission &, will be valid up to 31.03.2015
b) The aggregate electric motive power employed in the industrial activity shall not exceed 27.50.H.P.
c) The area of workshop is 49.92 Sq mtr at Fourth Floor as shown in the copy of Plan attached.
d) The security deposit paid by you will be forfeited in case of breach of any of the conditions of the Permit.
e) On breach of any permit condition Security Deposits will be for feited.
7. A clear passage of at least one meter width shall be provided from the front to the rear.
Aggregate Electric motive power shall be restricted up 27.50 H.P
8. Electric Power wiring shall be laid in metal condition continuously bonded to earth
9. Imposed load on any electric motor shall not exceed its designed load.
10. All Machinery shall be install as per attached approved plan.
11. Electric Motors shall be kept free from dust dirt grit etc.
12. Electric Power wiring shall be laid in metal condition continuously bonded to earth shall be provided with E.L.C./ M.C.B.
13. Electric main shall be switch off before closing the premises.
14. No article shall be kept within the 60 cm radius from any electric installation.
15. Smoking cooking dwelling heating (except permitted) and use of naked flame shall be strictly prohibited.
16. You have to comply with all the requirement of Dy. Chief Engineer (civil) Environment
17. You have to comply with all the requirement & condition under no FBL / 113 / RI/ 66 / Dt 29/04/2013 of Dy Chief Fire Officer.
18. Electric Power wiring shall be laid in metal condition continuously bonded to earth
19. Electric Motors shall be kept free from dust dirt grit etc.
20. Imposed load on any electric motor shall not exceed its designed load
21. Entrance, exit passage etc. shall be kept free from obstructions
22. Trade waste if any shall be collected and disposed off regularly
23. Impregnated cotton waste regs shall be collected in metal bins with lids and disposed off daily
24. Smoking cooking dwelling heating (except permitted) and use of naked flame shall be strictly prohibited
25. Ancillary commodities shall be kept to Machine Oil -05 ltr
26. Machine oil shall be kept in their original sealed containers with tightly fitted lids & away from any source of heat, flame & source of electrical installation
27. Party shall be asked to applied for the trade license as required U/s 394 of MMC act, whereby additional fire preventive measures can be stipulated regarding the mode of trade, storage of ancillary commodities etc.
28. Cotton waste shall be kept separately in metal bin with tightly fitted lid & away from any source of heat, flame & source of electrical installations.
29. Trade waste, oil impregnated cotton waste/rags etc. shall be collected in metal bins and disposed off daily.


 Asstt Engineer (Bldg & Fact)
 'E' Ward

REQUIREMENTS AND CONDITIONS FOR ESTABLISHING A FACTORY

- 1 Proper and adequate means of light and ventilation shall be provided and maintained in working order.
- 2 The floor shall be paved or surfaced and the proper drainage shall be provided.
- 3 All electric motors, engines, or moving parts of machinery shall be properly fenced and belts and gears shall be properly guarded.
- 4 A notice board with the words "Caution 460 Volts" in English with its Marathi version shall be provided near each and every point where electric supply exceeds 230 Volts.
- 5 No part of the machinery shall be attached to the walls or any part of the building except the floor on which the said machinery is supported.

Special Requirement .

6. (a) The said permission, if and when issued, will be valid upto 31-3-19
- (b) The aggregate electric motive power employed in the industrial activity shall not exceed
- (c) Number of workers employed shall not exceed
- (d)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Assistant Engineer.....Ward.