BRIHANMUMBAI MUNICIPAL CORPORATION CENTRAL PURCHASE DEPARTMENT

566, N.M.JOSHI MARG, BYCULLA (WEST), MUMBAI – 400 011



TENDER DOCUMENT FOR

"Supply, Installation, Testing and Commissioning of 3 Tesla MRI Machine

(04 Nos.) with standard accessories with 5 years warrantee and 5 years CMC

for use of Radiology department of various BMC Hospitals"

Website: https://mahatenders.gov.in e-Tender ID-2024_MCGM_1048130_1

Office of

Dy.Ch.E.(M&E) C.P.D., 566, N.M.Joshi Marg, Byculla (West), Mumbai – 400 011

Prepared by Checked by Verified by Approved by

SE(CPD) AE (CPD) EE (M&E) CPD DY.Ch.Eng.(M&E)CPD

THIS TENDER DOCUMENT CONSISTS OF:

Sr. No.	Description	Page No.
1.	E-Tender Notice	
2.	Header Data	
3.	Preamble	
4.	Instructions to Vendors participating in e-Tendering for the supply of	
	medical equipment of BMC	
5.	Flow of activities of tender	1
6.	Instructions to tenderers	
7.	The General Conditions of Contract (G.C.C.)	
8.	Technical Specifications	*
9.	Item Data / Bill of Quantity	
10.	Annexure – 1 Particulars about the tenderer	
11.	Annexure – 2 Tender form	
12.	Annexure – 3 Undertaking to be signed by the tenderer (Affidavit)	
13.	Annexure – 3A Tri party agreement between BMC, manufacturer and bidder	
14.	Annexure—4 PRO-FORMA for uploading details of EMD and Annexure-3	
15.	Annexure— 5 Technical Offer — Basic equipment and essential accessories.	
16.	Annexure – 7 List of the Consumable / Accessories.	
17.	Annexure – 7A List of the Consumable & Accessories Set.	
18.	Annexure – 8 Comparison of tender specification v/s equipment specification.	
19.	Annexure – 9A/9B/9C Proforma for manufacturers letter	
20.	Annexure-10 Experience certificate (Proforma for Statement of experience	
	certificate)	
21.	Annexure -11 Authorization letter for attending tender opening	
22.	Annexure–12 Contract Agreement form (Proforma for Article of Agreement)	
23.	Annexure –13 Details of Litigation History	
24.	Annexure –14 Pact of Integrity	
25.	Annexure –15 Internal Grievance Redressal Mechanism	
26.	Annexure-16 Details of CE US FDA certificate	
27.	Annexure A	
28.	Annexure-B	

SECTION 1: E-TENDER NOTICE

BRIHANMUMBAI MUNICIPAL CORPORATION

<u>CENTRAL PURCHASE DEPARTMENT</u> 566, N.M. JOSHI MARG, BYCULLA (WEST) MUMBAI - 400 011.

e- PROCUREMENT TENDER NOTICE

No. Dy. Ch. Eng./CPD/ 08 /TDR/AE-05 Dated 06.07.2024 e-Tender ID-2024_MCGM_1048130_1

The Commissioner of Brihanmumbai Municipal Corporation invites the following online tender. The tender copy can be downloaded from BMC's portal (http://www.mcgm.gov.in) under "Tenders" section. However, the bid will be invited through Mahatender portal (https://mahatenders.gov.in) only.

Bidders who wish to participate in the Bidding process must register on the website http://www.mahatenders.gov.in/nicgep/app. Bidders, whose registration is valid, may please ignore this step. At the time of enrolment, the information required for enrolment should be filled. After enrolment the bidder will get his user name and password to his Mail Id.

Bidders should have valid Class III Digital Signature Certificate (DSC) obtained from any licensed Certifying Authorities (CA). For registration, enrolment for digital signature certificates and user manual, Interested Bidders should follow the respective links provided in Mahatenders Portal (https://mahatenders.gov.in)

All interested vendors, are required to be registered with BMC .Vendors not registered with BMC before can apply online by clicking the link 'Vendor Registration' under the 'e-Procurement' section of BMC Portal, Vendors already registered with BMC need to contact helpdesk to extend their vendor registration.

The administrative, technical and commercial bids shall be submitted online up to the end date & time mentioned below.

Sr.	Description	Scrutiny	EMD	Start Date	End Date
No		Fee	(Rs.)	and Time of	and Time Of
	• . 5	(Rs.)		online Bid	online Bid
	1			Submission	Submission
1.	Supply, Installation,	Rs.27,500/-	Rs.	12.07.2024	19.07.2024
	Testing and	+	20,00,000/-	at 16:00 hrs	at 16:00 hrs
	Commissioning of 3	Rs.4,950/-			
	Tesla MRI Machine	(<u>18% GST)</u>			
	(04 Nos.) along with	=			
	Standard Accessories	Rs.32,450/-			
	with 5 years Warranty	ĺ			
	and 5 years CMC for				
	Radiology department				
	of various BMC				
	Hospitals.				

The pre-bid meeting will be held **on** 10.07.2024 at 3:00 pm venue of the same is at Conference Hall near A.M.C.'s office, 2nd floor, Municipal Head Office Annex Building, Municipal Sabhagruh Marg,

Mumbai-400 001.

The tender document is available on BMC portal (http://www.mcgm.gov.in) along with this tender notice. However, the bid will be invited through Mahatender portal (https://mahatenders.gov.in).

Earnest Money Deposit (EMD) shall be paid on line through payment gateway on or before due date and time prescribed. The vendors having standing deposit shall also have to pay full EMD amount online.

The Authority (BMC) shall not be liable for any omission, mistake or error in respect of any of the above or on account of any matter or thing arising out of or concerning or relating to the tender or the Bidding Process, including any error or mistake therein or in any information or data given by the Authority.

The Municipal Commissioner reserves the right to reject all or any of the e-Tender(s) without assigning any reason at any stage.

Bidders shall note that any corrigendum issued regarding this tender notice/tender will be published on the BMC portal and Mahatender portal only. No corrigendum will be published in the local newspapers.

By Order of the Municipal commissioner Brihanmumbai Municipal Corporation

Sd/-06.07.2024 Dy. Chief Engineer (C.P.D.)

Address for Communication and Venue for opening of bid:

Office of Dy.Ch. E.(C.P.D.)

566, N.M.JOSHI MARG, BYCULLA (W),

MUMBAI – 400 011.

Tel. No. 022-23083161 extn 207 e-mail:- ae05.cpd@mcgm.gov.in

For detailed tender document please scroll down

SECTION 2: 1	HEADER DATA
E-Tender No.	Dy.Ch.E./CPD/ 08 /TDR/AE-05 of 2024-25
Name of Organization	Brihanmumbai Municipal Corporation
Subject	Supply, Installation, Testing and Commissioning of 3 Tesla MRI Machine (04 Nos.) along with Standard Accessories with 5 years Warranty and 5 years CMC for Radiology department of various BMC Hospitals.
Contract period	10 Years [5 years warrantee+ 5 Years CMC]
Estimate cost	Rs.1,16,11,18,317.64
Tender scrutiny fee of E-Tender	Rs.27,500/-+ Rs.4,950 (GST 18%)= Rs.32,450/- (Bidders should note that the Scrutiny fee will be payable immediately after opening of Packet 'A' & 'B' and before opening of Packet 'C' in any of the Ward Citizens Facilitation Centres (CFCs) by collecting Chalan from Expenditure Section under Administrative Officer CPD)
Earnest Money Deposit	Rs. 20,00,000/-
Pre Bid Meeting	10.06.2024 Upto 15.00 Hrs Venue- Conference Hall near A.M.C.'s office, 2nd floor, Municipal Head Office Annex Building, Municipal Sabhagruha Marg, Mumbai-400 001.
Bid Publishing date	06.07.2024
Start Date and Time of Bid Submission	12.07.2024 Upto 16.00 Hrs
End date & time Bid Submission	19.07.2024 Upto 16.00 Hrs
Opening of Packet A	
Opening of Packet B	As mentioned in
Opening of Packet C	https://mahatenders.gov.in
Address for Communication	Office of: Dy.Ch.E.(M&E)CPD 566, N.M.Joshi Marg, Byculla (West), Mumbai – 400 011. Tel. No. 022-23083161 Ext 217/218
Venue for opening of bid	Same as above

SECTION 3: PREAMBLE

The Brihanmumbai Municipal Corporation invites Tenders from the manufacturer (Indian or Foreign)

Or

100% Indian subsidiary of foreign manufacturer duly registered in India / Subsidiary of principle Foreign Manufacturer duly registered in India / sister concern of Foreign manufacturer duly registered in India /Associate of Foreign manufacturer duly registered in India / joint venture of Foreign manufacturer duly registered in India / affiliate of Foreign manufacturer duly registered in India

Or

Distributor /Dealer / Importer /Traders/agent appointed directly by foreign manufacturer for the supply, installation, testing and commissioning of **3 Tesla MRI Machine (04 Nos.)** for **Radiology department of various BMC Hospitals** as per the specification attached separately with this document and as per the terms and conditions as mentioned herein and as per the provisions of the M.M.C. Act, 1888 as amended till date.

SECTION 4: INSTRUCTIONS TO VENDORS PARTICIPATING IN E-TENDERING FOR THE SUPPLY OF MEDICAL EQUIPMENT AND PLANTS AND MACHINERY TO BMC

- 1. The e-Tendering process of BMC is enabled through Mahatender portal (https://mahatenders.gov.in). However, tender document can be downloaded from BMC's portal website under "Tenders" section or from Mahatender portal
- 2. Bidder should do Online Enrolment in this Portal using the option Click Here to Enroll available in the Home Page. Then the Digital Signature enrollment has to be done with the e-token, after logging into the portal. The e-token may be obtained from one of the authorized Certifying Authorities such as eMudhraCA/GNFC/ IDRBT/ MTNL Trustline/ SafeScrpt/TCS.
- 3. Bidder then logs into the portal giving user id / password chosen during enrollment. and follow the instructions given in the document 'Bidders manual kit + online bid submission Three Cover Bid Submission New' which is available on e-tendering portal of Government of Maharashtra i.e. 'https://mahatenders.gov.in'
- 4. The e-token that is registered should be used by the bidder and should not be misused by others.
- 5. DSC once mapped to an account cannot be remapped to any other account. It can only be Inactivated.
- 6. The Bidders can update well in advance, the documents such as certificates, purchase order details etc., under My Documents option and these can be selected as per tender requirements and then attached along with bid documents during bid submission. This will ensure lesser upload of bid documents.
- 7. After downloading / getting the tender schedules, the Bidder should go through them carefully and then submit the documents as per the tender document; otherwise, the bid will be rejected.
- 8. The BOQ template must not be modified/ replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for that tender. Bidders are allowed to enter the Bidder Name and Values only.
- 9. If there are any clarifications, this may be obtained online through the e-Procurement Portal, or through the contact details given in the tender document. Bidder should take into account of the corrigendum published before submitting the bids online.
- 10. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender schedule and they should be in PDF/XLS/RAR/DWF formats. If there is more than one document, they can be clubbed together.
- 11. Bidder should Pay EMD and other charges, where applicable, as per the instructions given in the Tender Notice and / or Tender Document.
- 12. Scrutiny fee (as mentioned in the Header Data) should be paid by all bidders at any of the CFC centres in BMC Ward offices. Bidders should submit the receipt of fee paid to process EMD refund. Bidders can choose option of deducting scrutiny fee from the EMD. After deducting scrutiny fee, balance EMD will be refunded to the bidders
- 13. The bidder reads the terms and conditions and accepts the same to proceed further to submit the bids.

- 14. The bidder has to submit the tender document(s) online well in advance before the prescribed time to avoid any delay or problem during the bid submission process. Vendors trying to submit the bid at last moment just before due date and due time and failing to do so due to system problems at their end, internet problems, User Id locking problems etc. shall note that no complaints in this regard will be entertained. The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues. So The bidders are requested to submit the bids through online e-Procurement system to the TIA well before the bid submission end date and time (as per Server System Clock).
- 15. There is no limit on the size of the file uploaded at the server end. However, the upload is decided on the Memory available at the Client System as well as the Network bandwidth available at the client side at that point of time. In order to reduce the file size, bidders are suggested to scan the documents in 75-100 DPI so that the clarity is maintained and also the size of file also gets reduced. This will help in quick uploading even at very low bandwidth speeds.
- 16. It is important to note that, the bidder has to Click on the Freeze Bid Button, to ensure that he/she completes the Bid Submission Process. Bids Which are not Frozen are considered as Incomplete/Invalid bids and are not considered for evaluation purposes.
- 17. The bidder may submit the bid documents online mode only, through mahatenders portal.

 Offline documents will not be handled through this system.
- 18. At the time of freezing the bid, the e-Procurement system will give a successful bid updation message after uploading all the bid documents submitted and then a bid summary will be shown with the bid no, date & time of submission of the bid with all other relevant details. The documents submitted by the bidders will be digitally signed using the e-token of the bidder and then submitted.
- 19. After the bid submission, the bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening event.
- 20. Successful bid submission from the system means, the bids as uploaded by the bidder is received and stored in the system. System does not certify for its correctness.
- 21. It is the responsibility of the vendors to maintain their computers, which are used for submitting their bids, free of viruses, all types of malware etc. by installing appropriate anti-virus software and regularly updating the same with virus free signatures etc. Vendors should scan all the documents before uploading the same. if the documents could not be opened, due to virus, during tender opening, the bid is liable to be rejected.
- 22. The time that is displayed from the server clock at the top of the tender Portal, will be valid for all actions of requesting bid submission, bid opening etc., in the e-Procurement portal. The Time followed in this portal is as per Indian Standard Time (IST) which is GMT+5:30. The bidders should adhere to this time during bid submission.
- All the data being entered by the bidders would be encrypted at the client end, and the software uses PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission and not viewable by any one until the time of bid opening. Overall, the submitted bid documents become readable only after the tender opening by the authorized individual.

- 24. During transmission of bid document, the confidentiality of the bids is maintained since the data is transferred over secured Socket Layer(SSL) with 256 bit encryption technology. Data encryption of sensitive fields is also done.
- 25. All the tender notices including e-Tender notices will be published under the 'Tenders' section of BMC Portal and on Mahatender portal.
- 26. All interested vendors, are required to be registered with BMC. Vendors not registered with BMC before can apply on-line by clicking the link 'Vendor Registration' under the 'e-Procurement' section of BMC Portal, Vendors already registered with BMC need to contact helpdesk to extend their vendor registration.
- 27. Manual offers sent by post/Fax or in person will not be accepted against e-tenders even if these are submitted on the Firm's letter head and received in time. All such manual offers shall be considered as <u>invalid offers</u> and shall be rejected summarily without any consideration.
- As BMC has switched over to e-Tendering, if any references in this tender document are found as per manual bidding process like Packets A, B, C etc. may please be ignored. All documents that are required to be submitted as part of eligible & technical bid, need to be uploaded in the Packets provided for this purpose and commercial bid need to be filled online.
- 29. Affixing of digital signature for the bid document while submitting the bid, shall be deemed to mean acceptance of the terms and conditions contained in the tender document as well as confirmation of the bid/bids offered by the vendor which shall include acceptance of special directions/terms and conditions if any, incorporated.
- The browser settings required for digitally signing the uploaded documents are provided under download section of Mahatender Portal. Site compatibility required for Mahatender portal has been provided under Site compatibility on Home Page of Mahatender Portal.
- The administrative, technical and commercial evaluation documents will be available for all the participating vendors after completion of the evaluation.
- 32. Additional information can be availed by referring to FAQs under FAQ on Home Page of Mahatender Portal.
- For any help, in the e-Tendering process, can be availed by dialing help-desk number or Email support provided under contact us on Home Page of Mahatender Portal.

SPECIAL NOTE:

TENDERERS ARE REQUESTED TO GO THROUGH THE bid submission guidelines as given in Bidders manual kit – online bid submission – Three Cover Bid Submission New' on -tendering portal of Government of Maharashtra i.e. 'https://mahatenders.gov.in'

Bidders who wish to participate in the Bidding process must register on the website http://www.mahatenders.gov.in/nicgep/app. Bidders, whose registration is valid, may please ignore this step. At the time enrolment, the information required for enrolment should be filled. After enrolment the bidder will get his user name and password to his Mail Id.

Bidders should have valid Class III Digital Signature Certificate (DSC) obtained from any licensed Certifying Authorities (CA). Interested Bidders should follow the "Manuals" available on Mahatender Portal (https://mahatenders.gov.in)

SEC	ΓΙΟΝ 5: FLOW OF ACTIVITIES OF TENDER
1	
1.	Issue of Tender notice in the newspapers and tender notice along with tender
	documents on BMC Portal& Mahatender Portal.
2.	Download the tender documents from the Tender section of Mahatender Portal
3	Bidders shall note that any corrigendum issued regarding this tender notice/tender will
	be published on the BMC portal and Mahatender portal only. No corrigendum will be
	published in the local newspapers.
4.	All the tender notices including e-Tender notices will be published under the
	'Tenders' section of BMC Portal and on Mahatender Portal.
5.	All the information documents are published under the 'e-Procurement' section of
	BMC Portal.
6.	Earnest Money Deposit (EMD) shall be paid online through mahatender portal
	https://mahatenders.gov.in on or before due date and time prescribed.
7.	Scrutiny fee (as mentioned in the Header Data) should be paid by all bidders at any of
	BMC Ward offices Citizens Facilitation Centres (CFCs) by collecting Challan from
	Expenditure Section under Administrative Officer CPD).
8.	As BMC has switched over to e-Tendering, if any references in this tender document
	are found as per manual bidding process like Packets A, B, C etc. may please be
	ignored. All documents that are required to be submitted as part of eligible &
	technical bid, need to be uploaded in the Packets provided for this purpose and the
	BOQ template should be uploaded after filling the relevant columns.
9.	Technical offer, i.e. Packet 'B' of only those bidders who are found to be responsive in the evaluation of administrative offer will be opened online.
10.	Commercial bids i.e. Packet 'C' of only those bidders who are found to be responsive
	in the evaluation of administrative & technical offers, as decided in tender committee
	meeting will be opened online. After finalized L1 bidder, it is necessary to give
	demonstration of quoted model by L1 bidder.
11.	Recommendations to higher authorities and Standing Committee for sanction to
	award the contract, as decided in tender committee meeting.
12.	After sanction of higher authorities or Standing Committee, issuance of the
	acceptance letter to successful bidder.
13.	Payment of Contract Deposit, Legal Charges within period of thirty days from the
	date of receipt of Acceptance Letter by successful bidder for execution of written
	contract with payment of requisite stamp duty.
14.	Supply of materials described in the specifications and as per terms & conditions.

SECTION 6: INSTRUCTIONS TO TENDERERS

Before filling in the tender, tenderers are requested to go through the "General Instructions to Tenderers", the "Mandatory conditions", all "Annexures" and the "Articles of Agreement" very carefully, wherein the tender conditions and contract conditions are clearly mentioned.

1. Eligibility Criteria:

A) Who can quote:

A. Only direct manufacturer(Indian or foreigner)

or

B.100% Indian subsidiary of foreign manufacturer / subsidiary of Principle foreign manufacturer / sister concern of Foreign manufacturer /Associate of Foreign manufacturer / joint venture of Foreign manufacturer/ affiliate of Foreign manufacturer (all duly registered in India) would be allowed to participate in the tender

or

C. only foreign manufacturer will be allowed to appoint his distributor if he wishes to do so for complying with the order as per tender conditions and supply the equipment.

Foreign manufacturer **and /or** the 100% Indian subsidiary of foreign manufacturer /subsidiary of Principle foreign manufacturer /sister concern of Foreign manufacturer /Associate of Foreign manufacturer /joint venture of Foreign manufacturer/ affiliate of Foreign manufacturer (all duly registered in India) would be directly responsible for all the tender related issues including quality and quantity of supply of equipment.

Foreign manufacturer **and /or** the 100% Indian subsidiary of foreign manufacturer /subsidiary of Principle foreign manufacturer /sister concern of Foreign manufacturer /Associate of Foreign manufacturer /joint venture of Foreign manufacturer/ affiliate of Foreign manufacturer (all duly registered in India) shall supply equipment and raise the bill directly.

If the foreign Manufacturer came forward for specific tender and specific medical equipment and requested to allow their Distributor /Dealer / Importer /Traders/agent to submit tender on their behalf, Distributor /Dealer / Importer /Traders/agent will be allowed to participate in the tendering process subject to,

1. Manufacturer shall issue the certificate stating the date from which said distributor is their Distributor /Dealer / Importer /Traders/agent for the assigned

tender.

- 2. Manufacturer along with Distributor /Dealer / Importer /Traders/agent has to enter in to "Tri-Party Agreement" (As per Annexure 3-A) with Brihanmumbai Municipal Corporation.
- 3. The responsibility of supply, installation, testing and commissioning of medical equipments along with 5 years warranty and **5 years** Comprehensive Maintenance Contract / Annual Maintenance Contract (As applicable) shall be of Manufacturer and bidder jointly as well as severally.
- 4. Distributor /Dealer / Importer /Traders/agent should have NO previous transgressions occurred in the last 3 years and should declare so. (In Annexure-3-A)

Note:100% Indian subsidiary of foreign manufacturer / subsidiary of Principle foreign manufacturer /sister concern of Foreign manufacturer /Associate of Foreign manufacturer /joint venture of Foreign manufacturer/ affiliate of Foreign manufacturer (all duly registered in India) are not allowed to appoint any distributor/Dealer/Importer/Trader/Agent to participate in tender on behalf of them.

B) **Turnover**:

The average annual turnover of the bidder during preceding three financial years shall be minimum **Rs.40,63,92,000/-** Evidence in the form of certificate issued by Auditor of firm/ Chartered Accountant shall be uploaded during the submission of the tender (PACKET-'A' Administrative).

C) **Experience :**

The bidder/manufacturer shall have adequate experience of successful supply, installation, commissioning & repairs & maintenance of **3 Tesla MRI Machine** during last five years from due date of the tender. Experience Certificate shall be uploaded during the submission of the tender (Annexure –10)

Bidder/Manufacturer shall provide certified copies of the executed purchase orders along with completion certificates in support of the experience as provided in this clause without disclosing the rates.

The tender shall be uploaded only by the tenderer with his own digital signature or authorized representative, in whose name the tender documents is downloaded.

Authorization letter of authorized representative shall be uploaded in packet 'A'.

D) **Details of Litigation history.**

The Bidder shall disclose the litigation history in Annexure-13 to be submitted in Packet 'A'.

Tenderers are requested to go through Circular No.MGC/6565 Dt.25.09.2018 regarding more clarification for Annexure no.24 i.e. Clause of litigation history and do needful.

Litigation History must cover – Any action of blacklisting, debarring, banning, suspension, deregistration and cheating with BMC, State Govt. Central Govt. or any authority under state or central Govt. / Govt. organization initiated against the company, firm, directors, partners or authorized signatory shall be disclosed for last 5 years from the date of submission of Tender.

Tenderer must disclose the litigation history for last 5 years from the date of submission of Tender about any action like show cause issued, blacklisting, debarring, banning, suspension, deregistration and cheating with BMC and BMC is party in the litigation against the company, firm directors, partners or authorized signatory for carrying out any work/ supply of medicines, medicine consumable and medical devices for BMC by any authority of BMC and the orders passed by the competent authority or by any authority of BMC and the orders passed by the competent authority or by any court where BMC is a party. While taking decision on litigation history, the concerned DMC or Director, as may be the case, should consider the details submitted by Tenderer and take decision based on the gravity of the litigation and the adverse effect of the act of company, firm directors, partners or authorized signatory on the BMC works which can spoil the quality output and delivery of healthcare services or any work execution and within the timeframe.

If there is no litigation history, the Tenderer shall specifically mention that there is no litigation history against him as per the clause of litigation history.

Litigation History is applicable to the quoted products / product quality and supply related litigation & then depending upon the gravity of matter the decision will be taken accordingly.

The Tenderer are not allowed to quote for the product(s) for which the Firm found guilty of malpractice, misconduct, or blacklisted / debarred either by any Department of Govt. of Maharashtra or by any local authority or Semi Government

		bodies	and other State Government / Central Government's organization as on the					
		date of	submission of bid.					
	E.							
		contrac	et.					
		i.	Firms with common proprietor / partner or connected with one another					
			either financially or as principal and agent or as master and servant or with					
			proprietor /partner closely related to each other such as husband/wife,					
			father/mother and son/daughter and brother /sister shall not tender					
			separately under different names for the same contract.					
		ii.	If it is found that firms as described in clause 1-E have tendered separately					
			under different names for the same contract, all such tender (s) shall stand					
			rejected and tender deposit of each such firm/establishment shall be					
			forfeited. In addition such firms/establishment shall be liable, at the					
			discretion of the Municipal Commissioner for further penal action including					
			blacklisting.					
		iii.	If it is found that closely related persons as in clause 1-E have submitted					
			separate tenders/quotations under different names firms /establishment but					
			with common address for such establishment/firms and /or in such					
			establishment/firms though they have different addresses, are managed or					
			governed by the same person / persons jointly or severally, such tenderers					
			Shall be liable for action as in clause No 1-E(i) including similar action					
			against the firms/ establishments concerned.					
		iv.	Any tenderer failing to disclose information as indicated in E-I to iii, shall					
			render him liable to have his EMD forfeited and the contract, if entered					
			into, and cancelled at any time during its currency. Further it shall invite					
			penal action including black listing against the Tenderer as well as related firm/establishments					
2.	Call							
۷.	Call		sh Call)					
		st Call (Fresh Call) st Call (Fresh Call) is a Tender that is published for the first time for a particular e-						
			project or item.					
	2nd							
	2nd	2nd Call is referred to issuing a amended/modified/corrected Tender Document for the						

same project / procurement with revised tender Conditions like Eligibility, Pre-Qualification Criteria, Technical Evaluation Criteria, Scope of Work, Technical Specifications, Payment Terms, and so on including revised Bidding Schedule.

3. <u>Extension:</u>

1st Extension

1st Extension is extension of bid submission date and time to the 1st Call/2nd call without changing Tender Conditions except for Bidding Schedule.

1st Extension is provided in following cases:

a. After due date and time of submission of packet A of bid -if response is less than 3 bidders or any technical reasons.

2nd Extension

2nd Extension is extension of bid submission date and time after end of the 1st Extension without changing Tender Conditions except for Bidding Schedule. 2nd Extension is provided in following cases:

a. After due date and time of submission of packet A of bid -if response is less than 3 bidders or any technical reasons

3rd Extension.

3rd Extension is extension of bid submission date and time after end of the 2nd Extension without changing Tender Conditions except for Bidding Schedule. 3rd Extension is provided in following cases:

a. After due date and time of submission of packet A of bid -if response is less than 3 bidders or any technical reasons.

The Municipal Commissioner reserves right to extend or open bids of tenders without assigning any reasons.

4. Amendment to tender documents:-

Before deadline for uploading of tender offer, the BMC may modify any tender condition included in this tender document by issuing addendum/corrigendum/clarification and publish it in the news papers and/or on the portal of BMC. Such addendum/corrigendum/clarification so issued shall form part of the tender documents. All tenderers shall digitally sign such addendum/corrigendum/clarification and upload it in Packet 'A'.

5. The tenderers are advised to physically apprise themselves with installation Conditions and working areas if required. They are advised to get sufficient acquaintance with the

	actual nature of installation if required, prevalent conditions and facilities available.
6.	This tendering process is covered under Information Technology ACT & CYBER LAWS
	AS APPLICABLE.
7.	The tenderer shall offer the best prices for the subject supply/work as per the present
	market rates and that the bidder should not have offered less prices for the subject
	supply/work to any other outside agencies including Govt./Semi Govt. agencies and
	within the BMC also. Further, the tenderer has to fill in the accompanying tender with
	full knowledge of the above liabilities and therefore they will not raise any objection
	or dispute in any manner relating to any action including forfeiture of deposit and
	blacklisting, for giving any information which is found to be incorrect and against the
	instructions and directions given in this behalf in this tender.
	In the event, if it is revealed subsequently after the allotment of work/ contract to
	tenderer, that any information given by tenderer, in this tender is false or incorrect, he
	shall compensate the Municipal Corporation of Greater Mumbai for any such losses or
	inconveniences caused to the Municipal Corporation, in any manner and will not resist
	any claim for such compensation on any ground whatsoever. Tenderer/tenderers shall
	agrees and undertake that he/they shall not claim in such case any amount, by way of
	damages or compensation for cancellation of the contract given to them or any work
	assigned to them if it is withdrawn by the Corporation."
	Affidavit shall be uploaded in this respect as per annexure -3 .
8.	Bidder / his principle manufacturer shall not have been debarred/ black listed by BMC
	/ Central Govt. / State Govt. / Public sector undertaking/any other Local body. If in
	future, it comes to the notice of BMC / if it is brought to the notice of BMC during the
	currency of this contract, that any disciplinary/penal action is taken against the bidder
	/ principle manufacturer due to violation of terms and conditions of the tender allotted
	to Bidder / his principle manufacturer which amounts to cheating /depicting of
	malafide intention anywhere in BMC or either by any of central Govt. / state Govt. /
	Public sector undertaking/any other Local body, BMC will be at discretion to take
	appropriate action as it finds fit.
9.	Scrutiny Fee:-
	• Scrutiny fee will be applicable instead of Tender Price. However, Tender scrutiny
	fee (as mentioned in the Header Data) should be paid by all bidders.
	Bidders should note that the Scrutiny fee will be payable immediately after

opening of Packet 'A' & 'B' and before opening of Packet 'C' in any of the Ward Citizens Facilitation Centers (CFCs) by collecting Chalan from Expenditure Section under Administrative Officer (CPD).

- Bidders shall submit Receipt of Scrutiny Fee to this office to process further.
- Bidders who fail to submit Scrutiny Fee will be treated as non-responsive.
- Bidders will submit the receipt of fee paid to process EMD refund.

10. Validity:-

The validity of the offer should be for at least 180 days from the date of the opening of the tender.

11. Payment of Earnest Money Deposit (E.M.D.):-

The tenderer shall have to pay EMD of **Rs.20,00,000/- online** only. The vendors having standing deposit shall also have to pay the full EMD amount online.

12. Refund of E.M.D. :-

E.M.D. of bidder except successful bidder all other unsuccessful bidders' 100% EMD paid online will be refunded automatically.

The bid security of successful bidder will be discharged when the bidder has signed the agreement and /or furnish the required Security Deposited as elaborated in standard bid document.

13. Acknowledging communications:-

Every communication from the Dy.Ch.E.(C.P.D.), Brihanmumbai Municipal Corporation to the tenderer should be acknowledged by the tenderer / quotationer / Supplier with the signature of authorized person and with official rubber stamp of the tenderer / quotationer / supplier.

14. Where and how to submit the tender:-

(Refer Section 4- Flow of activities of Tender & Section 5 : Instructions to Tenderer participating in e-Tendering)

The e-Tendering process of BMC is enabled through Mahatender portal 'https://mahatenders.gov.in'

The bid should be submitted online through website https://mahatenders.gov.in in three Packets system i.e. Administrative Bid (Packet A), Technical Bid (Packet B) & Commercial Bid (Packet C) along with EMD.

All documents should be properly attested and then uploaded. To prepare and submit the bid/offer online all tenderers are required to have e-token based DIGITAL SIGNATURE CERTIFICATE. The Digital signature certificate should be obtained from competent authority; However the e-tender website or helpline numbers may guide you for obtaining the same

Deadline for submission of bid – as per schedule mentioned in tender notice.

15. **Documents to be uploaded:**

This complete 'Tender Document' shall be uploaded as a token of acceptance of all clauses / conditions / requirements / instructions contained in this tender document.

Original scanned documents or self-attested photocopies of specified documents shall be scanned and uploaded.

16. **Authentication for documents:-**

The responsibility to produce correct authentication rests with the Tenderer. If any document detected to be forged, bogus etc., the tender shall be rejected and the tender deposit forfeited. Any contract entered under such conditions shall also be liable to be cancelled at any time during its currency and further penal action like criminal prosecution, blacklisting against the said Tenderer and /or the partners. The Municipal Commissioner shall also be entitled to purchase the items from the open market at the risk and cost of the said tenderer and the damages thereof shall be recovered from the Tenderer's dues.

17. Translation of certificates:-

If the certificate issued by any statutory authority is in language other than English, Hindi or Marathi, then a translated copy of certificate in one of the languages mentioned above and certified by the official translator shall have to be uploaded along with a copy of the original certificate.

18. Sign and seal:-

Affixing of digital signature while uploading/submission the bid shall be deemed to be signed by the bidder and mean acceptance of the terms, conditions and instructions contained in this tender document as well as confirmation of the bid/bids offered by the bidder which shall include acceptance of special directions/terms and conditions if any, incorporated.

- i) If a tender is submitted by a proprietary firm, it shall be digitally signed by the proprietor of the said firm or authorized representative only.
- ii) If a tender is submitted by a partnership firm, it shall be digitally signed by person/partner holding the power of attorney on behalf of the said firm or authorised representative only.

	person holding power of attorney or authorised representative only.
	Govt. Undertaking submits and uploads a tender, it shall be digitally signed by a
iii)	If a Limited Company/ Sansthas/Societies /Trust /Govt. Undertaking / Semi-

19. Name of Partners:-

All tenderers must disclose the names and addresses of their partners, if any, in the particular contract. Any tenderer failing to do so shall render him liable to have his EMD forfeited and the contract, if entered into, cancelled at any time during its currency. Further, it shall invite penal action including black-listing.

20. Power of Attorney (POA):

Notarized Power of attorney shall be granted by 2 directors/Managing Director /All partners, as the case may be in presence of 2 witnesses on Stamp paper of Rs.500/-.

Note -

- (a) The Registered Power of Attorney (if any) registered with Chief Accountant (B.M.C.) will be accepted.
- (b) If all uploaded documents are signed by Proprietor or 2 directors/Managing Director or All partners, as the case may be, POA is not required to be submitted.

If Tender is awarded and Contract Documents are signed by POA Holder the POA is to be registered at the Office of Chief Accountant (B.M.C.)

21. Unconditional offer:-

Tenderers shall quote a firm & unconditional offer. Conditional offers shall not be considered and shall be treated as non-responsive. Bonus/complimentary / discount offer given with condition will also be rejected. Bonus/complimentary / discount offer given without any condition will not be considered for evaluation of comparative assessment. The net price quoted will only be considered for determining the lowest bidder irrespective of unconditional Bonus/complimentary / discount offer.

22. Contradictory Clause in tender:-

Tenders containing contradictory, onerous and vague stipulations and hedging conditions such as "subject to prior sale" "offer subject to availability of stock" "Order subject to confirmation at the time of order" "Rates subject to market fluctuations" etc. will be rejected outright.

23. Alternative clauses in tender:-

No alteration or interpolation will be allowed to be made in any of the terms or conditions of the tender & contract and / or the specifications and /or in the schedule

	of quantities. If any such alteration or interpolation is made by the tenderer, his tender								
	shall be rejected.								
24.	Rejection:-								
	The	The tender may be considered incomplete, irregular, invalid and liable to be rejected If							
	a)	a) The tenderer stipulates own condition /conditions,							
	b) Does not fill & sign the Tender Form incorporated in the Tender,								
		Does not disclose the full name/names and Address / addresses of Proprietor /							
	c)	Partners / Directors in case of Proprietorship / Partnership/ Private Limited /							
		Public Limited concern Firms, email ID for communication							
		Tenderer is not eligible to participate in the bid as per laid down eligibility							
	d)	criteria;							
	e)	The Goods offered are not eligible as per the provision of the tender							
	f)	Does not submit valid documents listed in Packet 'A' & Packet 'B'.							
		Non-submission or submission of illegible scanned copies of stipulated							
	g)	documents/ declarations.							
	h)	Stipulated validity period less than 180 days.							
	i)	Particular furnished by tenderer are found materially incorrect or misleading,							
		such tender shall be rejected and their EMD shall be forfeited and shall be liable							
		for further action like black-listing etc. Any change occurring within their							
		institute like change in name of firm, change of partner, change in the							
		constitution, change in brand name of the product, merger with any other							
		institutions, contract work, if any, allotted to another firm, any freshly initiated							
		court case should be promptly intimated to the BMC. If the tenderer fails to							
		submit such information during the tenure of the contract, that shall invite legal							
	action and black-listing as well.								
	Even though the Tenderers meet the eligibility criteria, they are su								
	ineligible if they have:								
		1) Made misleading or false representation in the forms, statements &							
		attachments submitted in proof of the qualification requirements; and / or							
		Record for poor performance such as non-supply of allotted medicines,							
		medicine consumable and medical devices, not properly completing the							

		contract, inordinate delays in completion, litigation history, or financial								
		failures etc. in BMC.								
25.	Quoted	Currency:-								
	1.	If the bidder is Indian manufacturer of equipment has to quote in INR .								
	2.	If the bidder is foreign manufacturer of equipment then allowed to quote in								
		foreign currency only.								
	3.	If bidder is 100% Indian subsidiary of foreign manufacturer duly registered in								
		India / Subsidiary of principle Foreign Manufacturer duly registered in India /								
		sister concern of Foreign manufacturer duly registered in India /Associate of								
		Foreign manufacturer duly registered in India /joint venture of Foreign								
		manufacturer duly registered in India / affiliate of Foreign manufacturer duly								
		registered in India then allowed to quote in foreign or Indian currency. If								
		quoted in foreign currency then for import supply payment will be done directly								
		to manufacturer of equipment.								
	4.	If bidder is Distributor/Dealer/Importer/trader/agent appointed by foreign								
		manufacturer then for import supply payment will be done directly to								
		manufacturer of equipment only.								
		Such tenders cannot be quoted in INR.								
		Firm price								
		The prices quoted shall be firm and no variation will be allowed on any account								
		whatsoever.								
26.	<u>Variation</u>	on in rate:-								
	Tend	derers are requested to fill in the tender carefully after noting the items and its								
	spec	ifications. No variation in rates etc. shall be allowed on any grounds such as								
	cleri	cal mistake, misunderstanding etc. after the tender has been submitted.								
27.	Produc	t Names:-								
		tenderer must state the brand name of the product, if any.								
28.	Technic	Technical specifications:								
	a.	The tenderer shall carefully read the Tender Copy (Section 8) to understand the								
		technical specifications, quality requirements, applicable standards, Acts &								
		Rules including the Mandatory requirement for substantiation of their								
		compliance without deviating from bid requirements. Details of the Product								
		Offered should be duly filled in Annexure 5.								
	b.	The tenderer shall mark and highlight all the documents as per tender copy in								

		Annexure 8					
29.	The Th	ree Packet system:-					
	i.	The tenderer should upload tender in three Packets (Packets) system as below,					
		so as to have fair, transparent and timely completion of tendering process.					
		Tenderers are requested to submit all required documents specified under each					
		packet while submitting tender itself.					
	ii.	All the documents should be strictly uploaded in P.D.F. format					
	iii.	If the tenderer has not uploaded all the required and necessary documents as					
		prescribed in packet 'A' & 'B' at the time of Bid Submission then the tenderer					
		shall submit the same online in Mahatender Portal within 7 working days from					
		the date of intimation from BMC.					
	iv.	If the information of shortfall documents asked by concerned BMC officer					
		through Mahatender portal is not complied with, for such lapses within given					
		period, BMC shall not be responsible and it will be treated as noncompliance of					
		the shortfall from the tenderer end and his offer will be treated as non-					
		responsive.					
	V.	The tenderer shall not disclose / quote the rate of the items in packet A / B (Bill					
		of Entry, Purchase Orders). (Any price / Rupees / Amount should be masked).					
	The document where price / Rupees / Amount are not masked						
		accepted and item will be considered Non Responsive.					
	vi.	The tenderer must scan and upload the currently valid documents including the					
		due date and time of tender					
	vii.	All Annexure(s) shall be physically signed as per their respective conditions and					
		uploaded.					
		All addendums /corrigendum shall be uploaded along with tender document					
	A)	Administrative Bid (Packet A)					
		The following Documents shall be submitted in the Packet 'A':-					
		i. <u>Chartered Accountant's Certificate</u> for turnover of the tenderer for					
		preceding three financial years.					

	ii.	Valid Banl	c So	lvency Certifi	cate fo	or minin	num of Rs. 30 Lakhs iss	sued
				·			nk. The date of issue of s	
		certificate shall not be more than 06 months prior to the date of						
		submission of tender and the same shall be considered valid for 12						
		months from the date of issue.						
				SOLVENCY	CER	ΓIFICA	ΓE CHART:-	
		S	r.	Estimated C	ost in	Lakhs	Solvency Certificate	
		N	0.				Vaule	
			1	Above 300			30 Lakhs	
			2	Above 100	to	300	20 Lakhs	
		3	3	Above 50	to	100	15 Lakhs	
			4	Above 25	to	50	10 Lakhs	
		-	5	Above 10	to	25	05 Lakhs	
			5	Above 05	to	10	02 Lakhs	
		,	7	Upto 05			01 Lakhs	
	iii.	GST regist	ratio	on certificate (of Ten	derer).		
		GST regis	trati	on certificate a	along v	with Der	posit Receipts (Challans)	of
				nths of Tendere	_	-	•	
	iv.	The 'PAN	, do	ocuments and	photo	graphs	of the individuals, own	ners,
		Karta of H	lind	u Undivided l	Family	, firms,	Private Limited Compan	nies,
		Registered	Co	o- operative S	ocietie	s, Partn	ers of Partnership firm an	d at
		least two	dire	ctors, if numbe	er of d	irectors	are more than two in cas	e of
		Private Ltd	l. C	ompanies as th	ne case	may be	e. However PAN Docume	ents
		will not l	oe i	insisted in ca	se of	Public	Limited Companies, S	emi
		Governme	nt u	ndertaking, Go	vernm	ent und	ertaking.	
	V.	Certified c	ору	of latest partne	ership	deed in	case tenderer is a partners	ship
		firm. Part	ners	hip deed mu	st be	register	red in the office of C	hief
		Accountan	t, B	.M.C. Head Of	fice be	efore Ex	ecution of Contract.	
	vi.	Firm/Com	pany	y/Sanstha Reg	istratio	on Cert	ificate e.g. Certification	of
							Memorandum of Associa	
		etc.						
	vii.	List of al	D	irectors/Partner	rs wit	h comp	elete residential & Busin	ness
	-					-	E-Mail id, along with t	
			J. CP	110110 1101 1110		, , , , , ,		-1-11

	Signature on letter head of the tenderer.
viii.	Power of Attorney
	If tender is signed by a person holding power of attorney. The Postal
	Address of Residence, Business along with Telephone Number, Fax
	Number, Mobile Number & E-mail ID shall be furnished.
ix.	Registration Certificate under ESIC Act 1948 if 10 or more workers are
	on the establishment of Tenderer. OR Declaration in Annexure 3 on
	Rs.200/- stamp paper if registration under ESIC Act is not applicable.
X.	Registration Certificate under EPF & M Act 1952 if 20 or more workers
	are on the establishment of Tenderer. OR Declaration in Annexure 3 on
	Rs. 200/- stamp paper if registration under EPF & M Act 1952 is not
	applicable.
xi.	Annexure 1: Particulars about the Tenderer on Letter Head of the
	Tenderer.
	Valid and correct e-mail ID of the tenderer for communication in
	respect of this bid shall be provided in Annexure 1. '
xii.	Annexure 2: 'Tender form' on tenderer's letter head with signature of
	Proprietor/ Managing Director / 2 Directors/All partners as the case
	may be.
xiii.	Annexure 3: Notarized Declaration made by the tenderer on Stamp
	Paper of Rs.200/- with signature of Proprietor/ Managing Director / 2
	Directors/All partners as the case may be in presence of 2 witnesses.
xiv.	Annexure 3A: Tri party agreement between mcgm, manufacturer and
	bidder
XV.	Annexure-4:- PRO-FORMA for uploading details of EMD and Annexure-3
xvi.	Annexure 9A: PRO-FORMA FOR MANUFACTURER'S LETTER(If
	Tender Is Submitted By Indian Or Foreign Manufacturer)
	Annexure 9B: PRO-FORMA FOR MANUFACTURER'S LETTER
	(From Foreign Manufacturer's Only For Appointing100%
	Indian Subsidiary / Subsidiary Of Principle Foreign
	Manufacturer /Sister Concern/Associate/Affiliate/Joint

		Venture- Registered In India)
		Annexure 9C : PRO-FORMA FOR MANUFACTURER'S
		LETTER(From Foreign Manufacturer's Only For Appointing
		Distributor /Dealer / Importer /Traders/Agent)
	xvii	Annexure 11: Authorization letter for attending tender opening.
	xviii	Annexure 12: Contract Agreement form
	xix.	Annexure 13: Details of litigation History on Rs. 200 Stamp Paper
	XX.	Annexure 14: Pact of Integrity
	xxi.	Annexure 15:- Internal Grievance Redressal Mechanism
	xxii.	Annexure- A (Irrevocable Undertaking) as per prescribed format on
		Rs. 500/- stamp paper.
	xxiii.	Annexure-B
	xxiv.	Valid CDSCO license in the name of bidder/ Manufacturer issued by
		competent authority
B)	<u>Techni</u>	ical Bid (Packet B)
	The fol	llowing Documents shall be submitted in the Packet 'B':-
	i.	Annexure 5: Technical Offer – Basic equipment and essential
		accessories.
	ii.	Annexure 6: List of the Spare Parts.
	iii.	Annexure 7:- List of the Consumable / Accessories.
	iv.	Annexure -7 A:- List of the Consumable & Accessories Set.
	v.	Annexure–8:- Comparison of tender specification v/s equipment
		specification.
		specifications
	vi	Annexure–10: Experience certificate (Proforma for Statement of
	vi	
	vi vii.	Annexure–10: Experience certificate (Proforma for Statement of
		Annexure–10: Experience certificate (Proforma for Statement of experience certificate)
		Annexure–10: Experience certificate (Proforma for Statement of experience certificate) Annexure 16:- Details of CE US FDA certificate Copy of valid

other allied equipment's having technical specifications shall be uploaded.

Scan copy of original Technical Brochure's for quoted model shall be signed and stamped by Original Equipment manufacturer.

The quoted product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/ redundant. Bidders will not be allowed to substitute any other technical Brochure during clarification stage.

In case of proprietary items the Manufacturer / Manufacturer with Loan License/ Importer shall submit the letter on the original letterhead of the manufacturing company to the effect that a particular product is not manufactured by any other company and the concerned Manufacturer / Importer shall also submit copies of the work orders quotation given to the Govt. / Semi Govt. Institute

C) Commercial Bid (Packet C):-

ix.

The commercial bid is to be submitted online by filling the rates using the user ID, password and using digital signature.

Packet 'C' will be automatically generated as per item data. Tenderer(s) shall fill item wise rates for all the items mentioned in the item data tab. Tenderer(s) shall also give the breakup of tax structure loaded in the quoted prices in tender Packet B i.e. the percentage of various taxes & duties without disclosing the basic price for the machine/equipment.

Accordingly, the prices quoted should be in the same currency for all the items quoted i.e. Equipment, Accessories, CMC/AMC, Turnkey projects, cost per test if any etc. failing which tenders will be rejected. While quoting the prices for the medical equipments manufactured in India, prices should be quoted in Indian currency only and tax structure shall be mentioned for all taxes like GST, all duties, levies etc. in force i.e. the percentage of various taxes & duties without disclosing the basic price for the machine/equipment in packet B. Even though local supply is imported, the tax structure shall be mentioned for all taxes like GST, all duties, levies, Basic custom duty, etc. in packet B.

In case of import supply, rates shall be quoted in Foreign Currency only and payment shall be made by opening Letter of Credit (L.C.) in the name of Principle Manufacturer (L.C. is to be opened by BMC). Taxes such as Basic custom duty, stamp duty, GST will be paid by BMC. However same will be

taken into consideration for evaluation and price comparisons along with AMC/CMC /Indian items /Turnkey Work/ cost per test /cost of reagents/cost of consumables as the case may be.

However Indian Subsidiary may quote in Indian currency and rates shall be inclusive of all taxes.

Exception is given for the firms as mentioned at clause 25 (3) 'quoted currency'.

The conversion rate of the foreign Currency will be as per the exchange rate on the date of the opening of commercial bid mentioned in the header data in Mahatender.

The rates quoted should be Cost Insurance and freight (CIF) and delivery with installation per unit basis mentioned in the enquiry document and should be comprehensive incorporating the cost of the instrument / equipment and accessories required as part of the equipment and shown as such in the enquiry document. In case any item is required as an essential accessory for equipment, it must be mentioned clearly in Packet B and its rates must be included in the rates for the equipment. If such essential accessories are not specifically mentioned, it will be presumed that the cost of essential accessories is included in the cost of equipment and no separate payment for the same will be made thereafter under any circumstances. If any accessory is demanded as mandatory in the tender enquiry, under no circumstances it should be shown as an optional accessory and quoted separately. The price of the product offered must include the accessories required for operation of the instrument and no separate payment will be made even if such an accessory is not included in the offer. Only those accessories which are specifically recommended by the manufacturer of the instrument / equipment should be offered as part of the equipment and under no circumstances a cheaper variety of an accessory not approved / recommended by the manufacturer should be offered.

The charges towards Third party inspection, Insurance, Transportation shall be included in the quoted cost.

Cost For CMC:

Cost of the Comprehensive Maintenance Contract (CMC) for each year will be fixed to 5% of the ordered value of the equipment*

*Order value of the equipment:

(1) If quoted price of equipment is in INR by a bidder (which includes all taxes to be paid by bidder) then same will be considered as ordered value of equipment.

If quoted price of equipment is in foreign currency (which does not include taxes to be paid by bidder) then converted price in INR + Basic Custom Duty, bank clearance charges, Cess etc. (as per prevailing rates) + GST (as per prevailing rates) + cost of local supply is considered as ordered value of equipment.

30. Taxes & Duties

- 1. All the rates quoted by the tenderer should be inclusive of all taxes, i.e G.S.T. and other state levies/cess which are not subsumed under GST. The tenderer shall quote the rates inclusive of all taxes & duties clearly & understood that BMC will not bear any additional liability towards payments of any Taxes & duties.
- 2. If the services to be provided by the Tenderers falls under Reverse Charge Mechanism, the price quoted shall be exclusive of GST, however same shall be inclusive of taxes /Duties/Cess other than GST, if any.
- 3. Rates accepted by BMC shall hold good till completion of work and no additional individual claim shall be admissible on account of fluctuations in market rates; increase in taxes /any other levies/tolls etc. except that payment recovery for overall market situation shall be made as per price variation and if there is any subsequent change (after submission of bid) in rate of GST applicable on the work/services to be executed as per tender, i.e. any increase will be reimbursed by BMC whereas any reduction in the rate of GST shall be passed on to BMC as per the provisions of the GST act.
- 4. As per the provision of Chapter XXI-Miscellaneous section 171(1) of GST Act, 2017 governing 'Anti Profiteering Measure' (APM), 'any reduction in rate of tax on any supply of goods and services or the benefit of input tax credit shall be passed on to the recipient by way of commensurate reduction in prices'. Accordingly, the contractor should pass on complete benefit accruing to him on account of reduced tax rate or additional input tax credit to BMC.
- 5. Further, all the provisions of GST Act will be applicable to the tender.
- 6. For compliance of the same, the bidder/tenderer shall upload the undertaking as

per Annexure A in Packet B.

- 7. GST will be paid at actual for CMC as the case maybe.
- 8. In case of supply of machines/equipment **manufactured outside India** and where the payment is made by opening of letter of Credit (L.C.), taxes, duties applicable including GST are to be borne by the BMC. The manufacturer /supplier shall quote the CIF Mumbai Cost of the machine to be imported / supplied
- 9. If there is any increase in above taxes/duties during the period of contract repayment claim will not be entertained by BMC.
- 10. Cost of local supply items shall be quoted inclusive of taxes(as applicable).

31. Spare Parts:

(Applicable in case of Annual Maintenance Contract only)

Tenderer shall have to submit list of the spare Parts required as a document in Packet B, without displaying the rates. (As per the Annexure 6)

The rate quoted for spares shall be freezed for 10 years and cost of one spare each shall be considered for evaluation and BMC is not binding to accept the rates quoted for spares.

The rate shall be quoted in commercial bid (ITEM DATA) in e-tender.

32. Consumables / Accessories / Instruments:

Tenderer shall have to submit the rate for the consumables mentioned in Annexure 7 in commercial bid (BOQ) in e tender.

The Tenderer shall have to quote only one rate which will remain constant throughout the Warranty for three years and Annual /Comprehensive maintenance (AS applicable) contract period for seven years i.e. for total ten years. However if the value of foreign currencies at the time of supply of consumable items w.r.t. Indian Rupees increases by 25% than on the date of opening of commercial bid in such cases, difference in excess of 25% would be paid to bidder.

The rate quoted for consumables shall be freezed for 10 years and cost of one consumable each shall be considered for evaluation and BMC is not binding to accept the rates quoted for consumable.

Apart from mentioned consumables cost of no other consumables will be paid by BMC and same shall be covered under warranty and CMC.

<u>Payment for Consumables/Accessories/spares during 5 years warranty and 5</u> years CMC-

Rates for consumables / spares / accessories shall be quoted excluding taxes if any(GST only).

GST will be paid at actual as per prevailing rates.

For those bidders who are importing consumables/accessories/ spare parts during 5 years warranty and 5 years CMC, the LC will not be opened by BMC for the same and only cost of GST will paid at actual, no other duties will be paid by BMC on consumables/ accessories/ spare parts during 5 years warranty and 5 years CMC.

33. **Pre-bid Meeting:**

If required by BMC and depending upon the nature of work, the pre-bid meeting will be held at the date, time and venue mentioned in the e-Tender Notice.

Tenders shall note that any corrigendum issued regarding this tender notice will be published on the BMC portal. No corrigendum will be published in the local newspapers.

The prospective tenderer(s) should submit their suggestions/observations if any, in writing minimum 2 days before Pre-bid meeting.

Only suggestions/observations received in writing will be discussed and clarified in pre-bid meeting and any modification of the tendering documents, which may become necessary as a result of pre-bid meeting, shall be made by BMC exclusively through the issue of an addendum/corrigendum. The tender uploaded shall be read along with any modification. Authorized representatives of prospective tenderer(s) can attend the said meeting and obtain clarification regarding specifications, works & tender conditions. Authorized representatives should have authorization letter to attend the pre-bid meeting.

Non-attendance at pre-bid meeting shall not be a cause for disqualification of a tenderer. The suggestions / objections received in pre-bid meeting may not be considered, if the same are not in consonance with the requirements of the tender/project. BMC reserves the right to reject the same.

34. Procedure for the opening of the tender:

Packet-'A' (Administrative bid) and packet 'B' (Technical Bid) will be opened online simultaneously on the due date and due time as stated in the header data when the

tenderer or his authorized representative will be allowed to remain present. Packet 'C' will be opened only if the administrative & technical offer in Packet 'A & B' is acceptable. In case the administrative and technical offer in Packet 'A' & 'B' is found not acceptable or found incomplete, then Packet 'C' will not be opened and offer will be kept out of consideration. The date and time of the opening of Packet 'C' will be intimated to the responsive tenderer via mail. No complaint for non receipt of such intimation will be entertained. 35. **Evaluation of the tender:** i. After opening of Packet A and Packet B, on the scheduled date, time and venue, contents of the tenders received online through e-tendering process along with all prescribed mandatory documents will be examined. The scrutiny shall be on the basis of submitted substantiation documents. ii. Any bid that does not meet the bid conditions laid down in the bid document will be declared as not responsive and such bids shall not be considered for further evaluation. However, the tenderers can check their bid evaluation status on the website.EMD of nonresponsive bidder will get refunded on finalization of status on Mahatender Portal. iii. Bids which are in full conformity with bid requirements and conditions shall be declared as responsive bid for opening price bid on the website and price bid of such tenderers shall be opened later, on a given date and time. The documents which are uploaded in Packet 'A' and Packet 'B' with Tender iv. original of which, if called, shall be produced for verification within 3 days. Also if required, B.M.C. may ask any clarification / Additional Documents from the tenderer during the tender process. **36.** Every complaint, submitted by competitive tenderers in the matter of challenge to the authenticity of documents/information and/or particulars submitted by another tenderer ought to be accompanied with the deposit of Rs.2,00,000/- (Rupees Two Lakhs only) towards charges for inspection and verification of the documents of another tenderer. On verification of the complaint, if the representations made therein are found to be true and correct, the deposit will be refunded to the complainant and the E. M. D. of the defaulting tenderer shall be forfeited and further it shall be lawful for BMC to blacklist such defaulting tenderer for a maximum period of five years. On verification of the complaint, if the representations made therein are found to be false

and incorrect, the deposit shall be forfeited and the complainant shall be black-listed for period of two years.

Any complaint received regarding the authenticity of documents / information and/or particular submitted by another tenderer after price bid opening will not be entertained

37. Internal Grievance Redressal Mechanism: (As per Annexure 15)

Tenderer has the right to submit a complaint or seek de-briefing regarding the rejection of his bid, in writing or electronically, within 07 days of declaration of Administrative and Technical or financial evaluation results. The complaint shall be addressed to Deputy Municipal Commissioner/ Joint Municipal Commissioner (Central Purchase Department).

38. **Price Negotiation:**

The BMC reserves its right to negotiate with the lowest acceptable tenderer (L-1), who is techno-commercially suitable for supplying bulk quantity and on whom the contract would have been placed but for the decision to negotiate.

39. Acceptance of Tender/Award of Contract:-

The BMC will award the Contract to the successful tenderer whose bid has been determined to be responsive and has been determined to be the lowest in rate as per price clause of this tender.

The decision of the Municipal Commissioner shall be final and binding and Municipal Commissioner, do not pledge himself to accept the lowest or any tender and reserves the right to split the quantity amongst the eligible tenderers and to relax any of the conditions of this tender. The Municipal Commissioner Reserves right to reject any or all tenders without assigning any reason.

A contract will not be awarded to the successful tenderer if Security Deposit is not deposited by him to the BMC within stipulated time limit.

40. **Demonstrations:**-

Demonstration is compulsory for lowest bidder and he should arrange for the demonstration in India of the equipment quoted for in the tender within 7 days from the date of intimation of the request for demonstration preferably in Mumbai in the hospital. However, if complete system of quoted model/complete system is not available in Mumbai, demonstration may be arranged outside Mumbai/India in any mutually agreed upon hospital or manufacturing plant at bidder's cost. Demonstration must be given within 7 days time from the date of receipt of letter from BMC if planned in India and within 15 days if abroad, otherwise liable for penalty/legal action like forfeiture of EMD, blacklisting. If demonstration / testing of equipment offered by lowest bidder is found non-satisfactory, then his offer will not be considered and treated as non responsive.

The demonstration of equipment should be attended by HoD/Professor/Associate Professor of the Major Hospital only. Demonstration in the presence of subordinate authorities like Resident Doctors / Lecturers will not be allowed. The video recording of the demonstration shall be mandatorily done. Soft copy of the Video Recording shall be handed over to the representative of BMC who witnessed the demonstration. Arrangement of Video Recording shall be done by the bidder at their own cost. The demonstration report shall be prepared on same day and signed by all present including representatives of bidder / Head of Department.

41. **Period of Contract:**

The period of contract shall be 10 years (5 years warranty period + 5 years CMC period) from the date of signing of the contract/agreement by both the parties i.e. the Contractor and BMC.

SECTION 7: GENERAL CONDITIONS OF CONTRACT

The General Conditions of Contract (G.C.C.) contained in this section are to be read in conjunction with the other section in the tender.

1. Contract:

Contract means the Contract Agreement entered into between the Purchaser, henceforth called Municipal Corporation of Greater Mumbai or BMC, and the Supplier, together with the Contract Documents. The Contract and the term 'The Contract' shall in all such documents be construed accordingly.

The 'Contract Document' means the entire document along with any attachments and all documents forming part of the Contract (and all parts of these documents) are intended to be correlative, complementary and mutually explanatory. The contract shall be read as a whole.

The Contract Agreement means the agreement entered into between the BMC and the Supplier. The date of the Contract Agreement shall be recorded in the signed form.

Tenderer must distinctly understand:

That they shall be strictly required to conform to the conditions of this contract as contained in each of it clauses and that the plea of "custom prevailing" shall not on any account be admitted as an excuse on their part for infringement of any of the condition.

The contract entrusted to the successful tenderer shall be subject to "Force Majeure Clause" as per Section 56 of Indian Contract Act restricting to the case of natural calamity such as earthquake, storm floods or rising of war by any country.

2. Contract Documents:

The following documents shall be considered an integral part of the contract, irrespective of whether these are not appended / referred to in it.

- 1) Letter of Acceptance
- 2) The Contractor's Bid
- 3) Addendum to Bid, if any
- 4) Tender Document
- 5) The Bill of Quantities / Price Packet
- 6) The specifications
- 7) The General conditions of Contract
- 8) The Special conditions of Contract
- 9) Final written submissions made by the contractor during negotiations, if any
- 10) All correspondence documents between bidder and BMC.

	11) Integrity Pact							
3.	Contra	ract Deposit / Performance Security:						
	i.	The Successful tenderer (Contractor) shall have to pay Contract Deposit @ 5%						
		of total contract cost, within 30 days from the date of issue of Letter of						
		Acceptance (LoA).						
	ii.	The contract deposit / Performance Security shall be paid either in the form of						
	11.	Demand Draft (DD) or in the form of Bankers' Guarantee.						
		Demand Draft (DD) of in the form of Bankers Guarantee.						
	iii.	Bankers Guarantee (B.G.) shall be issued from the Banks listed by Reserve						
		Bank of India on their website:-						
		'rbidocs.rbi.org.in/rdocs/publications/pdfs/84656.pdf'. The B.G. shall be						
		acceptable from these banks and all branches of these banks situated within						
		Mumbai limit and up to Kalyan and Virar.						
	iv.	The B.G. issued by branches of approved Banks beyond Kalyan and Virar can						
		be accepted only if the said B.G. is countersigned by the Manager of a Branch						
		of the same bank, within the Mumbai City limit categorically endorsing thereon,						
		that, the said B.G. is binding on the endorsing Branch of the Bank within						
		Mumbai limits and is liable to be enforced against the said Branch of the Bank						
		in case of default by the contractor/supplier furnishing the banker's guarantee.						
	v.	The contract deposit / Performance Security should be refunded to the						
		contractor without interest, after he duly performs and completes the contract in						
		all respects. The performance B.G. shall remain valid for a period of 6 months						
		beyond the date of completion of all contractual obligations including warranty						
		and AMC/CMC obligations.						
	:	The D.C. well-d few the entire contract newed including AMC/CMC newind						
	vi.	The B.G. valid for the entire contract period including AMC/CMC period (minimum ten and half years period) shall be submitted. However, the						
		Contractor is allowed to submit B.G. valid for the period of three years initially (during warranty period) and thereafter it shall be renewed (maximum two						
		times) for further period of not less than three years at a time during AMC /						
		CMC period and maintain the requisite contract deposit / Performance Security						
		for entire contract period including AMC/CMC period.						
	vii.	If the Contractor during currency of the contract fails to maintain the						
	VII.	requisite contract deposit / Performance Security, BMC shall recover from						
		requisite contract deposit / refrontiance security, Divic shall recover from						

	the contractor the amount of contract deposit / Performance Security b						
		deducting the amount from the pending bills of the contractor under this					
		contract or any other contract with the BMC. Otherwise the existing B.G.					
		towards contract deposit shall be forfeited and the contractor shall be					
		debarred from participating in BM tenders for a period of 3 years					
	viii.	i. The successful bidder shall have to pay Stamp Duty on B.G.					
		Mah	arashtra Stamp Act at prevailing rate which is 0.5% at present on total				
		cost.	The renewed B.G. shall be treated as new B.G. and it is necessary to				
		pay fresh Stamp Duty.					
	ix.	The BM	IC shall be entitled, and it shall be lawful on its part, to deduct from the				
		perform	ance securities or				
			to forfeit the said security in whole or in part in the event of:				
		a.	to fortest the said security in whole or in part in the event of:				
			i. any default, or failure or neglect on the part of the contractor in				
			the fulfillment or performance in all respect of the contract				
			under reference or any other contract with the BMC or any part				
			thereof				
			ii. for any loss or damage recoverable from the contractor which				
			the BMC may suffer or be put to for reasons of or due to above				
			defaults/ failures/ neglect				
		b.	and in either of the events aforesaid to call upon the contractor to				
			maintain the said performance security at its original limit by making				
			further deposits, provided further that the BMC shall be entitled, and it				
		shall be lawful on his part, to recover any such claim from any sum					
			then due or which at any time after that may become due to the				
			contractor for similar reasons.				
4.	Refund	und of contract deposit:-					
	Cont	tract depo	sit will be refunded after six months after completion of contract period				
	of fi	ve years	warrantee & 5 years AMC/CMC(as applicable) subject to satisfactory				
	perfo	performance/ maintenance of equipment .					
5.	Signing	Signing & Execution of Contract:					
	I.	I. In the event of the tender being accepted, the Letter of Acceptance (LoA) and					
		1					

	the Contract documents shall be sent / issued to the successful bidder
	(Contractor) for signature and return, incorporating all the agreements between
	the parties to the contract i.e. the contractor and the BMC. The Contractor shall
	acknowledge and unconditionally accept, sign, date and return the contract
	documents within 30 days from the date of issue.
II.	The contract must be signed by proprietor of the firm in case of proprietary firm
	/ all the partners of the firm. If one or more partners are not available for this
	purpose, the signatory must produce a power of attorney authorizing him to sign
	on behalf of the absent partners. Such power of attorney need be registered in
	the office of the Chief Accountant and Dy. Chief Engineer (C.P.D.) should be
	informed accordingly.
III.	In case of joint stock Company the contract must be sealed with the seal of the
	company in the presence of and signed by two Directors or by person duly
	authorized to sign the contract for the company by a power of Attorney. All such
	power of attorney must be registered in the office of the Chief Accountant and
	Dy. Chief Engineer (C.P.D.) should be informed accordingly.
IV.	Contractor shall pay contract deposit / performance security, legal & stationary
	charges, stamp duty etc. and submit signed contract documents within 30 days
	from the date of issue of Letter of Acceptance and thereafter a fine of Rs. 5000/-
	per day will be imposed up to maximum 07 days delay
V.	If the contractor fails to pay / submit contract deposit / performance security,
	legal & stationery charges, stamp duty etc. and signed contract documents
	within the above stipulated time (i.e. 37 days including penalty period of 07
	days, the above mentioned fine plus entire EMD amount will be forfeited and
	the tender / contract already accepted shall be considered as cancelled.
VI.	The contract shall be signed and entered into after receipt and verification of
	requisite performance security, by the BMC authority empowered to do so.
VII.	The Rate Circular shall be issued only after signing of contract by both the
	parties i.e. contractor and BMC.
VIII.	The contract shall be executed as per the MMC Act.
Paymen	t of legal and stationery charges:
Thes	e charges are to be paid by the successful bidder on receipt of acceptance letter
for the	ne supply of the material as per prevailing circular.
	III. IV. VI. VIII. Payment Thes

This can change and the successful tenderer shall have to pay the applicable legal and stationary charges at the time of award of contract. 7. Stamp duty:-The contract agreement shall be adjudicated for the payment of stamp duty by successful bidder and accordingly the successful bidder shall have to pay the stamp duty on contract agreement as per the Government Directives. The Stamp Duty payable on the Contract Value shall also be paid to Government as per the provisions of "Stamp Duty Act 1958" (amended till date). 8. The Successful Tenderers must distinctly understand: That they shall be strictly required to conform to the conditions of this contract as contained in each of it clauses and that the plea of "custom prevailing" shall not on any account be admitted as an excuse on their part for infringement of any of the conditions. The contractor must proactively keep the BMC informed of any changes in its b. constitution/ financial stakes/ responsibilities during the execution of the contrat The contract has been awarded to the contractor based on specific eligibility and c. qualification criteria. The Contractor is contractually bound to maintain such eligibility and qualifications during the execution of the contract. Any change which would vitiate the basis on which the contract was awarded to the contractor should be pro- actively brought to the notice of the BMC within 7 days of it coming to the Contractor's knowledge. d The contractor shall not sublet, transfer, or assign the contract or any part thereof or interest therein or benefit or advantage thereof in any manner whatsoever 9. Purchase Order:-The user department will place purchase orders within 15 days from the date of receipt of rate circular subject to availability of budget provision and site is ready for installation. 10. **Letter of Credit (L.C.) Condition:**i. All outside India charges on beneficiaries (i.e. bidder) account. ii. Partial shipment will not be allowed. If it is to be allowed, all the charges including clearing, custom duty, GST etc. should be borne by bidder.

	iii.	In case of Warranty replacement – all charges including clearing, custom duty,
		GST etc, should be borne by bidder.
	iv.	Country of Origin - Bidder should not be allowed to change the Country of
		Origin mentioned in Original tender i.e. in Packet 'A' at later stage (As mentioned
		in Annexure- I).
	v.	Place of Port of Shipment should be mentioned.
	vi.	Name & Address of Beneficiary, Bidder/Manufacturer Bank details i.e. Name,
		Branch, Account No., IFSC, SWIFT Code etc.
	vii.	In case amendments in L.C. are required to be made due to reasons related to
		contractor, delivery period will be considered from the date of opening of original
		LC and request for such amendments will be entertained up to 15 days from
		opening of LC after payment of necessary amendment charges.
	viii.	To open L.C. in the name of associates/affiliates/financial arm of manufacturer,
		undertaking on Rs. 500/- notorized stamp paper should be submitted duly signed
		with stamp by bidder, manufacturer and their associates/affiliates/financial arm.
11	17.11.	ing documents one required at the time of chimment of consignment in case of

11. Following documents are required at the time of shipment of consignment in case of supply of indigenous as well as imported equipment and same shall be mentioned in the L.C.:-

- i) Third party inspection report
- ii) Packing List:-
- iii) Country of Origin Certificate (For foreign manufacturer)
- iv) Insurance Certificate
- v) Original Invoice
- vi) Bill of lading / Airway bill
- vii) Bill of entry (As applicable)
- viii) e-way bill (As applicable)

Third party inspector/Firm shall verify following:

The firm/agency doing third party inspection need necessarily be accredited by competent authority. The accreditation letter/certificate issued by the competent authority shall be given by Firm/Agency. The third party inspection firm/agency shall prior to shipment inspect the equipment physically in accordance to the tender specifications and certify the following things:-

i. The equipment is new and made of virgin material; it is not reconditioned

		/retrofitted.		
	ii.	The name of the equipment manufacturer, model and serial nos. of equipments&		
		country of manufacturer.		
	iii.	Third party inspector shall clearly mention in his report the purchase order no.,		
		date and name of consignee i.e. Brihanmumbai Municipal Corporation		
	iv.	Packing List:-		
		It shall be issued by original manufacturer in 4 sets. One set should be kept in		
		equipment container. Two sets should be sent with original invoice to user		
		department and one set shall be sent to CPD for information.		
	v.	Country of Origin Certificate (For foreign manufacturer):- It shall be issued by		
		competent authority of that Country (Chamber of commerce of concerned		
		Country) mentioning Name of manufacturer, consignee, name of equipment,		
		invoice No., Qty.etc.		
		Also, Certificate of Origin issued by the manufacturer and certified by the		
		Chamber of Commerce of respective country.		
	vi.	Insurance Certificate:- It shall be issued by the Insurance company and shall		
		contain name, model, serial nos. of equipment being supplied. Also it shall		
		contain the mode of transport, location from manufacturers site i.e. from factory		
		warehouse to warehouse of user department / port of destination i.e. Mumbai and		
		period of insurance.		
	vii.	Original Invoice issued by bidders/manufacturer should contain following		
		<u>details</u> :-		
		a) The name of the equipment manufacturer, model and serial nos. of the		
		equipments.		
		h) Name of the consistence is Driber group bei Manieiral Comparation		
		b) Name of the consignee i.e. Brihanmumbai Municipal Corporation		
		c) Purchase order number and date issued by Brihanmumbai Municipal		
		Corporation		
12.	Bill of	entry.		
14.		hall be issued by Custom authority of India indicating Invoice number and date, of		
		manufacturer, name and model of the equipment, quantity, country of origin,		
	Consignee details. This document shall be obtained by user department from Custom			
	Consigned details. This document shan be obtained by user department from Custom			

Clearing Agent.

13. Bill of lading or Airway Bill :-

Bidder has to submit bill of lading or Airway bill after dispatch of equipment/machine. The user department has to verify before making payment to bidder.

14. Delivery, Installation & Commissioning:-

The tenderer should give free delivery, at BMC Hospital, within 120 days from the date of placing of purchase order. In case of import purchase, delivery of Equipment to concerned hospitals must be made within 120 days from the opening of Letter of Credit by coordinating with clearing agent appointed by BMC.

It is mandatory that the 100% Indian subsidiary of foreign manufacturer duly registered in India / Subsidiary of principle Foreign Manufacturer duly registered in India / sister concern of Foreign manufacturer duly registered in India /Associate of Foreign manufacturer duly registered in India / joint venture of Foreign manufacturer duly registered in India / affiliate of Foreign manufacturer duly registered in India or Distributor/Dealer/Importer/trader/agent appointed by foreign Manufacturer shall

- 1. Import the equipment from Principal foreign manufacturer directly in the name of BMC only after receipt of Purchase Order only after the receipt of purchase order.
- 2. Raise invoice in the name of BMC hospital.
- 3. Import equipment directly to Mumbai port.
- 4. Supply to the BMC Hospitals in Mumbai without unloading the material elsewhere during transportation.

Also the tenderer shall provide one additional packing list indicating details of supply to be delivered to the concerned hospital in advance so that it will be easier for the authority of concerned hospital to confirm supply in the packed consignment as per the purchase order.

Installation & commissioning shall be done within 90 days from the delivery of the equipment / machine or within 90 days from the handing over of the site for installation whichever is later

15. Training:

The successful tenderer shall have to give sufficient training at his cost to the staffs of the Hospital and Engineers of Medico Electronics Cell to operate the Medical Equipment. Also it shall be provided as and when required if asked by user department.

16. Penalty:-

If the successful tenderer fails to comply with work/purchase the order within the delivery period stipulated, the municipal Commissioner/ D.M.C.(C.P.D)/ Dean of Hospital/ Intending Officer shall exercise his discretionary power either:-

To recover from contractor as agreed, the liquidated damages or by way of penalty half percent of the price of the equipment which the contractors has failed to deliver, install, commission as aforesaid per week or part thereof during which the delivery, installation, commissioning of such equipment may be in arrears subject to maximum limit @ 10% of the balance amount of the stipulated price of the equipment undelivered. Such penalty is to be deducted always by the consignee from the contractors balance bill, B.G. or EMD or any money due to the contractor from BMC.

OR

To cancel the contract and orders and forfeiture of EMD, contract

Deposit and blacklisting the firm/company along with their partners/ directors.

17. Consequence of inferior supply:-

If the equipment supplied is found of inferior quality or not as per specifications, the contractor shall replace the equipment within one month from the date of intimation at the cost & risk of the contractor and also liable to pay the fine imposed by the Municipal Commissioner, failing which Earnest Money Deposit & Contract Deposit of the contractor shall be forfeited & the tenderer shall be liable for penal action including black-listing etc. In addition to the forfeiture of the Earnest Money Deposit & Contract Deposit, if any fine is imposed by the Municipal Commissioner, the same shall be payable by the supplier immediately on demand, failing which the same shall be recovered from other dues to the contractor from the Municipal Corporation.

18. Replacement of Rejected Materials:-

Tenderer/contractor shall have to replace rejected Material with approved one. The supplier should remove the rejected Material within 15 days failing which the same will be disposed off by BMC at the risk and cost of contractors without any further correspondence in this regards.

19. Risk & Cost Purchase:-

In case the Contractor/s, shall at any time during the continuance of these presents fail to supply satisfactorily the equipment within the prescribed time as herein provided and or in case shall fail at once to replace any part/s that may have been rejected as herein provided with other of approved quality, the Municipal Commissioner shall be

at liberty forthwith to procure the same in the open market at the risk and cost of the contractor/s. Similarly if the work underlying the contract is not executed satisfactorily within the stipulated period or after the same having been disapproved wholly or partly is not rectified or re-done to the satisfaction of the Officer in Charge within the said specific period, the Commissioner shall get the same executed or rectified or re-done through any other agencies, at the entire risk of the contractor/s as to cost and consequences. The extra cost thereof (if any) and all expenses thereby incurred, which shall include charges of 5% minimum to a maximum of 15 % shall be payable by and/or may be deducted from any moneys due or become due to the Contractor/s under this or any other contract/s between the Contractor/s and the Corporation. The Commissioner may, however fix such other subsequent date as he may think fit by which the delivery of the said article and or execution of the said work shall be completed.

20. Blacklisting:-

The firm shall be black-listed, if it is found that:-

i) Forged documents are submitted

OR

ii) If it becomes responsive on the basis of submission of bogus certificate/information.

OR

iii) In case of non-supply of equipment / accessories or supply of substandard quality or supply of equipment / accessories found to have been previously used or having reconditioned parts.

21. | Contract Postponement:-

Postponement of the payment of the full contract deposit or the execution of the contract will not be permitted by the reason of the Municipal Corporation of Greater Mumbai having in possession of other deposit on account of other tenders or contract, which deposits may be or become returnable to the tenderer and which they may wish to transfer as a contract deposit under this contract. Such transfers will not, under any circumstances, be permitted.

22. Secrecy:-

The contractor shall take all reasonable steps necessary to ensure that all persons employed in any work in connection with the contract, who obtains in the course of the execution of the contract, any matter whatsoever, which would or might be directly or indirectly of use to any person not connected with the contract, should treat

it as secret and shall not at any time communicate it to any person. Any breach of above said condition shall be a sufficient cause to cancel the contract and The Municipal Commissioner shall be at liberty to purchase the same material at the risk and cost of the contractor.

23. Compliance with security Requirement:-

The Contractor shall strictly comply with the security Rule of the BMC in force and shall complete the required formalities including verification from Police and any other authorities if any, and obtain necessary prior permission for entry into the premises.

24. Confidential Information:-

The drawings, specifications, prototype, sample and such other information furnished to the contractor relating to the supply of equipment/plant shall be treated as confidential and shall not be divulged to any third party. It shall remain the property of BMC. If, during the process of execution of the contract, any improvement, refinement or technical changes and modifications are effected by the contractors, such changes shall not affect the title to the property and all the information, specifications, drawings etc. including the improvement/modifications effected by the contractor shall continue to be the property of the BMC

25. Guarantee and repair during the guarantee period:-

The Contractor/s shall for a period of Sixty calendar months after the acceptance and satisfactory Installation and commissioning of the equipment, maintain, uphold and keep them in thorough repairs and working order at their own cost and expenses and to the entire satisfaction of the Municipal Commissioner or the Dean/Ch.M.S /E.H.O. or the purchasing Officer, the entire Machinery / Equipment and shall also be responsible for and be liable under the provisions of this clause to make good any defect that may during that period develop in the normal and proper working of the Machinery / Equipment. In case of repairs of Machinery / Equipment which is not manufactured in India, the manufacturer, 100% Indian subsidiary of foreign manufacturer duly registered in India / Subsidiary of principle Foreign Manufacturer duly registered in India / sister concern of Foreign manufacturer duly registered in India /Associate of Foreign manufacturer duly registered in India /joint venture of Foreign manufacturer duly registered in India / affiliate of Foreign manufacturer duly registered in India , Distributor/Dealer/Importer/trader/agent during the guarantee / warranty period shall bear all the taxes, custom duties, levies, to & fro cost of transportation etc. of the Machinery / Equipment while the same is taken away from

India and returned to India (i. e. Municipal Hospital) duly repaired by the Manufacturer. During the entire period of guarantee the Tenderer shall replace the equipment and or part of the equipment entirely on its break down / non functional, which shall be at the cost of the Tenderer and includes the labour charges, transport charges and etc. shall also be borne by the Tenderer. The tenderer should assure an uptime guarantee of at least 96% (calculated on the basis of 24 hours a day and seven days a week). If this is not done, a penalty @ 1% per day of Contract Cost of equipment will be imposed on the tenderer and same will be recovered from Contract Deposit or payment due if any.

26. Maintenance contract (As Applicable)

A. | Service and annual maintenance contract:

The successful tenderer shall have to enter into Annual Maintenance Contract for at least **five years** after the completion of warrantee period of 60 months. The Annual Maintenance Contract shall include the repair and maintenance of equipment and plant and all accessories supplied by the tenderer as a part of this tender. It is the responsibility of the tenderer to see that the equipment and all accessories are maintained in proper functioning condition, whether any spare parts/accessories be manufactured by the tenderer or not.

- a) The tenderer should assure an up-time guarantee of at least 96% (calculated on the basis of 24 hours a day and seven days a week). During AMC period, the Service Engineers will have to make 04(four) compulsory Quarterly visits per year for preventive maintenance while breakdown calls (unlimited) will be attended within 72 hours (3 days) from the date & time of lodging of complaint with the Service Engineer through phone / fax/person/post/courier/e-mail. A service call shall be attended even on Sundays and Public Holidays. The complaint /message will be sent to the address given in this contract as well as in supply order.
- b) If the breakdown is attended and rectified within 120 hours (5 days) at our sits, no penalty/ deduction will be made from the AMC bill.
- c) If it is not rectified within 120 hours (5 days) i.e. stipulated time by the Service engineer at our site, deduction will be made @ double the prorata basis AMC charges per day from the bill after allowing stipulated period of 120 hours i.e. 5 days.

d) If the problems are required to be rectified at Service Centre site /workshop / premises, additional 7 days period will be allowed i.e. total 10 days from the day of initial breakdown report. Normal AMC charges for additional 7 days period will be deducted from the bill of AMC on prorata basis. If the equipment is not made available in all respect after rectification from the Service Centre site/ premises within 10 days, there will be a provision to deduct @ double the AMC charges/ day on prorate basis from the bills for delayed period.

If Only cost of spare parts and consumables will be paid separately as per the rate quoted for spares & consumable as per list uploaded while submission of tender.

Warranty as well as AMC shall be for the main equipment, all accessories and Site Modification work supplied by the tenderer as a part of this tender. The scope of work during warranty and AMC shall consist of Break down and Preventive maintenance including testing & calibration as per technical / service / operational manual of the manufacturer, labour and spares.

The cost of AMC after satisfactory completion of Warranty period may be quoted for next 5 years on yearly basis. The cost of AMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.

Cost of AMC will be added for Ranking/Evaluation purpose. The same will be taken at Net Present Value with a 10% discounting factor each year.

OR

B. Service and comprehensive maintenance contract:

The successful tenderer shall have to enter into comprehensive Maintenance contract for at least **five years** after the completion of warrantee period of 60 months. The comprehensive Maintenance contract shall include the equipment and all accessories supplied by the tenderer as a part of this tender. It is the responsibility of the tenderer to see that the equipment and all accessories are maintained in proper functioning condition by providing spare parts where

required, whether such spare parts/accessories be manufactured by the tenderer or not.

- a) The tenderer should assure an up-time guarantee of at least 96% (calculated on the basis of 24 hours a day and seven days a week). During CMC period, the Manufacturer's Service Engineers will have to make 04(four) compulsory Quarterly visits per year for preventive maintenance while breakdown calls (unlimited) will be attended within 72 hours (3 days) from the date & time of lodging of complaint with the Service Centre through phone / fax/person/post/courier/e-mail. A service call shall be attended even on Sundays and Public Holidays. The complaint /message will be sent to the address given in this contract as well as in supply order.
- b) If the breakdown is attended and rectified within 120 hours (5 days) at our sits, no penalty/ deduction will be made from the CMC bill.
- c) If it is not rectified within 120 hours (5 days) i.e. stipulated time by the Service Engineer at our site, deduction will be made @ double the prorate basis CMC charges per day from the bill after allowing stipulated period of 120 hours i.e. 5 days.
- d) If the problems are required to be rectified at Service Centre site / workshop / premises, additional 7 days period will be allowed i.e. total 10 days from the day of initial breakdown report. Normal CMC charges for additional 7 days period will be deducted from the bill of CMC on prorata basis. If the equipment is not made available in all respect after rectification from the Service Centre site/ premises within 10 days, there will be a provision to deduct @ double the CMC charges/ day on prorata basis from the bills for delayed period.

Warranty as well as CMC shall be for the main equipment, all accessories and Site Modification work supplied by the tenderer as a part of this tender. The scope of work during warranty and CMC shall consist of Break down and Preventive maintenance including testing & calibration as per technical / service / operational manual of the manufacturer, labour and spares.

The cost of CMC after satisfactory completion of Warranty period may be quoted for next 5 years on yearly basis. The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to

27.	Payn A)	taken i Cost oj taken a nent con	cifically stated. In the absence of any such stipulation the price will be inclusive of such taxes and no claim for the same will be entertained later. If CMC will be added for Ranking/Evaluation purpose. The same will be at Net Present Value with a 10% discounting factor each year. Idition: Sof Supply of Indian Manufactured Medical equipment— 80% payment will be made within 30days from the date of satisfactory supply of equipment, submission of bills and submission of as mentioned at clause no. 11 (Documents required at the time of shipment of consignment)
		2.	given elsewhere in tender document. The balance 20% payment will be released within 30 days after satisfactory installation commissioning of the equipment. The Performance Certificate of equipment shall be issued by competent authority/ Concerned HOD of respective hospital. Also user department shall obtain satisfactory inspection report from EE (MEC).
	B)	In case	Payment will be made in the name of Principle Manufacturer by opening Letter of credit (L.C.). L.C. will be opened for 100 % CIF cost. However 80% payment will be released at sight only after satisfactory supply of equipment, submission of all documents for execution of contract and submission of all documents as mentioned at clause no.11 (Documents required at the time of shipment of consignment) given elsewhere in tender document.
		2.	In case to open L.C. in the name of associates/affiliates/financial arm of manufacturer, undertaking on Rs. 500/- notarized stamp paper should be submitted duly signed with stamp by bidder, manufacturer and their associates/affiliates/financial arm.
		3.	The balance 20% payment will be released within 30 days after satisfactory installation commissioning of the equipment. The Performance Certificate of equipment shall be issued by competent authority/ Concerned HOD of

	respective hospital. Also user department shall obtain satisfactory inspe	ction			
	report from EE (MEC).				
	C) If the payment to be made to the bidder is delayed for the reason from bidder.	der's			
	side, any increase in exchange rate will be recovered from bidder i.e. (in In	dian			
	rupees)				
	The payment of AMC/CMC of the medical equipments shall be made or	ı six			
	monthly basis subject to satisfactory completion of maintenance and servi	cing			
	activities.				
	E) Submission of documents / evidence showing details of the payment of GST	has			
	been made (if applicable).				
	F) Tenderers are informed that the payment of the bills and other claims arising	g out			
	of the contract shall be made in the name of their bank by account thro	ough			
	ECS/RTGS/NEFT only. Successful tenderer, therefore, shall have to furnish	n the			
	information as regards the name and complete address of their bank, its bra	anch			
	and their Bank A/c. No. etc. along with the tender documents. Such I	3ank			
	account must be in any Nationalized Banks or Schedule Commercial Bank	s or			
	Scheduled Co-Op. Banks or Foreign Banks in Mumbai jurisdiction. Contra	actor			
	shall fill up vendor master creation form and submit to C.A. (CPD) along				
	registration fee of Rs.100/- for creating Vendor's Master. They also have				
	submit fresh information when any subsequent change in the name of the				
	and address of firm, the contractor/supplier must intimate such changes with				
	relevant documents and a fee of Rs.5000/- per change as administrative cha	ırges			
	for effecting such changes in BMC records.				
	S) NOC of vigilance Department as the case may be will be required at the time	ne of			
	releasing final payment.				
28.	Jurisdiction of courts:-				
	In case of any claim, disputes or differences arising in respect of the contract, the				
	causes of action thereat shall be deemed to have arisen in Mumbai and all legal				
	proceedings in respect of any such claim, disputes or differences shall be instituted in				
	a Competent Court in the City of Mumbai only.				
29.	Force Majeure clause:-				
	For purposes of this Clause, 'Force Majeure' means an event beyond the control of the				
	Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such				

events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises at any time during the subsistence of contract, the Supplier shall promptly but not later than 30 days notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

Force Majeure will be accepted on adequate proof thereof. If contingency continues beyond 30 days, both parties will mutually discuss and decide the course of action to be adopted. Even otherwise contingency continues beyond 60 days then the purchaser may consider for termination of the contract on pro-rata basis.

31. Fall Clause:-

The Tenderer undertakes that it has not quoted similar medicines/medical devices and medical consumables / products / systems or subsystems in the past six months in the Maharashtra or any other State of India for quantity variation up to -50% or +10%, at a price lower than that offered in the present Tender in respect of any other Ministry / Department of the government of India or PSU or BMC and if it is found at any stage that similar medicines/medical devices and medical consumables / products / systems or sub systems was supplied by the TENDERER to any other Ministry / Department of the Government of India or a PSU or BMC at a lower price, then that very price will be applicable to the present case and the difference in the cost would be refunded by the TENDERER to the BMC, if the contract has already been concluded, else it will be recovered from any outstanding payment due to the Tenderer from BMC.

32. Subsequent Legislation:-

If on the day of submission of bids for the contract, there occur changes to any National or State stature, Ordinance, decree or other law or any regulation or By-laws or any local or other duly constituted authority or the introduction of any such National or State Statute, Ordinance, decree or by which causes additional or reduced cost to the Contractor, such additional or reduced cost shall, after due consultation with the Contractor, be determined by the concerned Engineering Department of MCGM and shall be added to or deducted from the Contract Price with prior approval of competent authority and the concerned Engineering Department shall notify the Contractor

accordingly with a copy to the Employer. BMC reserve the right to take decision in respect of addition/reduction of cost in contract

33. Corporation's lien over all moneys due to the Tenderer or his deposit:-

The Corporation shall have a lien on and over all or any moneys that may become due and payable to the Tenderer/s under these present and or also on and over the deposit or security, amount or amounts made under this contract and which may become repayable to the Tenderer/s made the conditions in that behalf herein contained, for or in respect of any debt or sum that may become due and payable to the Corporation by the Tenderer/s either alone or jointly with another or others and either under this or under any other contracts or transactions of any nature whatsoever between the Corporation and the Tenderer/s and also for or in respect of any Municipal Tax or Taxes or other money which may become due and payable to the Corporation by the Tenderer/s either alone or jointly with another and others under the provision of the Mumbai Municipal Corporation Act, or any other Statutory enactment or enactment in force in modification or substitution thereof. AND further that the Commissioner on behalf of the Corporation shall at all times be entitled to deduct the said debt or sum or tax due by the Tenderer/s from the moneys, security or deposit which may become payable or returnable to the Tenderer/s under these presents provided however that nothing in this clause shall apply to any moneys due and payable by the Tenderer/s in his/ their capacity as a trustee/s either alone or jointly with others. The provisions of this conditions shall also apply and extended to the Banker's Guarantee if any given by the Tenderer/s either in addition to or in substitution of the cash or contract deposit to be made under this contract.

34. Settlement of Disputes:-

a) Disputes

All disputes and differences between the parties hereto, as to the construction or operation of this contract, or the respective rights and liabilities of the parties on any matter in question; or any other account whatsoever, but excluding the Excepted Matters (detailed below); arising out of or in connection with the contract, within thirty (30) days from aggrieved Party notifying the other Party of such matters; whether before or after the completion/ termination of the contract, that cannot be resolved amicably between the Procurement Officer and the contractor within thirty (30) days from aggrieved Party notifying the other Party of such matters, shall be hereinafter called the "Dispute". The aggrieved party shall give a 'Notice of Dispute'

indicating the Dispute and claims citing relevant Contractual clause to the designated authority and requesting for invoking the following dispute resolution mechanisms. The Dispute shall be resolved without recourse to courts through dispute resolution mechanisms detailed subsequently, in the sequence as mentioned below, and the next mechanism shall not be invoked unless the earlier mechanism has been invoked or has failed to resolve it within the deadline mentioned therein.

- 1) Adjudication
- 2) Conciliation
- 3) Arbitration

b) Excepted Matters:-

Matters for which provision has been made in any Clause of the contract shall be deemed as 'excepted matters' (matters not disputable/ arbitrable), and decisions of the BMC thereon shall be final and binding on the successful tenderer.

The 'excepted matters' shall stand expressly excluded from the purview of the subclauses below, including Arbitration. However, where the BMC has raised the dispute, this sub-clause shall not apply. Unless otherwise stipulated in the contract, excepted matters shall include but not limited to:

any controversies or claims brought by a third party for bodily injury, death, property damage or any indirect or consequential loss arising out of or in any way related to the performance of this Contract ("Third Party Claim"), including, but not limited to, a Party's right to seek contribution or indemnity from the other Party in respect of a Third-Party Claim.

Issues related to the pre-award tender process or conditions

Issues related to ambiguity in contract terms shall not be taken up after a contract has been signed. All such issues should be highlighted before the signing of the contract by the contractor

c) Adjudication:

After exhausting efforts to resolve the Dispute with the Purchasing Officer executing the contract on behalf of the Procuring Entity, the contractor shall give a 'Notice of Adjudication' specifying the matters which are in question, or subject of the dispute or difference indicating the relevant contractual clause, as also the amount of claim itemwise to Head of Procurement (hereinafter called the "Adjudicator") for invoking resolution of the dispute through Adjudication.

Within 60 days after receiving the representation, the Adjudicator shall make and notify decisions in writing on all matters referred to him. The parties shall not initiate,

during the adjudication proceedings, any conciliation or arbitral or judicial proceedings in respect of a dispute that is the subject matter of the adjudication proceedings.

If the adjudicator fails to notify his decision within the abovementioned time-frame, the contractor may proceed to invoke the process of Conciliation.

d) Conciliation of disputes:-

Any party may invoke Conciliation by submitting "Notice of Conciliation" to the Head of the Procuring Organisation. Since conciliation is a voluntary process, within 30 days of receipt of "Notice of Conciliation", the Head of the Procuring Organization shall notify a sole Conciliator if the other party is agreeable to enter Conciliation. If the other party is not agreeable to Conciliation, the aggrieved party may invoke Arbitration.

The Conciliator shall proactively assist the parties to reach an amicable settlement independently and impartially within the terms of the contract, within 60 days from the date of appointment of the Conciliator.

On termination of Conciliation, if the dispute is still alive, the aggrieved party shall be free to invoke Arbitration.

e). Arbitration:-

The Head of the Procuring Organization shall notify an Arbitrator within 30 days of receipt of Notice of Arbitration.

An Arbitrator will be retired officers of The Procuring organisation in the rank of Senior administrative grade (or equivalent) and shall have retired at least 1 year prior and must not be over 70 years of age on the date of Notice for arbitration.

The arbitral tribunal is statutorily bound to deliver an award within 12 (twelve) months from the date when the arbitral tribunal enters reference.

35. Commissioner's direction & decisions to be final and binding:-

The directions, decisions, certificates, orders and awards given and made on such reference as aforesaid of the Commissioner (which said direction, decisions, certificates, orders and awards respectively may be made from time to time) shall be final and binding upon the Corporation and the Tenderer and shall not be set aside on account of any technical or legal defects therein or in the Contract, or on account of

any formality, omission, delay or error of proceedings or on any ground or for any pretence, suggestion, charge insinuation of fraud, collusion and etc.

36. The Commissioner not compellable to defend or answer any suit relating to any certificate or award made by him.

The Commissioner shall not be made party to be required to defend or answer any action, suit or proceeding at the instance of the Corporation or the Tenderer nor shall be compellable by any proceeding whatsoever to answer or explain any matter relating to any certificate or award made by him or to state or show how or why or on what grounds he settle, ascertained or determined or omitted to settle, ascertain or determine in any manner whatsoever, nor shall he be compellable to state or give his reasons for any proceeding whatsoever which he may take or direct to be taken in or about, or show to any person or persons for any purpose whatsoever any document whatsoever or any calculations or memoranda whatsoever in his possession or power relating thereto.

37. Partnership:-

Every receipt for money which may become payable or for any security which may become transferable to the Tenderer under these present shall if signed in the partnership name by any one of the Tenderer/s be of a good and sufficient discharge to the Commissioner and Corporation in respect of the money or security purporting to be acknowledged thereby and in the event of the death of any Tenderer, during the pendency of this contract it is thereby expressly agreed that every receipt by any of the surviving Tenderer/s shall if so signed as aforesaid, be a good and sufficient discharge as aforesaid. PROVIDED that nothing in this clause contained shall be deemed to prejudice or affect any claim which the Commissioner or Corporation may hereafter have against the legal representatives of any Tenderer/s so dying or in respect of any breach of any of the conditions hereof. PROVIDED ALSO that nothing in this clause contained shall be deemed to prejudice or affect the respective rights or obligations of the Tenderer/s and of the legal representatives of any deceased Tenderer/s inter se.

38. Dissolution of the Contract:-

The Tenderer/s shall not at any time dissolve partnership in respect of this contract or otherwise, change or alter their respective interests therein or assign, sublet or make over the present contract or the benefit thereof or any part thereof to any person/s whomsoever without the previous consent in writing of the Municipal Commissioner for the time being. In case the Tenderer/s shall at any time commit any breach of this covenant then the Earnest Money Deposit / Contract Deposit shall be forfeited to the

	Corporation and shall be retained by the Corporation as and for liquidated damages.
39.	Termination of Contract:
	These presents in every clause matter and thing herein contained shall cease and
	terminated either on the expiry of the contract period or exhaustion of the quantities of
	medicines/medical devices and medical consumables allotted to the Tenderer,
	whichever is earlier (Unless the same shall have been previously determined by the
	Commissioner as hereinbefore provided) except only as to the rights and remedies of
	the parties hereto in respect of any clause or thing herein contained which may have
	been broken or not performed.
40.	Governing Language:
	English language version of the contract shall govern its Interpretation
41.	Singular – Plural:-
	Words in the Singular number shall include the plural and plural the singular.
42.	Meaning:-
	The Word the Municipal Commissioner or Commissioner wherever they occur in this
	Tender or in the Contract shall be construed to mean Additional Municipal
	Commissioner.
43.	Saving clause:-
	No suits, prosecution or any legal proceedings shall lie against BMC or any person for
	anything that is done in good faith or intended to be done in pursuance of bid
44.	Applicable Laws:-
	The contract shall be governed in accordance with the law prevailing in India, Act,
	Rules, Amendments and orders made there on from time to time.
45.	Indemnification:-
	The contractor shall indemnify the purchaser against all actions, suit, claims and
	demand or in respect of anything done or omitted to be done by contractor in
	connection with the contract and against any losses or damages to the BMC in
	consequence of any action or suit being brought against the contractor for anything
	done or omitted to be done by the contractor in the execution of the contract. The
	contractor shall submit an indemnity bond to this effect.
46.	Operation of the Contract Clauses:-
	The DMC (CPD) or his / her successor/s for the time being holding the office of the
	DMC (CPD) shall be the competent officer to operate the various clauses under this
	contract and to sign and serve notices under the various clauses of the said contract.

	A 11	1	4:: 1 1 41-	- DMC (CDD) -111 1 11	4 - 1 1 : -	
	All such notices signed by the DMC (CPD) shall be deemed to have been signed by					
	the Municipal Commissioner or the Additional Municipal Commissioner					
47.	The Mu	unicipal	Corporation reserv	ves its right to inspect the manufa	cturing premises	s of the
	company as and when required.					
48.	All the	above	conditions should	be strictly adhered to failing where	hich the tender	will be
	treated as non-responsive and no correspondence will be entertained in the matter.					
49.	Quoted	equipm	ents shall be delive	ered at following locations.		
	Hospi	tal		Department	Quantity	7
	llospi	ıaı		Department	Quantity	
	KEM	Hospital		Radiology dept	01 No.	_
		3 Hospit		Radiology dept	01 No.	-
	BYL	Nair Hos	pital	Radiology dept	01 No.	-
			College & Dr.	Radiology dept	01 No.	
	R. N.	Cooper 1	Hospital	Total	04 Nos.	-
				_		
	Note-L	ocation	of delivery of equi	pment may change.		
50.	Third p	oarty ins	pection of the que	oted equipments shall be carried	d out by the suc	cessful
	bidder	for the e	quipments manufa	actured in India or abroad and re	port shall be sul	omitted
	for the	same at	the time of deliver	ry of equipments to BMC.		
51.	The eq	uipment	shall be maintain	ed under 5 years Comprehensive	Maintenance C	Contract
	(CMC)	after co	mpletion of warra	anty period of 5 years.		
52.	CE & I	US FDA	Policy			
				ity in acceptance of CE and US	SEDA certificate	es from
			_	ed bellow is framed in which it		
				d incorporate such a conditions in		
	Tender Condition					
	For Medical device and In vitro Diagnostics Medical Device					
	"The equipment must have CE marked from European confirmatory (EC) notified body issued from European address and/or USFDA and documentary evidences to					
					cumentary evide	nces to
	that effects shall be uploaded". I. CE CERTIFICATION REQUIREMENT FOR PRODUCTS UNDER MDD			MDD		
	1.	(93/42/		REQUIREMENT FOR TROP	CCID CIVILLY	<u> </u>
		A.	CLASSIFICAT	ION: CLASS Is, Im, Iia, Iib & C	lass III	
			1. CE certif	ficate issued from EU notified b	ody is must for	
			devices u	nder class Is, Im, Iia, Iib & Cla	ss III.	
			This certif	icate shall be on letter head of No	otified bodies wi	th
			a) Body	identification number and addres	s of Notified Bo	dy,

- b) Certificate number and validity of certificate,
- c) Product name/line (Quoted product category etc.),
- d) Name of appropriate directives
- e) Name and address of manufacturer,
- f) Product classification, Name of EU representative if any
- 2. If CE certificate as mentioned (1) above is not for the quoted model and issued for Product specific or general product line, then
 - a) Shall be accompanied with Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model.
 - b) Endorsed (By notified Body) technical documents submitted to notified body mentioning model/s no./s.

or

List of model/s approved by notified body with classification if any on letter head of notified body.

- 3. If CE certificate as mentioned (1) above is for the quoted model then also.
 - a) Shall be accompanied with Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model.

Note: For equipment where other equipments also are part of the main equipment.

b) Documentary evidence to show all such equipment/s is/are covered by single certificate is required from notified body additional to above Sr. No. 1 & 2 or 3.

Or

Individual certification for each equipment as mentioned in Sr. No. 1 & 2 or 3 above is required.

c) If equipment manufacturer by different /other manufacturer is part of supplied equipment as per OEM agreement, then CE certificate issued to manufacturer is required from notified body as mentioned in sr. no. (A) -1,2,3 along with the copy of OEM agreement

	В.	CLASSIFICATION : CLASS I only.
		This route is self-declaration or self-certification and is described in
		Annex VII Module A, EC Declaration of Conformity. The
		manufacturer ensures and formally declares, via a written statement,
		that the products meet the applicable provisions of the Directive.
		Following Documents are required
		a. Declaration of conformity by manufacturer or EU
		representative of Manufacturer for the quoted model.
		b. Documentary evidence regarding firm registered with EEA
		(European Economic Area) Competent authority is required
		or
		European Representative registered with EEA (EUROPEAN
		ECONOMIC AREA) Competent authority appointed by firm
		is required
		Or
		Other documents like certificates from notified body along with
		declaration of conformity is required.
		Declaration of Conformity
		The declaration of conformity should have follow
		a. the name and address of manufacturer,
		b. Notified body Name and address if any with certificate No.,
		c. EU representative of manufacturer if any,
		d. identification of the product allowing traceability,
		e. list of relevant directives & Harmonized standards,
		f. Declaration statement, name and position/job title of person
		signing (This should be someone with enough responsibility to
		ensure the declaration is true which is affirmed by their
		signature and date).
II.		CE CERTIFICATION REQUIREMENT FOR PRODUCTS
		UNDER IVD (98/79/EC) CLASSIFICATION :1)DEVICE FOR
		SELF TESTING, LIST 'B' & LIST 'A' DEVICES
		CE certificate issued from EU notified body is must.
		This certificate shall be on letter head of Notified bodies with
		a) Body identification number and address of Notified Body,
		58

- b) Certificate number and validity of certificate,
- c) Product name/line (Quoted product category etc.),
- d) Name of appropriate directives
- e) Name and address of manufacturer,
- f) Product classification, Name of EU representative if any.
- Shall be accompanied with Declaration of conformity by manufacturer or EU representative of Manufacturer.

CLASSIFICATION: GENERAL IVD

This route is self-declaration or self-certification. The manufacturer ensures and formally declares, via a written statement, that the products meet the applicable provisions of the Directive.

- a. Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model.
- b. Documentary evidence regarding firm registered with EEA (EUROPEAN ECONOMIC AREA) Competent authority is required

or

European Representative registered with EEA (EUROPEAN ECONOMIC AREA) Competent authority appointed by firm is required

or

Other documents like certificates from notified body along with declaration of conformity is required.

Declaration of Conformity

The declaration of conformity should have follow

- a) the name and address of manufacturer,
- b) Notified body Name and address if any with certificate No.,
- c) EU representative of manufacturer if any,
- d) identification of the product allowing traceability,
- e) list of relevant directives & Harmonized standards,
- f) Declaration statement, name and position/job title of person signing (This should be someone with enough responsibility to

	ensure the declaration is true which is affirmed by their signature
	and date).
III.	<u>USFDA CERTIFICATION</u>
	Documents required to be submitted in support of USFDA Certification
	Following documents are required for confirmation of USFDA approval
	certificate
	a) Approved 510 (k) notification documents for equipment offered model is
	required
	or
	b) Documents to establish the firm and offered model register with FDA is
	required.
	General Condition of tender document will be
	Manufacturer on their letter head needs to provide the link of notified body and/or USEDA for cortificate/s submitted, so that some can be varified from
	and/or USFDA for certificate/s submitted, so that same can be verified from website of Notified body/USFDA.
	website of frontied body, our Dist.

SECTION 8: TECHNICAL SPECIFICATIONS:-

Technical Specification for 3 Tesla MRI Machine:-

Whole body 3.0 Tesla Magnetic Resonance Imaging system optimized for higher performance in cardiac and neurological examinations with short superconducting magnet, high performance gradients and digital Radio frequency system. The system should have 32 channels RF system. The system should be totally new and should not contain refurbished or having recycled items. Silent scanning (noise level <80dB) to be enabled as standard

The model should be the latest and launched in or after 2017.

The undertaking should be submitted from the manufacturer for the same.

		s should be submitted from the manufacturer for the same.		
1	MAG			
	a.	3.0T active shielded super conductive magnet with best homogeneity. Field stability		
		over time should be < or equal to 0.2 ppm/hr		
	b.	Length should be short with at least 70cm bore diameter.		
	c. It should have facilities of better illumination ventilation and designed to avo			
		claustrophobia.		
	d.	The homogeneity of the magnet should be mentioned in relation to 10, 20, 30, 40 cm DSV. Automatic shimming in phantom should be better than 3.5ppm in 40 DSV.		
	e.	Please specify upto what FOV gradient linearity is maintained.		
	f.	Magnet should be shielded from external interferences. Smaller fringe field preferred 5		
		Gauss and 10 Gauss Line in X, Y, Z axis specify yours Quote value for 5 gauss and 10 gauss line. The 5 Gauss line will have to be marked.		
	g.	Cryogen vessel to be of Helium only with appropriate super thermal shielding and		
		refrigeration facility for minimum Helium boil-off, Specify the Helium tank capacity and		
		boil-off rate.		
	h.	Helium level monitoring equipment in the magnet and facility for appropriate quick		
		shutdown of the magnet in the event of emergency		
	i.	Helium refill time should not be not less than 2 years. Please mention the helium refill time.		
	j.	Noise level inside the examination room should be minimum as possible. Specify db level		
	k.	The vendor should quote model with physiological signal display on gantry if available		
	1.	Built – in 2 way Intercom facility to communicate with patient is required		
	m.	Emergency helium release button should be provided at least in two places [inside MR		
		examination room and console room]		
2.	Shim	system		
	a.	High performance and highly stable shim system with global and localized manual and auto-		
		shimming for high homogeneity magnetic field for imaging. Specify time for shimming.		
		Quote the number of shim coil used		
	b.	Off-centre shimming should be possible. System must have Second order/high order		
		shimming.		
	c.	Auto shim (global and voxel shim) should take minimum time to shim the magnet with		
		patient in position.		
3.	Gradi	ent system		
	a.	Activity shielded Gradient System with strength of at least 44 mT/m at slew rate of		
		200T/m/sec to be achieved simultaneously for the same FOV & preferably low linearity. The		
		rise time should not be more than 225 micro second to reach the maximum gradient strength.		
		Added Para: The gradient and slew rate value must be actual and should not be		

	Γ	compared to 44mT/m and 200T/m/s on the basis of equivalent performing TE/TR			
	values.				
	b.	These true slew rates should be available in each axis independently, for overall better			
		duty cycle performance of the gradient.			
	c.	The duty cycle should be 100 percent.			
	d.	The Gradient system should have provision for eddy current compensation. Mention			
		level of Eddy current compensation in %			
	e.	Field of View should be at least 45 cm in all three axes.			
	f.	Minimum TE & TR in 2D/3D should be specified in relation to the sequences.			
	g.	Minimum Slice Thickness in 2D & 3D should be specified in relation to the sequences.			
	h.	Echo Train length in both Spin echo and Gradient Echo should be at least 255 or more.			
	i.	The measurement matrix should be from 128x128 to 1024x1024 in both 2D and 3D imaging as well.			
4.	RF sys				
4.		A fully digital RF system capable of transmitting power of at least 30 KW or more. Suitable			
	a.	technique should be provided for better B1 homogeneity.			
	b.	It should also have at least minimum of 32 independent ADC or channel independent			
	0.	hardware RF channels with each having bandwidth of 1MHz or more along with necessary			
		hardware to support Quadrature/CP array coils.			
	c.	It should support Parallel acquisition techniques like ASSET/SENSE/iPAT with a factor of at			
		least 4.			
5.	RF Co	oils			
	The sy	stem body Coil integrated to the magnet must be quadrature /CP. In addition to this coil,			
	followi	ing Coils (preferably be with equal number of elements as the channels) be quoted. RF			
	coils in addition to main body coil (Transmit / Receive or receive coils) auto tune, array no tune coils. Coils for the following applications should be available with the system. Circu				
	polarized (CP) Array coils should included in the offer. Coil / RF design should suppo				
	compatibility to coils manufactured by other manufacturers. Please specify the measures taken to				
	prevent dielectric artifacts. (Quadrature design & EPI compatible) in addition to main body				
	coil. All array coils should be compatible with parallel imaging techniques. Please specify the				
	number of channels and elements available for each coil. Please mention the true acceleration				
	factor f	for each of the array coils.			
	a.	32 channels or more head coil-capable of multi frequency MR spectroscopy (1H).			
	b. 7	Neurovascular coil of 16 channels or more			
	c.	Spine phased array coil for 32 channel or more acquisition with single or combination of			
		coils. (If more than one coil offered against this point, the offered coils will not be considered			
		against any other applications)			
	d.	Body phased array coils 32 channels of more (single or in combination) at least 45 cm z-axis			
		coverage for imaging of abdomen, with at least 32 channels acquisition for body parts.			
	e.	Dedicated coil/coil combination for peripheral angiography of 32 or more channel with			
		coverage of 80cm or more. Dedicated coil if available with vendor should be quoted. If not			
		available, original product datasheet and an undertaking from OEM should be submitted			
	f.	Suitable Carotid coil .			
	g.	Breast coil 16 channel or more .			
	h.	Shoulder coil:			
	l	a. Dedicated Shoulder coil – 16 channel or more- 1 No.			

		b. flex coils – 2nos. (One large and one small as specified below & as per BOQ)
		i. Shoulder coil: Flex coils (Small) – 4 Channel or more
		ii. Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel
		or more.
	i.	High resolution knee coil 16 channels or more; Tx & Rx.
	j.	High resolution foot/ ankle coil – 8 channels or more.
	5.a.	The supplier should quote coils or their combinations exclusively for each application.
	3.a.	The number of coils should be as per the BOQ. It should be mentioned as independent coils
		and not having overlapping applications.
	5.b.	The bidder should provide line wise break-up for offered number and name/model of the coil
	3.0.	against each coil specified in the technical specification & BOQ.
6.	Patier	at Table
	a.	The table should be fully motorized, MRI Compatible computer controlled table
		movement in vertical and horizontal directions Position accuracy should be +/- 1.0 mm or
		better.
	b.	Should be able to take at least 140 kg load.
	c.	The table should have facility for manual traction in case of emergency.
	d.	Cushions and other patient comfort accessories. All parts of the table should be
		protected from liquid spill
	e.	The table should have patient hand-held alarm system.
	f.	The table should deliver the protocols for automatic bolus chasing in peripheral angio
		with automatic table movement.
7.	COM	PUTER SYSTEM IMAGE PROCESSOR / OPERATOR CONSOLE
	a.	Computer should be latest in the industry, fast and efficient
	b.	One colour console for acquisition, all calculations, post processing etc Console must
		have full colour with user define protocols with programmable inter scan delay.
		Necessary image processor with large RAM for ultra-fast image reconstruction should
		be provided It should be at least 8 GB RAM.
	c.	Computational Speed to match the single shot Echo Planar Imaging (EPI). Interactive
		angiogram, multi-planar three dimensional (3D) reconstruction, surface rendering, dynamic
		Imaging, vascular Imaging/angiography. Functional imaging, DTI etc.
		The main host computer should have at least 18-inch or more TFT/LCD type colour
	4	monitor. (The main console should have integrated facility for music system for the nationt in the
	d.	The main console should have integrated facility for music system for the patient in the magnet room or dedicated music system should be supplied, if the main console does not
		have integrated facility for music system
	e.	Filming and adequate storage for images and other applications .
	f.	Total hard disk memory to be sufficient to store at least 250,000 images of 256 x 256 matrix
	1.	data size Systems offering higher' storage will be preferred. The system should have
		CD/DVD archiving facility on the main console and work station.
	g.	DVD write/CD Read/Rewrite drive for writing of images, spectra and raw data along with
	5.	the necessary software for reading the Images and spectra on DVD/CD storing
		capabilities. Provision for archival of k-space data and raw (unprocessed) images.
	h.	There should be a provision of retrieval of the reconstruction data (raw files) in an user
	,	friendly manner.
	i.	DICOM interface to hook DICOM dry/laser camera capable of storing printing 1024 x 1024
		matrix size images at least in 16 format without loss of digital resolution.
<u> </u>	1	

	j.	The system should be capable to connect to PACS through RIS/HIS at no extra cost. Highest	
8.	version of DICOM connectivity to be provided. Workstation		
	1.	One server with 2 node with concurrent licenses to be supplied with the system. Licenses: 2 nos Concurrent license here implies the capability to process all the loaded software to be accessible and usable on all the systems simultaneously without any processing delay. The software should also include a reputed antivirus software of a perpetual type or renewed by the supplier.	
		Hardware: Node: The vendor has to supply the hardware in the form of CPU and Medical grade monitor 18" or more of 2MP resolution. Hardware Server: The server (single/dual configuration) should have image storage capacity of at least 20 TB (internal/external) minimum 40,000 concurrent slice processing power and at least 128 GB RAM.	
		The server hardware to be included with 21" or more FT/LCD monitor with dual processor. DICOM 3.0 compatibility and interfacing with other modalities must be possible. The workstation shall have the resolution, software and all functionality of a stand-alone workstation	
	2.	All necessary software including post-processing software for all offered applications including evaluation for fMRI, perfusion (ASL, T1 perfusion and T2* perfusion), diffusion, DTI with fibre tracking, cardiac evaluation, and other associated post processing like MIP, MPR, surface reconstruction should be provided.	
		The workstation should have the following features: a. Cardiac perfusion analysis, quantitative T1 mapping, with colour metabolite	
		mapping, quantification of the CSF flow data.b. Image Fusion software should be provided for Inter-modality and Intramodality fusion.	
		c. Software for vascular properties like IAUC, KEP as standard.	
		d. DSA images should be viewable in Subtraction mode.	
		e. Necessary and adequate hardware and software for sending and receiving the patient data {text + images}. Printing of films should be possible from both main console and workstation.	
		f. Workstation should also be able to function independent of the main console. Post processing of the MRS data including for CSI with paramagnetic metabolic mapping	
	2	g. Capability to calculate colour display of real MTT, real CBV, and real CBF	
		h. Compatibility with data from other MRI system for post processing.	
		i. Output in the form of jpeg, avi / equivalent formats should be possible.	
		ac Package: Two Licenses: The workstation should have display of Cardiac cine images in	
		mode with rapid avi creation and should have comprehensive cardiac post processing software	
		ng for coronary MRA with regular free upgrades in future. Calculation of ventricular area olume, stroke volume, ejection fraction and relative ejection fraction, Time volume	
		m generation, filling rates and myocardial wall motion, Graphic display of output	
		ntion of flow and velocity parameter with colour coded display of velocity parameters.	
		ocardial tagging should be possible.	
		ge mapping should be quoted as standard	
	Cartina	0	

	Myocardial Mapping (T1 & T2, T2* Map) should be provided as standard.			
9.	Data A	ta Acquisition		
	a.	The system should be capable of 2D and 3D acquisitions in conventional, fast &		
		ultra-fast spin echo and gradient echo modes so that real- time online images can be observed		
		if needed.		
	b.	2D multi-slice imaging should be possible in all planes (axial, sagiltal, coronal,		
		oblique arid double oblique).		
	c.	Minimum 512 x 512 matrix acquisition for all applications.		
	d.	Half Fourier or other techniques to reduce scan acquisition time while maintaining adequate		
		SNR		
	e.	3D volume, multiple contiguous slabs, multiple interleaved and multiple overlapping		
	c	slabs		
	f.	Slice thickness in 2D and partition in 3D to be freely selectable		
	g.	Dynamic acquisition (serial imaging) with capability to initiate scan sequences either		
	1-	from the magnet panel or from the console. Dynamic acquisition number of repeat scans with delay time either identical time interval or		
	h.	selectable.		
	i.	Auto slices positioning from the localizer images.		
	j.	Maximum –off centre positioning both anterior-posterior and lateral direction and should be		
	J.	selectable.		
	k.	Gating: physiological signals like ECG, pulse, respiratory, external signal triggering		
	K.	(interface for triggering input pulse from external source).		
	1.	Simultaneous acquisition, processing and display of image data in 2D multi-slice		
		mode.		
	m.	Selection of voxel from oblique slices should be possible while doing spectroscopy.		
	n.	The application software for image smoothing and edge sharpness etc. for		
		improvement in image resolution should be quoted.		
	О.	Artifact reduction/motion correction techniques/imaging enhancement/image		
		filtering/image subtraction/addition multiplication/division techniques:		
	p.	Flow 1 st and 2 nd order flow artifact compensation.		
	q.	Presentation slabs: a number of relocatable saturation bands to be placed either inside		
		or outside the region of interest.		
	r.	Magnetization transfer saturation: Off resonance RF pulses to suppress signals from		
		stationary tissue in FOV phase contrast capability in 2D & 3D mode.		
	S.	Breath Hold Acquisition for Cardiac and Abdominal Imaging must be possible.		
	t.	Fat saturation techniques: frequency selective RF pulses to suppress fat signal in the measured image FO. ROI selective (regional) fat suppression should also be given.		
	717	Magnetization transfer saturation; OFF-resonance RF pulses to suppress signals from		
	u.	stationary issue in FOV.		
	V.	Phase contrast capability in 2D and 3D mode.		
	W.	Image intensity correction.		
	X.	Breath hold acquisition		
10.	EPI m			
10.	a.	Single and multi shot EPI imaging techniques.		
	ь.	Data acquisition in all three standard planes (axial, sagittal coronal) and oblique and		
	υ.	double oblique planes		
	c.	Multi-coil acquisition in order to optimize throughput increase and increased effective		
	<u> </u>	unquisition in other to optimize unoughput increase und increased effective		

r		
		FOV. Individual acquisition of every coil should be mentioned.
	d.	Higher matrix acquisition capability in single shot EPI, Acquisition time, TR TE and slice
		thickness should be clearly mentioned and supported by data sheet reference.
	e.	BOLD, SWI, T2 Perfusion (with all post processing licenses as standard)
	f.	Complete Functional MRI of Brain package as standard.
	1.	
32" size or more LCD/LED based FMRI system should be provided.		
	g.	Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage.
11.	Imagii	ng sequences
	a.	The system should be capable of selecting TR and Tes as per requirement in majority
		of the pulse sequences.
	b.	Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with
		minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging
		sequence. Compress Sensing & Simultaneous Multislice Imaging should be available
	c.	Inversion recovery (IR) including short TI, modified IRSE, FLAIR, DIR (Double
		Inversion Recovery) MT and FLAIR.
	d.	Gradient echo (GE) 3D gradient echo with shortest TR and TE, free choice of flip
	u.	angle selection while maintaining SNR
	Fast se	equences
	a.	Fast spin echo in 2D and 3D mode TI, T2 and PD contrast capable of acquiring
	u.	maximum number of slices with a given TR a minimum TE. Echo train should be at least 128
		or more in fast spin echo mode.
	b.	Half Fourier acquisition capabilities should be available with/ without diffusion
		gradients and in combination with fast spin echo.
	c.	Fast inversion recovery with spin echo.
	d.	Fast gradient spin echo, IR multi-slice multi-echo mode with maximum turbo factor
		Sequences should incorporate RF focusing to acquire ultra fast gradient spin echo.
	e.	Fast gradient echo sequence should be provided to acquire images in ultra-fast 2D and 3D
		mode.
	f.	Fat and water suppressed imaging sequences including the sequence which should give 4
		contrast (in phase, opposed phase. FAT and Water) images in a single acquisition to be quoted
		as standard. EPI optimized sequences for T1, T2, PD imaging. Perfusion, regular diffusion
		values {5b, 3 directions),
		EPI-FLAIR. CPI-IR, IPI-FLAIR diffusion tensor. EP1-MT-FLAIR, tensor diffusion (5b
		values in minimum in six directions) for diffusion studies. Suitable artifact/fat suppression
		techniques to be incorporated in the sequence to have optimum image quality. There should
		be capability of generation of ADC map
		oupusmy of generation of the company
	1	(isotropic and anisotropy from the regular diffusion and tensor data).
		Facility of online generation of ADC map should be there. Optimized sequence package for
		special applications. Small focus DWI should be standard
	g.	MR angio; 2D/3D TOF, 2D/3D Phase contrast (with and without gating) magnetization
	ε.	transfer saturation, black blood angiography for cerebral, pulmonary, abdominal and
		peripheral vessel For peripheral angio moving table angiography should be offered so
		that complete limb can be examined in one go Bolus tracking software package should
		be offered. Sequences for breath hold angiography with contrast enchainment should also
		be offered.
	h.	NON Contrast Angiography like Native, Inhance, Trance for whole body applications to
		be quoted as standard.
	i.	Contrast bolus tracking (including single shot whole body MRA, interactive and
		automatic, etc.

	j.	J1. The system should have the Hydrogen, Single Voxel spectroscopy, Multivoxel, multislice 2D, 3D Spectroscopy and also the Chemical shift imaging in 2D/3D. The complete processing / post- processing software including colour metabolite maps should be
		available.
		J2. Full comprehensive cardiac sequences which includes, (a) MR cardiology package for evaluation of heart in long and short axis with black blood cardiac imaging, (b) package for- prospective and retrospective gating, etc. Advanced Cardiac Applications:
		morphology, wall motion, perfusion imaging myocardial viability imaging, Myocardial tagging, Cardiac functions including EF, ED/ES volume, Cardiac output, and wall thickness. This processing can be in workstation and console.
	k.	Sequence package for diffusion study including DTI (tractography) in organs like brain.
	1.	Perfusion study in organ systems like kidney, brain, heart etc. Evaluation package for
	1.	calculating CBV, CBF, MTT, perfusion map etc. Post processing of perfusion should be available in console also.
	m.	Sequences for MRI imaging of joints with Metal implants like WARP/Maverick should be offered
	n.	Hardware and sequences post processing software for MR Elastography of abdomen.
	ο.	Contrast Kinematics like TWIST / TRICKS / 4DTRAK should be offered.
	p.	Image fusion should be offered
	q.	Whole body imaging of 200 cm should be offered
	r.	Programming environment under research agreement should be offered for creating and modifying pulse sequences and working on the system.
	s.	Flow quantification in vessels and CSF, hepatobiliary system.
	t.	MRI neurofunctional imaging sequence including BOLD/ Mosaic etc.
	u.	Optimized breath hold sequences for abdominal studies including angiogram.
	v.	Sequence package for functional mapping of brain.
	W.	Internal ear imaging. 3D acquisitions like CUBE. SPACE, VISTA.
	х.	Susceptibility Weighted imaging should be provided as essential.
	y.	High SNR even in small FOV should be available. (Specify the details of the smallest FOV and the technique)
	aa.	Non Contrast perfusion Imaging software like 2D/3D-ASL and its post processing should be offered.
	bb.	MR Cholangiography and Pancreatogram: Both breath-hold and respiratory triggered – Specialized sequences and processing to perform MRCP.
	cc.	Pulmonary 2D/3D MRA sequence, including single breath hold sequence.
	dd.	MR ventriculography and Cisternography, Myelography. Parallel acquisition technique such as SENSE/SMASH/ASSET/ GRAPPA, iPAT, ARC and
	ee.	other new sequences to be quoted as standard
	ff.	Specify the factor by which the acquisition time is reduced for similar acquisition
		with and with out parallel imaging technique. A scan time reduction factor 4 for head,
		body, cardiac, angio and ortho application is required
	gg.	Flow quantification packages for CSF with dynamic CSF flow imaging, aqueduct. And spinal canal In-line motion correction for uncooperative' patients/pediatric applications,
		that is motions/patient movement correction sequence and algorithm (not just faster
		scanning or parallel imaging techniques) for non-cooperative/sick patients/children should be provided.
	hh.	Post contrast free breathing radial k-Space filling sequences.
12.	Imagir	ng sequences
	a.	MRS: Proton (1H) MRS- Single voxel (SV), Multi-voxel CSI -2D and 3D- in both short and long TE
ı	b.	Fat and iron quantification of liver: standard
13.	POST	PROCESSING AND EVALUATION

	a.	3Dmultiplanar reconstruction (MPR) in any arbitrary plane including curved planes with
		freely selectable slice thickness and slice Increments.
	b.	3D Surface reconstruction and evaluation on reconstructed images with minimum time.
	c.	MIP in 2D and 3D mode, targeted/segmented MIP in any orthogonal axis with
		minimum processing time and capable of displaying in cine mode.
	d.	Full cardiac evaluation Operator selective or automatic contour mapping and
		calculation of Cardiac parameters like wall thickness, stroke volume EF, filling rate
		myocardial wall motion including display of data in label, graph and in cine mode with
		standard cardiology reporting set in Bulls Eye method. Blood flow quantification, velocity mapping, pressure gradient quantification shunt quantification, regurgitation calculation,
		stenosis blood flow, etc. These should be usable on main or on the work station.
		Evaluation and display of diffusion images, fMRI reference of EPI optimized sequence.
	e.	Full Perfusion imaging with necessary post processing with time intensity graph and
		other statistical parameters
	f.	Flow quantification and evaluation for vascular (high and low). CSF, bladder outlet and cine
		display Full Fledged Advanced Functional MRI: Whole brain coverage using high
		temporal resolution T2* - weighted BOLD) imaging Single-shot EP1 for multi-slice
		imaging. Complete fMRI processing software, Automatic real-time processing of
	OT	functional BOLD MR data sets into functional activation map Full post processing for SVS, CSI, metabolic mapping with colour coding for BRAIN,
	g.	BREAST, LIVER & PROSTRATE.
	h.	Image statistics: measurement of distance, area, volume (2D and 3D), angle, SD, mean,
		image addition subtraction, multiplication, division, interpolation, segmental, threshold,
		histogram (ROC) Evaluation features like zoom, rotation, scroll, image synthesis, multipoint T1 and T2 calculation (more than 8) window searching, text dialogues graphics.
		Sorting, searching, archiving, recalling, etc.
		The CCTV system with LCD display to observe the patient.
		Two-way communication should be possible with the patient from the console room
14.	Additi	onal Points
	a.	Sequence optimization using compressed sensing/Hyper Sense/Compressed Sense technique
		should be offered in Neuro, body, cardiac & MSK imaging for all sequence 2D/3D Scans.
		Added Para: The complete package of compressed sense/sensing/hypersense with all
	b.	available options with the vendor must be offered as standard. Multi-slice Simultaneous Sequence to provide Better image quality in EPI.
	0.	Multi-slice Simultaneous Sequence should be offered in TSE sequence, if available.
	c.	Sequence to provide IRON and FAT quantification.
	d.	Added Para:
	<u>.</u>	Estimation of Myelin in the brain (US FDA/European CE/BIS approved for Clinical
		Usage). Calculation of brain volume.
		The price for the same should be quoted separately and will be taken for price ranking.
		However the order will be placed based on the requirement from the individual
		consignees.
15.	UPS	
		stem should be provided with the suitable UPS system for the complete system (MR +
1.6		ories except Chiller) with at least 30 minutes back up.
16.		MENTATION The dry imager system should have digital DICOM 3.0 dry chemistry camera with resolution
	a.	of 16 bits/ 500 dpi or more. The system must have at least three online film sizes, and should
		be capable to print on any of the 8 x 10, 10 x 12, 14 x 17 sizes. The system should be freely
		configurable by the user, to use any of the above mentioned size. Should be supplied with
		500 films of each size.
	b.	A colour laser printer for printing colour images and protocols on plane in 1200 dpi
		resolution and more than 20 ppm
17.		SSORIES
	1.	Storage cabinet for all coils
		CO

	2.		ompatible Dual Syringe Pressure injector: Independent dual-Syringe Pressure injector bllowing Features; Non-ferrous, automatic syringe size detection, performs single and
			hase contrast injections, provides Saline flush delivery and allows timed contrast
			y Must be compatible with 5, 7.5 &10ml pre-filled contrast syringes and 50 ml
			es for both saline & contrast (20 Nos. of 50 ml Syringes with 100 nos. of tube
			tors should be provided) Must be able to observe progress of injection and view
			on result
	3.		ompatible ECG electrodes (100 nos. Disposable Electrodes for MRI Image gating)
	4.		Compatible (upto 3 Tesla) Anaesthesia Machine with atleast 8 inch screen and
		integra	ted electronic ventilator, 2 vaporiser, inbuilt suction circle absorber, AGM and
		remote	e monitor.
		a.	Capable of ventilating adult, pediatric and neonates.
		b.	Software for ventilation should support Volume control, Pressure control and
		0.	Pressure support modes and advanced modes (SIMV,PSV) along with integrated
			suction.
		c.	Should have oxygen, nitrous oxide and air flow meters
		d.	Isoflurane and sevoflurane vaporisers
		e.	All safety alarms
		f.	All consumables required for installation & commissioning of the system should be
			supplied.
			Additionally patient circuits should also be supplied as below :
			Adult size -10 Sets, Pediatric size -3 Sets & Neonate size -02 Sets
	5.	One M	RI compatible Multiparameter Vital Signs Patient Monitor of 5000 Gauss Compliance
		from i	socentre in MRI Room and One Slave monitor in console room with following
		module	es provision to monitor the following:
			or should be atleast 10" display
		a.	Heart rate
		b.	wireless ECG
		c.	
			NIBP – Size of Cuffs (adult & pediatric neonatal)
		d.	Respiration (Capnograph)
		e.	Oxygen Saturation- wireless Pulse oximeter with adult, pediatric probe, and neonatal
		C	probes – 2 sets (with the spare probes), Should have plethysmograph perfusion factor
		f.	ETCO2 and ETAA (end tidal anesthetic agents)
		g.	Dual Temperature (adult and pediatric)
		h.	All consumables required for installation & commissioning of the system should be
		1	supplied.
	4	4	200 Nos. of per patient consumables should be provided during supply of the system.
)	Unit price for per patient consumable should be quoted separately and the same
			should be valid during warranty period.
		i.	IBP Modules – 2 Nos.
	6.	3.0T N	∕IRI compatible syringe pump − 2 Nos.
	7.		gement of Gas lines in recovery room and magnet room – MRI compatible high
			re gas outlet for:
		a.	Oxygen
		b.	Air
		c.	Nitrous Oxide with MRI compatible indexed system.
		d.	Vacuum suction
<u> </u>	8.		ompatible 1 set of Laryngoscope :4 sizes blades- Neonatal, paediatrics, adult, extra
<u> </u>	9.		ompatible Magill forceps: Adult & paediatric size- Two each.
F	10.		For endotracheal tube : Ault, paediatric size- Three each
	10.	51,1011	Time out

	11.	MRI compatible Clamps 2 Nos: Either towel clip or artery forceps.
	12.	MRI Compatible two IV stands. (if not provided already)
	13.	Two non-magnetic height adjustable patient transfer trolleys, which do not alarm in Ferro
	13.	Magnetic Detector System, should be provided
	14.	Two Anaesthesia bed/trolley for recovery room
	15.	Walk through Metal detector with multiple fluxgate or equivalent sensor to help detect
		approaching ferro magnetic hazards and with door ignore function to be installed at entry
		door of MRI Scanner Room (Zone III type) – 01 no. Must have continuous detection or alert
		capability following MRI door opening, or following preceding alert. Must allow passage of
		patient trolley.
	16.	Phantoms to be provided for regular QA studies.
	17.	Complete manuals and other necessary documentation's should be provided.
	18.	MRI compatible Suction Apparatus – 2 nos.
	19.	MRI room Oxygen deficiency level monitor 1 no. (price to be quoted separately)
	20.	MRI compatible transport ventilator 1 no. (Price to be quoted separately)
	21.	MRI compatible wheel chair 1 no (Price to be quoted separately)
	22.	SCREENER FOR IMPLANT DETECTION – 1 No.
18.	TRAI	NING
	On site	e Training for a period of 2 Weeks including training on MRI safety and MRI Hazards
		vel 1 and Level 2 personnel.
19.	STAN	DARD AND SAFETY
	a.	Should have import/manufacturing license from Central licensing Authority or State licensing
		authority of CDSCO for Medical Devices and copy of valid license should be submitted for
		the quoted model.
		In case the yender has not yet obtained import/manufacturing license from CDCCO, for the
		In case the vendor has not yet obtained import/manufacturing license from CDSCO for the quoted model, proof of application for CDSCO medical device license to be submitted in the
		bid document and valid CDSCO license to be produced at the time of supply/ NOA for the
		quoted model
	b.	Offered system should be BIS / European CE with 4 digit notified body no / USFDA
		certified.
20.	SITE I	MODIFICATION WORK
	a.	The system should be installed and handed over in working condition with all
		necessary electrical, air conditioning and civil work undertaken by the vendor in
		consultation with the user dept.
	b.	All necessary interconnecting interfaces, cable, modules, and other hardware and
		software to fully integrate the system for full operational status. The Site-Modification Scope of Work – MRI
		The scope of work includes complete Civil work, Electrical, Plumbing, Furnishing, Air
	_	conditioning, Fire detection system for the construction of MRI Scan Centre. While preparing
	7	the plan, the following aspects have to be addresse
		a. The MRI should be sited in such a manner; in order to minimise the effect of fringe
		magnetic field on surrounding areas. The areas lying within 5 Gauss line should be
		clearly demarcated and cordoned off with adequate warning.
		b. Care should be taken to provide easy negotiation of the patient stretchers/ trolleys
		through corridors and doors.
		c. RF shielding for doors, walls, glass viewer etc.
		d. Furniture like desk, chairs, shelves etc.
		e. Patient stretcher and other furniture/ accessory to make the scan centre
		functional.
		The cost of Site Modification Work for the area of 1500sq.ft and Air-conditioning of Tonnage
		25 TR (including standby unit/s) will be considered for Ranking / Evaluation purpose
		Moreover Bidders will have to quote the Unit Rates of the following components of Site
		Modification Work and detailed BOQ should be mentioned.

a.	Civil works (in units like sq.m / cubic m, kg etc)		
b.	Electrical work (in unit s like per metre price, unit price for panel, isolation etc)		
c.	Public health (plumbing and sanitary fittings like per metre of pipe, number of points etc.)		
d.	Air Conditioning (HVAC)-rate of tonnage, type of false ceiling and sq.m rate etc		
e.	Interior Furnishing & Furniture		
f.	Miscellaneous		

Fire Detection system(consisting fire panel, smoke &heat detectors, hooters, response indicators etc.) for the entire MRI area

Scope of work for Site Modification MRI unit works:-

The supplier should inspect the proposed site and submit all the detailed structural and architectural drawings and BOQ for the proposed MRI Scan Centres along with technical bid of the tender.

The MRI SCAN CENTRE shall consist of the following rooms:

a.	MRI Room
b.	Console room
c.	Equipment room
d.	Patient preparation room cum patient change room
e.	Radiologist room

The actual area of Site Modification works done will be considered for payment, based on the unit rates and site measurements and as per the area available.

Civil work

Demolition of existing walls etc and reconstruction under MRI complex is unambiguously included in the Site Modification scope of work. This includes, but is not limited to expanding the area of MRI gantry room so as to make it compliant for installation of a 3T strength magnet.

- a) Civil construction work including construction of brick wall, plastering, flooring as per the approved plan and equipment layout plan.
- b) Concrete bed at MRI equipment area.
- c) Platform for unloading and shifting the MRI should be provided if necessary.
- d) Platform for Chiller unit would be provided. Fencing and weather protection facility should be provided for the Chiller unit.
- e) Cable tray, trench & channel necessary trenches, cable tray and channels at required location would be provided.
- f) All the construction work to be done as per the final plan approved by the purchaser.
 - Active and passive room shielding for magnetic, fringe field should be provided as per the requirement of the equipment.
- h) The entire complex will be made rodent/pest proof.

a. Flooring

Anti static Vinyl flooring within the Magnet room Providing and laying approved quality, colour, design and shade fully homogeneous 600 x 600 mm(thickness to be specified by the manufacturer) vitrified tile flooring (Marbonite or Granamite, confirming to IS code 15622 with water absorption less than 0.08%) flooring in pattern as detailed in drawing or as directed by the EIC and grouted with matching colour approved quality readymade grout, curing, cleaning etc to required line level etc. all complete at all leads, lifts and heights to the entire satisfaction of the EIC. Providing and fixing 2-3mm thick POP protection over polythene covering sheet to flooring areas till handed over and cleaning, etc all complete as per drawings & specification and as directed by EIC with 100mm tile skirting to match in console room, equipment room, patient preparation room, reporting room, patient waiting area and radiologist room. Note: Mode of measurement (Finished surface area of the

		hall be measured and paid. Rate shall be inclusive of providing and laying leveling course,	
	PVC	spacers, providing and applying epoxy grout and no additional payment shall be made for	
	wastaş	ges)	
	50 mm thick cement concrete flooring at all heights and locations including scaffolding,		
	preparing the surfaces, neat cement finished to correct line or as required to receive		
	architectural finish, level and plumb, curing wherever required complete as per requirements		
	and d	rawings, with Vinyl flooring in MRI equipment / UPS room.	
b.	Painti		
~~		coats Plastic Emulsion Paint over 2 coats of wall putty including primer in patient	
		ration area, Lobby area, console room, MRI equipment room etc. Pre laminated particleboard	
		anelling in MRI examination room.	
c.	False	Ceiling	
	Acous	tical tile for ceiling with light weight insulating material of high quality supported on	
	grid o	or finished seamless with support above ceiling. Finished with white paint or powder	
	coated	with white paint, if metallic. Ceiling height to suit the equipment mount and clearances.	
e.		ric work	
	1	upplier shall be required to specify the total load requirements for the MRI scan centre	
	1	ing the load of air conditioning, room lighting and for the accessories if any. The supply line	
	1	be provided by the Institute up to one point within the MRI Scan centre area. The	
		oution panel shall be provided by the vendor. Few lights in each room shall be connected	
		UPS to provide emergency lighting. The electrical work shall include the following	
	a.	a. Wiring – All interior electrical wiring- with main distribution panel board, necessary	
		MCBs, DB, joint box, switch box etc. the wires shall be of copper of different capacity as per the load and should be renowned make as listed below.	
	b.	b. Switches light and power points should be of modular type and of standard make as listed	
	0.	below.	
	c.	c. General lights – LED light fittings with 500 Lux Illumination	
	d.	d. MRI compatible lights for MRI examination room. The bulbs used within the RF	
	u.	cage should be easy replaceable and locally available.	
	e.	e. All wires used must be FRLS (Fire Retardant with low smoke) type only	
		Added Para:	
		Adequate number of earthing required for equipment and accessories should be	
		provided by the equipment vendor.	
f.	AIR (CONDITIONING:	
	i.	Total capacity of the Air-Conditioning for the entire MRI scan centre area should be at least	
		25 TR.(incl. standby airconditioning). However, if the installed system requires more	
		capacity, it will be the responsibility of the supplier.	
	ii.	Ductable Split / Ductable package air conditioners may be used according to room requirement and suitability.	
	iii.	The outdoor units of AC should have grill coverings to prevent theft and damage.	
	iv.	Ventilation is required in toilet.	
	V.	Dehumidifier of 110 Liter – 2 Nos. to be provided.	
g.	1	onment specifications:	
	i.	Relative Humidity range: To be maintained between 60% and 80% in all areas except	
		equipment room which shall be as per requirement of the equipment.	
	ii.	Temperature ranges: $22 \pm 2^{\circ}$ C in all areas except equipment room which shall be as per	
	iii.	requirement of the equipment. Air conditioning load: The heat load calculations and maintaining the desired	
	111.	temperature and humidity shall be the responsibility of the bidder	
h.	Furni		
	i.	Revolving chairs height adjustable, medium-back with hand-rest. – 8 Nos.	
	ii.	Cupboard with laminate door shutters for storage of spare parts and accessories and	
	11.	records as per requirement. – 3 Nos.	
		The state of the s	

iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. viii. Dusthins (plastic with lid): 10 nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. ix. Miscellaneous: i. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 flims of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as required for the building safety – 5,nos. with initial filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher – 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL. ITEMS MAKES PLOORING VITRIFIED TILES Johnson, RAK india B PAINT Dulux, Asian Paints, Nerolac C PLUMBING - Kohler, Jaguar , Grobe , Roca PAINT Dulux, Asian Paints , Nerolac C PLUMBING - CERA, Hindware, Parryware E ELECTRICAL C CABLES - Finolex, Havells ,V- Guard SWITCHES - Legrand, L&T, Crabtree Roma 3 DISTRIBUTION BOX , MCB - Legrand, L&T, Crabtree Roma 3 DISTRIBUTION BOX , MCB - Legrand, L&T, Siemens, Havels - Philips / Crompton / MynorSyska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, F FURNITURE - Hermen Miller , Godrej , Featherlite, Geeken BILLOF QUANITIY:- S.No ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 3 3 2 channels or more HEAD coil-capable of multi frequency MR 1 No		iii. Drug trolleys for patient preparation area 1 No.							
vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below.				t preparation	room.				
viii. Dustbins (plastic with lid): 10 nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below. ix. All furniture items should be of standard make as mentioned in the table below.		v.							
Viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture tiems should be of standard make as mentioned in the table below.			Changing rooms should have change lockers and dressing table.						
curtain will be put up in all windows.			4						
i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as required for the building safety – 5 nos., with initial filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher – 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL NO MAKES PREFERRED MAKES PREFERRED MAKES PAINT Oulux, Asian Paints, Nerolac PLUMBING Roca PLUMBING Roca - Kohler, Jaguar, Grobe Roca PULUMBING Roca - CERA, Hindware, Parryware E ELECTRICAL CABLES CHORAL CABLES CHORAL CABLES CRUTCHES CROBATE CROBATE SWITCHES CROBATE CROBATE AIR CONDINTIONING - Legrand, L&T, Crabtree Roma BUSTRIBCTION BOX, MCB - Legrand, L&T, Siemens, Havels LIGHT FITTINGS - Phillips / Crompton / Wipro/Syska AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, FURNITURE - Hermen Miller, Godrej Featherlite, Geeken BILL OF QUANTITY: S.NO ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No		viii.	curtain will be put up in all windows.						
1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as required for the building safety — 5 nos., with initial filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher — 2 nos. to be also supplied				the table belo	W.				
of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as required for the building safety — 5 nos., with initial filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher — 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL ITEMS PREFERRED MAKES FLOORING VITRIFIED TILES Johnson, RAK india B Nerolac PLUMBING Nerolac C PLUMBING SANITARY ITEMS OSANITARY ITEMS PAITY PAITY CABLES Guard C SWITCHES C Legrand, L&T, Cables Guard C Legrand, L&T, Siemens, Havels LIGHT FITTINGS Philips / Crompton / Wipro/Syska F LOORING NOR — Daikin, Hitachi, Blue Star, Voltas, G FURNITURE FURNITUR	i.								
computers etc 3. Fire extinguisher ABC type of 2kg each as required for the building safety — \$.nos., with initial filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher — 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL ITEMS NO MAKES PREFERRED NO MAKES A FLOORING VITRIFIED TILES Somany, Kajaria , H&R Johnson, RAK india B PAINT Nerolac C PLUMBING ROCA SANITARY ITEMS - CERA, Hindware, Parryware E ELECTRICAL CABLES Guard SWITCHES Crabtree *Roma DISTRIBUTION BOX , MCB Siemen's Havels LIGHT FITTINGS - Philips / Crompton / Wipro'Syska AR CONDINTIONING Star, Voltas, FURNITURE - Hermen Miller , Godrej FEATH-ING PLANITIY:- S.NO ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system — 32 channels R F system; as specified 2 System Body Coil — Quadrature 1 No			of holding 3 films of 14"x17" size. – 2 nos.						
filling in brand new cylinder with power coated finish, fitted with Gun metal union, high pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL NO MAKES PREFERRED NO MAKES A FLOORING VITRIFIED TILES Somany, Kajaria , H&R Johnson, RAK india B PAINT Dullux, Asian Paints , Nerolac C PLUMBING SOMANTARY ITEMS SOMANY SOME SANTARY ITEMS SOMANY SOME SUBJECT SOME SOME SOME SOME SOME SOME SOME SOME		2.							
pressure cartridge, discharge hose, wall mounting bracket etc. complete, confirming to IS:2171 of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher – 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL ITEMS PREFERRED MAKES A FLOORING VITRIFIED TILES -Somany, Kajaria , H&R Johnson, RAK india B PAINT -Dulux, Asian Paints , Nerolac C PLUMBING -Kohler, Jaguar , Grobe , Roca D SANITARY ITEMS -CERA, Hindware, Parryware E ELECTRICAL 1 CABLES -Finolex, Havells ,V-Guard Guard -Finolex, Havells ,V-Guard 2 SWITCHES - Legrand, L&T, Crabtree , Rofna 3 DISTRIBUTION BOX , MCB - Legrand, L&T, Siemens, Havels 4 LIGHT FITTINGS -Philips / Crompton / Wipro/Syska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller , Godrej , Featherlite, Geeken BILLOF QUANTITY:- S.NO ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No		3.							
of approved make & complete as directed by EIC. 4.5 kg MRI compatible fire Extinguisher – 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS. SL ITEMS PREFERRED MAKES A Johnson, RAK india B PAINT Dulux, Asian Paints, Nerolac C PLUMBING , Roca D SANITARY ITEMS - Kohler, Jaguar, Grobe , Roca C ELECTRICAL CABLES - Finolex, Havells, V-Guard CABLES - Legrand, L&T, Crabtree , Ronaa SWITCHES - Legrand, L&T, Siemenfs, Havels LIGHT FITTINGS - Philips / Crompton / Wipro Syska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller , Godrej , Featherlite, Geeken BILL OF OUANTITY:- S.No ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels 1 No RF system; as specified 2 System Body Coil – Quadrature 1 No									
4.5 kg MRI compatible fire Extinguisher - 2 nos. to be also supplied LIST OF ITEMS AND SUGGESTED MANUFACTURERS.				e, confirming	to IS:2171				
SL ITEMS NO MAKES A FLOORING VITRIFIED TILES Johnson, RAK india B PAINT Dulux, Asian Paints, Nerolac C PLUMBING SANTTARY ITEMS PARTYWARE E ELECTRICAL CABLES Guard SWITCHES LEGRAN, L&T, Crabtree Roma B DISTRIBUTION BOX, MCB LEGRAN, L&T, Siemens, Havels LIGHT FITTINGS PUBLISH POLICE, PROMEOUS PUBLISH, VICTOR PROMEOUS PUBLISH, VICTOR PUBLISH,									
SL			<u> </u>	<u> </u>					
NO MAKES FLOORING VITRIFIED TILES Johnson, RAK india B PAINT Nerolac C PLUMBING ROCA ROCA SANITARY ITEMS Parryware E ELECTRICAL 1 CABLES Guard 2 SWITCHES Crabtree ¿Roma 3 DISTRIBUTION BOX, MCB Siemens, Havels 4 LIGHT FITTINGS FUNDITIONING FAIR, CONDINTIONING FAIR, CONDINTIONING FUNDITIONING FUN			LIST OF ITEMS AND SUGGESTED MANUFACTURERS.						
NO MAKES FLOORING VITRIFIED TILES Johnson, RAK india B PAINT Nerolac C PLUMBING ROCA ROCA SANITARY ITEMS Parryware E ELECTRICAL 1 CABLES Guard 2 SWITCHES Crabtree ¿Roma 3 DISTRIBUTION BOX, MCB Siemens, Havels 4 LIGHT FITTINGS FUNDITIONING FAIR, CONDINTIONING FAIR, CONDINTIONING FUNDITIONING FUN	SI	ITEM	IS PREFERED						
A FLOORING VITRIFIED TILES Johnson, RAK india B PAINT Nerolae C PLUMBING , Roca D SANITARY ITEMS PARTYWARE E ELECTRICAL 1 CABLES Guard Cables Guard Cables Guard Crabtree , Roma JDISTRIBUTION BOX , MCB Siemens, Havels LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE , Featherlite, Geeken BILL OF QUANTITY:- S.No Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No									
A Johnson, RAK india B PAINT Dulux, Asian Paints, Nerolac C PLUMBING - Kohler, Jaguar, Grobe, Roca D SANITARY ITEMS - CERA, Hindware, Parryware E ELECTRICAL 1 CABLES - Finolex, Havells, V- Guard 2 SWITCHES - Legrand, L&T, Crabtree, Roma JUSTRIBUTION BOX, MCB - Legrand, L&T, Siemens, Havels 4 LIGHT FITTINGS - Philips / Crompton / Wipro/Syska 4 ILIGHT FITTINGS - Philips / Crompton / Wipro/Syska 6 FURNITURE - Hermen Miller, Godrej Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM 1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No									
B PAINT Nerolac	A								
Nerolac PLUMBING - Kohler, Jaguar , Grohe Roca Roca Roca Roca Roca Roca Roma Roca R	-								
D SANITARY ITEMS Parryware E ELECTRICAL 1 CABLES Guard 2 SWITCHES Crabtree *Roma DISTRIBUTION BOX , MCB Siemens, Havels 4 LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE , Featherlite, Geeken BILL OF QUANTITY:- S.No Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature CERA, Hindware, CERA, Hindware, Princhex, Hindware, Princhex, Havels - Legrand, L&T, - Legrand, L&T, Semens, Havels - Legrand, L&T, - Philips / Crompton / Wipro/Syska	В	Nerola							
D SANITARY ITEMS - CERA, Hindware, Parryware	<i>C</i>	PLUN	ABING - Kohler, Jaguar, Grohe						
D Parryware E ELECTRICAL	C	, Roca							
E ELECTRICAL 1 CABLES Guard 2 SWITCHES Crabtree , Roma 3 DISTRIBUTION BOX , MCB Siemens, Havels 4 LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	D								
1 Guard 2 SWITCHES Crabtree, Roma 3 DISTRIBUTION BOX, MCB Siemens, Havels 4 LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	Е								
1 Guard 2 SWITCHES Crabtree, Roma 3 DISTRIBUTION BOX, MCB Siemens, Havels 4 LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No									
Crabtree , Roma 3 DISTRIBUTION BOX , MCB - Legrand, L&T, Siemens, Havels 4 LIGHT FITTINGS - Philips / Crompton / Wipro/Syska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller , Godrej , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM 1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	1	Guard							
DISTRIBUTION BOX, MCB - Legrand, L&T, Siemens, Havels LIGHT FITTINGS - Philips / Crompton / Wipro/Syska Daikin, Hitachi, Blue Star, Voltas, Star, Voltas, EURNITURE - Hermen Miller, Godrej Featherlite, Geeken BILL OF QUANTITY:-	2								
Siemens, Havels LIGHT FITTINGS - Philips / Crompton / Wipro/Syska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller , Godrej , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified System Body Coil – Quadrature 1 No									
LIGHT FITTINGS Wipro/Syska F AIR CONDINTIONING Star, Voltas, G FURNITURE Featherlite,Geeken BILL OF QUANTITY:- S.No Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified System Body Coil – Quadrature Philips / Crompton / Philips / Cromp	3								
Wipro/Syska F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller, Godrej , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM 1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No									
F AIR CONDINTIONING - Daikin, Hitachi, Blue Star, Voltas, G FURNITURE - Hermen Miller, Godrej , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	4	N. K.	1 1						
F Star, Voltas, G FURNITURE - Hermen Miller, Godrej , Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM 1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No		_	•						
Featherlite, Geeken BILL OF QUANTITY:- S.No ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified System Body Coil – Quadrature 1 No	F								
S.No ITEM Qty UOM Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified System Body Coil – Quadrature 1 No	C	FURN	NITURE - Hermen Miller , Godrej						
S.No ITEM Qty UOM 1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	G	, Featl	nerlite,Geeken						
1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No		BILL	OF QUANTITY:-						
1 Whole body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels RF system; as specified 2 System Body Coil – Quadrature 1 No	S.No		ITEM	Qty	UOM				
RF system; as specified 2 System Body Coil – Quadrature 1 No		Whole	e body 3.0 Tesla Magnetic Resonance Imaging system – 32 channels		NIa				
	1	RF sy	ystem; as specified		No				
3 32 channels or more HEAD coil-capable of multi frequency MR 1 No	2	Syster	m Body Coil – Quadrature	1	No				
	3	· · ·							

4 5 6 7 8 9 10 11 12 13 14 15 16 17	spectroscopy (H1). NEUROVASCULAR coil – 16 channels or more SPINE: Phased array coil 32 channels or more acquisition (single or combination) BODY: Phased array coils 32 channels or more (single or in combination) Dediacted coil/coil combination for peripheral angiography of 32 or more channel with coverage of 80cm or more BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2	No N
5 6 7 8 9 10 11 12 13 14 15 16 17	combination) BODY: Phased array coils 32 channels or more (single or in combination) Dediacted coil/coil combination for peripheral angiography of 32 or more channel with coverage of 80cm or more BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1	No
5 6 7 8 9 10 11 12 13 14 15 16 17	combination) BODY: Phased array coils 32 channels or more (single or in combination) Dediacted coil/coil combination for peripheral angiography of 32 or more channel with coverage of 80cm or more BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1	No
7 8 9 10 11 12 13 14 15 16 17	Dediacted coil/coil combination for peripheral angiography of 32 or more channel with coverage of 80cm or more BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No No No No No No No No No
8 9 10 11 12 13 14 15 16 17	channel with coverage of 80cm or more BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1	No No No No No No No No
8 9 10 11 12 13 14 15 16 17	BREAST coil – 16 channel or more Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1	No No No No No No No No
9 10 11 12 13 14 15 16 17	Shoulder coil: a. Dedicated Shoulder coil – 16 channel or more Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1 1 1 1	No No No No No No
10 11 12 13 14 15 16 17	Shoulder coil: Flex coils (Large) – 8 Channel or more OR multipurpose coil of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1	No No No No
10 11 12 13 14 15 16 17	of 16 channel or more Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1	No No No
11 12 13 14 15 16	Shoulder coil: Flex coils (Small) – 4 Channel or more High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil. Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1 1	No No No
12 13 14 15 16 17	High resolution foot/ ankle coil – 8 channels or more. High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1 1	No No No
13 14 15 16 17	High resolution knee coil 16 channels or more; Tx & Rx. Suitable Carotid coil . Server: Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1	No No
14 15 16 17	Suitable Carotid coil . Server : Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1	No
15 16 17	Server : Thin-client server as per specification Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor	1	
16 17	Concurrent licenses for Server Node Hardware: CPU and Medical grade monitor		No
17	Node Hardware: CPU and Medical grade monitor	2	1 10
			Nos.
		2	Nos.
18	Antivirus software for Server / Node	2	Nos.
19	Cardiac Package – License	2	Nos.
	ACCESSORIES:		
	Storage box for all coils	1	No
	Dual Syringe Pressure injector	1	No
	Dual Syringe Pressure injector syringes	20	Nos.
	Dual Syringe Pressure injector syringe connector	100	Nos.
	MRI Compatible ECG electrodes (disposable)	100	Nos.
	MRI Compatible Anaesthesia as per specification	1	No
/	MRI compatible Multiparmeter Vital Signs Patient Monitor and One Slave	1	No
	monitor, as per specification -qty 1 set		
	3.0T MRI compatible syringe pump	2	Nos.
9 1	MRI Compatible sets of Laryngoscope : 4 sizes blades- Neonatal,	1	No
	paediatrics, adult, extra large		
	MRI compatible Magill forceps : Adult size-	2	Nos.
	MRI compatible Magill forceps : Paediatric size-	2	Nos.
	Stylet for endotracheal tube : Adult size	3	Nos.
	Stylet for endotracheal tube : Paediatric size	3	Nos.
	MRI compatible Clamps: Either towel clip or artery forceps.	2	Nos.
	MRI Compatible IV stands	2	Nos.
	MRI compatible suction apparatus	2	Nos.
	Non-magnetic patient transfer trolleys	2	Nos.
	Metal detectors : Handheld	2	Nos.
	Metal detector: Walk-through	1	No
	Phantoms to be provided for regular QA studies.	1	LS
71 1	Walk through Metal detector with multiple sensor and multiple location	1	No
	LED (Zone IV type)		
	Dry Chemistry laser camera as specified	1	No
	Components of Site Modification Work:		

1	Civil works	1500	ft^2		
2	Electrical work	1500	ft^2		
3	Public health (plumbing and sanitary fittings).	1500	ft^2		
4	Air Conditioning (including standby unit/s)	25	TR		
	Furniture:				
1	Revolving chairs height adjustable, medium-back with hand-rest in the Control room, Radiologist room and viewing area	8	Nos.		
2	Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement.	3	Nos.		
3	Drug trolleys for patient preparation area.	1	No		
4	Patient trolley with rubber foam mattress to be kept in the patient preparation room.	2	Nos.		
5	Tables for Workstation Nodes.	2	Nos.		
6	Changing rooms (with change lockers and dressing table).	1	set		
7	Dustbins (plastic with lid) to be provided as required.	10	No		
8	Room Signage	1	LS		
9	Venetian Blinds	1	LS		
	Miscellaneous:				
1	LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size.	2	Nos.		
2	Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc	1	LS		
3	Fire extinguisher ABC type of 2kg each as required for the building safety	5	Nos.		
4	4.5 kg MRI compatible fire Extinguisher	2	Nos.		
5	MRI room Oxygen <i>deficiency</i> level monitor (price to be quoted separately)	1	No		
6	MRI compatible transport ventilator (Price to be quoted separately)	1	No		
7	MRI compatible wheel chair (Price to be quoted separately)	1	No		
8	Dehumidifier of 110 Liter	2	Nos.		
GENE	RAL TECHNICAL SPECIFICATIONS				
GENE	RAL POINTS:				
1.	Warranty:				
2.	 a) Five years Comprehensive Warranty as per Conditions of Contract of the TE document for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) Warranty period will be 5 years from the date of installation, commissioning and Site Modification Work from the date of satisfactory installation, commissioning, trial run & handing over of equipment to Hospital/Institution/Medical College. b) 95% up time Warranty of complete equipment with extension of Warranty period by double the downtime period on 24 (hrs) X 7 (days) X 365 (days) basis. c) All software updates should be provided free of cost during Warranty period. 2. After Sales Service: After sales service centre should be available at the city of Hospital/Institution/Medical College on 24 (hrs) X 7 (days) X 365 (days) basis. Complaints should be attended properly, maximum within 8 hrs. The service should be provided directly 				
3.	by Tenderer/Indian Agent. Undertaking by the Principals that the spashall be available for at least 10 years from the date of supply. Training: On Site training to Doctors/ Technicians/ staff is to be pure Indian Agents (if they have the requisite know-how) for operation and equipment to the satisfaction of the consignee. The same will be in	provided by nd maintena	Principal/nce of the		

	modal	ities as specified in general technical specification.					
4.	Annual Comprehensive Maintenance Contract (CMC) of subject equipment with Site						
7.		ication Work:					
	a)	The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual of the manufacturer, labour and spares, after satisfactory completion of					
		Warranty period may be quoted for next 5 years on yearly basis for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) and Site Modification Work (if any). The supplier shall visit each consignee site as					
		recommended in the manufacturer's technical/ service /operational manual, but at least twice in six months (i.e. 4 preventive maintenance/ year) apart from all breakdown visits, during the CMC period					
	b)	The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.					
	c)	Cost of CMC will be added for Ranking/Evaluation purpose. The same will be taken at Net Present Value with a 10% discounting factor each year.					
	d)	The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by end user on receipt of bank guarantee for 2.5% of the cost of the equipment as per Section XV valid till 2 months after expiry of entire CMC period.					
	e)	There will be 95% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.					
	f)	During CMC period, the supplier is required to visit at each consignee's site at least twice in 6 months (i.e. 4 preventive maintenance/ year) apart from all breakdown visits, commencing from the date of the successful completion of warranty period for preventive maintenance of the goods.					
	g)	All software updates should be provided free of cost during CMC.					
	h)	Failure of the above [4. É) to 4. G)] by the supplier, may lead to the forfeiture of the Bank Guarantee.					
	i)	The payment of CMC will be made as stipulated condition mentioned in GCC Caluse 27) D)					
5.	the res the eq Colleg Colleg	Iodification Work: Site Modification Work is indicated in the technical specification of spective items, wherever required. The Tenderer shall examine the existing site where uipment is to be installed, in consultation with HOD of Hospital/Institution/Medical ge concerned. Site Modification Work details of each Hospital/Institution/Medical ge are given at the end of Technical Specification. The Tenderer to quote prices					
	Hospit Indian specifi	ting break-up of prices of the Machine and Site Modification Work of each tal/Institution/Medical College. The Site Modification Work costs to be quoted in Rupee will be added for Ranking Purpose. The taxes to be paid extra, to be ically stated. In the absence of any such stipulation the price will be taken inclusive of tuties and taxes and no claim for the same will be entertained later.					

Item "A" Import Supply:- SITC of 3 Tesla MRI Machine along with standard accessories with 5 years warranty period as per tender specifications	Item No.	<u>Description of the Items</u>	<u>Quoted</u> <u>Currency</u>	Quantity
standard accessories with 5 years warranty period as per tender specifications Item "B" Import Supply:- SITC of Local Accessories as per tender specifications	Item "A"	standard accessories with 5 years warranty period as per tender		04 Nos.
Specifications Dot Nos.		standard accessories with 5 years warranty period as per tender		04 Nos.
Specifications O4 Nos.	Item "B"		~ C	04 Nos.
Monitoring system D4 Nos.		•		04 Nos.
Item "D" Import Supply:- MRI Compatible Transport Ventilator 04 Nos.	Item "C"			04 Nos.
Local Supply:- MRI Compatible Transport Ventilator Import Supply:- MRI Compatible Wheel Chair				04 Nos.
Item "E" Import Supply:- MRI Compatible Wheel Chair 04 Nos. Local Supply:- MRI Compatible Wheel Chair 04 Nos. Item "F" Import Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) 04 Nos. Item "G" Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning) 04 Nos. Item "H" CMC for MRI Machine, Local Accessories & Site Modification work 04 Nos. 6th year CMC rate 04 Nos. 7th year CMC rate 04 Nos. 8th year CMC rate 04 Nos. 9th year CMC rate 04 Nos. 9th year CMC rate 04 Nos. 9th year CMC rate 04 Nos.	Item "D"	Import Supply:- MRI Compatible Transport Ventilator		04 Nos.
Local Supply:- MRI Compatible Wheel Chair Item "F" Import Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) Local Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) Item "G" Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning) Item "H" CMC for MRI Machine, Local Accessories & Site Modification work 6th year CMC rate		Local Supply:- MRI Compatible Transport Ventilator		04 Nos.
Item "F" Import Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) 04 Nos. Local Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) 04 Nos. Item "G" Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning) 04 Nos. Item "H" CMC for MRI Machine, Local Accessories & Site Modification work 04 Nos. 6th year CMC rate 04 Nos. 7th year CMC rate 04 Nos. 8th year CMC rate 04 Nos. 9th year CMC rate 04 Nos. 9th year CMC rate 04 Nos.	Item "E"	Import Supply:- MRI Compatible Wheel Chair		04 Nos.
Technical specification (Section 8) Local Supply:- Myelin in the brain as per point no.14 (d) of Technical specification (Section 8) 1tem "G" Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning) 1tem "H" CMC for MRI Machine, Local Accessories & Site Modification work 6th year CMC rate 7th year CMC rate 04 Nos. 7th year CMC rate 04 Nos. 8th year CMC rate 04 Nos. 9th year CMC rate 04 Nos.		Local Supply:- MRI Compatible Wheel Chair		04 Nos.
Technical specification (Section 8) Item "G" Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning) 04 Nos. Item "H" CMC for MRI Machine, Local Accessories & Site Modification work 04 Nos. 6 th year CMC rate 04 Nos. 7 th year CMC rate 04 Nos. 8 th year CMC rate 04 Nos. 9 th year CMC rate 04 Nos. 9 th year CMC rate 04 Nos.	Item "F"			04 Nos.
Sanitary fitting, Air Conditioning) Item "H" CMC for MRI Machine, Local Accessories & Site Modification work 04 Nos.				04 Nos.
work 04 Nos. 6 th year CMC rate 04 Nos. 7 th year CMC rate 04 Nos. 8 th year CMC rate 04 Nos. 9 th year CMC rate 04 Nos.	Item "G"			04 Nos.
7 th year CMC rate 04 Nos. 8 th year CMC rate 04 Nos. 9 th year CMC rate 04 Nos.	Item "H"	work		04 Nos.
8 th year CMC rate 04 Nos. 9 th year CMC rate 04 Nos.		6 th year CMC rate		04 Nos.
9 th year CMC rate 04 Nos.		7 th year CMC rate		04 Nos.
		8 th year CMC rate		04 Nos.
10 th year CMC rate 04 Nos.		9 th year CMC rate		04 Nos.
			-	

Check list of Documents to be uploaded in PACKET A and PACKET B as per the order given below.

1. Annexure – 1 Particulars of the Tenderer 2. Annexure – 2 Form of undertaking of Mandatory Conditions 3. Annexure - 3 Undertaking to be signed by the Tenderer 4. Annexure - 3A-Tri party agreement. 5. Annexure - 4 PRO-FORMA for uploading details of EMD, Annexure-3 6. Annexure - 9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure - 12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure - 12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper 25. Annexure-B – GST Details	Sr.	PACKET A	Whether uploaded or not
2. Annexure – 2 Form of undertaking of Mandatory Conditions 3. Annexure -3 Undertaking to be signed by the Tenderer 4. Annexure -3A-Tri party agreement. 5. Annexure - 4PRO-FORMA for uploading details of EMD, Annexure-3 6. Annexure - 9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph (Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A. (BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	No	Description of Document	
Conditions Annexure -3 Undertaking to be signed by the Tenderer Annexure -3A-Tri party agreement. Annexure -4 PRO-FORMA for uploading details of EMD, Annexure-3 Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. Annexure -11-Authorization letter for attending tender opening. Annexure-12 Instructions to the tenderer and Articles of Agreement duly signed Annexure-13 Details of Litigation History Annexure-14 Pact of Integrity Annexure-15 Internal Grievance Redressal Mechanism Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) Firm/Company/ Sanstha Registration Certificates Partnership deed C.A.'s certificate for turnover of the tenderer Annexure-15 C.A.'s certificate for turnover of the tenderer Pan Card with Photograph (Only for Indian Bidder) Import / Export license issued by competent authority Valid Registration Certificate under EPF & M Act 1952 Valid Registration Certificate under ESIC Act 1948. Valid Registration Certificate under ESIC Act 1948. C.D.SCO license issued by competent authority Annexure A - Irrevocable Undertaking on Rs. 500/-Stamp paper	1.	Annexure – 1 Particulars of the Tenderer	
3. Annexure -3 Undertaking to be signed by the Tenderer 4. Annexure -3A-Tri party agreement. 5. Annexure-4 PRO-FORMA for uploading details of EMD, Annexure-3 6. Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/– Stamp paper	2.	Annexure – 2 Form of undertaking of Mandatory	1
4. Annexure -3A-Tri party agreement. 5. Annexure-4 PRO-FORMA for uploading details of EMD, Annexure-3 6. Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/–Stamp paper		Conditions	
5. Annexure-4 PRO-FORMA for uploading details of EMD, Annexure-3 6. Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	3.	Annexure -3 Undertaking to be signed by the Tenderer	
EMD, Annexure -3 6. Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper		1 0	
6. Annexure -9A/9B/9C Pro-forma for Authorization letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	5.		\nearrow O \nearrow
letter/Certificate. 7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper		· · · · · · · · · · · · · · · · · · ·	
7. Annexure-11-Authorization letter for attending tender opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph. (Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A. (BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	6.		
opening. 8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export ficense issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/– Stamp paper			
8. Annexure -12 Instructions to the tenderer and Articles of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	7.		
of Agreement duly signed 9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper		1 0	
9. Annexure-13 Details of Litigation History 10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph (Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	8.		
10. Annexure-14 Pact of Integrity 11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper	_		A Y
11. Annexure-15 Internal Grievance Redressal Mechanism 12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper			Y
12. Signed copy of Tender Document (Schedule of Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper			
Specifications, Mandatory Conditions) 13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper			
13. Firm/Company/ Sanstha Registration Certificates 14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper	12.		
14. Partnership deed 15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper			
15. Solvency Certificate 16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper			
16. C.A.'s certificate for turnover of the tenderer 17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper		1	
17. Pan Card with Photograph.(Only for Indian Bidder) 18. GST registration Certificate. (Only for Indian Bidder) 19. Import / Export license issued by competent authority 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper			
 GST registration Certificate. (Only for Indian Bidder) Import / Export license issued by competent authority Valid Registration Certificate under EPF & M Act 1952 Valid Registration Certificate under ESIC Act 1948. Power of Attorney to sign the tender to be registered with C.A.(BMC) CDSCO license issued by competent authority Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper 	16.		
 Import / Export license issued by competent authority Valid Registration Certificate under EPF & M Act 1952 Valid Registration Certificate under ESIC Act 1948. Power of Attorney to sign the tender to be registered with C.A.(BMC) CDSCO license issued by competent authority Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper 	17.	Pan Card with Photograph.(Only for Indian Bidder)	
 20. Valid Registration Certificate under EPF & M Act 1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper 	18.	GST registration Certificate. (Only for Indian Bidder)	
1952 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper	19.	Import / Export license issued by competent authority	
 21. Valid Registration Certificate under ESIC Act 1948. 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/-Stamp paper 	20.	Valid Registration Certificate under EPF & M Act	
 22. Power of Attorney to sign the tender to be registered with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper 		1952	
with C.A.(BMC) 23. CDSCO license issued by competent authority 24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper	21.	Valid Registration Certificate under ESIC Act 1948.	
24. Annexure A – Irrevocable Undertaking on Rs. 500/- Stamp paper	22.		
Stamp paper	23.	CDSCO license issued by competent authority	
Stamp paper	24.	Annexure A – Irrevocable Undertaking on Rs. 500/-	
25. Annexure-B – GST Details			
	25.		

Sr.	PACKET B	Whether uploaded or not
No	Description of Document	
1.	Annexure -5 Technical Offer	
2.	Annexure -7 Consumables.	
3.	Annexure -7A List of Consumables Set	
4.	Annexure -8 Comparison of tender specification v/s	
	equipment specification	
5.	Annexure-10 Experience Certificate	
6.	Copy of valid CE certificate as mentioned in General	
	Conditions (Technical specifications) of the tender.	
7.	Copy of valid USFDA approval as mentioned in	
	General Conditions (Technical specifications) of the	
	tender.	
8.	Technical brochure of quoted model	
9.	Annexure-16 Details CE/US FDA certificate	

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024 MCGM 1048130 1

Particulars about the tenderer- (Specimen copy)

(To be uploaded in Packet 'A')

1	7 ~	te:							
1	าล	re:	_						

(Following information to be submitted along with tenders (in Packet 'A') as detailed herein below on the **letterhead of the tenderer**. Put a tick mark where applicable. Write N.A. where not applicable. All fields are necessary)

- 1. Name & Address of the tenderer.
- 2. Address of service centre.
- 3. Names and addresses of all the partners.
- 4. e-mail address of the firm.
- 5. Name of the Power of attorney holder
- 6. Name & address of the manufacturer
 - a. Places of Manufacturer (In case of firms having more than one place, mention the nearest).
 - b. Registered Head Office with Postal Address and Telephone Number of manufacturer
 - c. Mumbai Office address with Telephone Number of manufacturer.
 - d. Address with Telephone Number of service centre in Mumbai.

The detailed address and telephone numbers / mobile numbers / Fax Number are as below. The list of qualified service Engineers and staff working in our service centre has adequate experience of maintaining quoted equipments is given below.

Sr.	Name, Address, Telephone, Mobile	Qualification	Designation
No.	Number, Fax Number of service		
	engineers and staffs		
	2		
	. 6		

- 7. Total annual turnover in the last Financial Year of tenderer.
- 8. Is the tenderer registered under the Indian Companies Act-1 of 1956 or any other Act, in force?
 - a. If so, furnish photo state copy of Certificate of Registration.
 - b. In case of Limited Companies furnish a copy of the memorandum of Articles of Association.
 - c. In case of Proprietorship / Partnership firms, name of proprietors / Directors with address. (Two in order of % of shares).
 - d. Ownership status of the Firm. (Maharashtra Govt./ Other state Govt./ Central Govt./ Joint Sector / Co-Operative / B.S.I. / Private / Foreign Company).
- 9. Whether tender is Indian/Foreign Manufacturer (State your category and upload document to this effect in 9 A formats.)
- 10. Whether tenderer is the 100% Indian subsidiary of foreign manufacturer/ Subsidiary of principle Foreign Manufacturer registered in India / sister concern of Foreign manufacturer /Associate of

Foreign manufacturer /joint venture of Foreign manufacturer/ affiliate of foreign manufacturer –all dully registered in India (State your category and upload document to this effect issued by Foreign Manufacturer in 9 B format)

- 11. Whether tenderer is Distributor /Dealer / Importer /Traders/agent of foreign manufacturer (State your category and upload document to this effect issued by Foreign Manufacturer in 9 C format)
- 12. Name and post of the Officer / Address, Phone Number who should be contacted by this office in case of emergency.
- 13. Location of other manufacturing works / factories owned by the firm (if any)
- 14. a) Name of equipment manufacturer(Make)
 - b) Model quoted for the said tender:
 - c) Manufacturing place/Country of the equipment quoted for this tender:
 - d) Place of supply from where the machine/equipment is to be supplied to BMC:
- 15. County of Origin
- 16. Port of Shipment.
- 17. Currency for the quoted equipment-
- 18. Bank Details:
 - a. Bank details of Manufacturer.
 - b. Bank details of tenderer as applicable.

	List of Equipments for SITC 3 Tesla MRI Machine						
Sr No	Description of Item	Name of Manufacturer	Make	Model	Manufacturing place	country of origin	shipment
1	3 Tesla MRI						
	Machine						
2	Local Accessories						

I/We have carefully gone through the tender requirement/specifications, we are confident to fulfill the exact requirement asked for as a manufacturer along with the required documents to be provided along with the tender. I/We assure you for the same and accordingly I/we are participating in this tender process. I/We have carefully gone through the tender documents and the term and conditions mentioned therein & are all acceptable & agreeable in entirely to me/us.

Full Signature of the tenderer with Official Seal & Address Contact No: Email ID

Note- Annexure-1 shall be uploaded on letter head of bidders

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

Tender Form

(To be uploaded in PACKET A)

п	
	0

The Municipal Commissioner Brihanmumbai Municipal Corporation

Sir,

- **1.** I / We......(full name in capital letters starting with surname), the Proprietor /Managing Director / Holder of the business for the establishment / firm / registered company named herein below do hereby state that I / We have read, examined and understood the contents of following documents relating to
 - 1) Invitation to Tenderers
 - 2) Instructions to Vendors participating in e-Tendering Process
 - 3) Flow of activities of tender
 - 4) Instructions to tenderers
 - 5) The General Conditions of Contract (G.C.C.)
 - 6) Scope of supply and Technical Specifications
 - 7) Items data / Bill of Quantity
 - 8) Contract Agreement form
 - 9) Annexures
 - 10) Details of the Item Data in Mahatender :- (Rate to be filled by tenderer in commercial offer)
 - 11) Minutes of pre bid meeting,
 - 12) Corrigendum if any
- **2.** I / We have examined the details/ specifications of supply to be made and noted all the terms and conditions and accordingly hereby e-tender for execution of the supply referred to in the aforesaid documents, at the rate quoted for respective item in the item data in *Mahatender*.
- **3.** I/ We have paid the Earnest Money Deposit (E.M.D.) online for INR...... and we are aware that this EMD shall not bear any interest till it is with BMC.
- **4.** I / We also agree to keep this e-tender open for acceptance for a period of **180 days** from the date for opening the same and not to make any modifications in its terms and conditions which are not acceptable to the Corporation.
- **5.** I/We hereby further agree to execute agreement in the prescribed pro-forma and shall bear all the charges of whatsoever nature in connection with the preparation, Stamp Duty and execution of the said contract.
- **6.** I / we have offered our rates in the prescribed format and uploaded it along with the bid document.
- 7. I/We further state that I/We have separately furnished an undertaking / declaration in the form of Affidavit (Annexure-3) on the stamp paper of Rs.200/- (Rupees Two Hundred only) with regards to agreeing to the terms and conditions in corporate in the bid documents and various declarations as per requirement of BMC and I/We shall abide by them all respect throughout the period of contract.

Yours faithfully,

	Address:
	4
	Full Signature of the tenderer with
	Official Seal and Address
	1
Full Names and Residential Address	
of all the partners constituting	
The firm:	
1	A/c. No
	Name of the Bank
	Name of the Branch
2	
3	
20175	

ANNEXURE – 3 Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

Undertaking to be signed by the tenderer

(To be uploaded in PACKET A) <u>AFFIDAVIT</u>

To	
The Mu	unicipal Commissioner
	mumbai Municipal Corporation
Sir,	
	ama in conital latters, starting with surports, the Dramieter/Managing Portner/Managing Directors
	ame in capital letters, starting with surname, the Proprietor/ Managing Partner/Managing Director/ of Partner allowing of M/s/ the Business/ establishment /firm/ registered
	ny do hereby, in continuation of the terms and conditions undertaking the Tender form and
	to by me/us give the following undertaking.
_	"I/We
	toreferred to in the
	specifications and schedule to the accompanying form of Contract at the rates entered in the
	schedule of rates sent herewith and signed by me/us" (strike out the portions which are not applicable)
2.	I/Wedo hereby state and
۷.	declare that I/we, whose names are given hereinbelow in detail with the addresses, have not filled
	in this tender under any other name or under the name of any after establishment/ firm or
	otherwise, nor are we in any way related or concerned with the establishment/ firm or any other
	person, who have filled in the tender for the aforesaid work.
3.	I/Wehave filled in the
	accompanying tender with full knowledge of liabilities and, therefore, we will not raise any objection or dispute in any manner relating to any action/ including forfeiture of deposit blacklisting, for giving any information, which is found to be incorrect and against the instructions and directions given in this tender.
 4. 5. 	I/We further agree and undertake that in the event it is revealed subsequently after the allotment of work / contract to me/us, that any information given by me /us in this tender it false or incorrect. I/we shall compensate the Municipal Corporation of Greater Mumbai for any such lapses or inconvenience caused to the Corporation in any manner and will not resist any claim for such compensation on any ground whatsoever. I /We further agree and undertake that I/We shall not claim in such case any amount by way of damage or compensation for cancellation of the contract given to me/us or any work assigned to me/us or is withdrawn by the Corporation." I/Wehereby confirm that I/We will be able to carry out and reply entered by me/us at the quoted rates as per specifications/ drawings indicated in the tender after compliance
6.	of all the required formalities within the specified time. I/We do hereby undertake that we have entered the best price for the subject reply as for the present market rates and that I/we have not entered less price for the subject reply in any other outside agencies including Govt./Semi Govt. agencies and within BMC also in similar conditions.

7. I / We agree to comply with fulfill the requirements of all labour laws or other enactments

applicable to this supply and abide them throughout the period of contract.

- 8. I / We agree to abide the regulations of the BMC premises now in force or which may come into force, during the currency of the contract. I / We accept the right of BMC to stop any supervising staff/ labour employed by me / us from entering in the BMC premises if it is felt that the said person is an undesirable element or is likely to create nuisance. BMC will not be required to assign any reason while exercising this right and I/We shall abide by such decision being binding on us.
- 9. I/We shall not sublet the work to any agency without prior approval of the BMC.
- 10. I / We understand and accept that our e-tender/contract is liable for rejection/termination and EMD paid by me/us shall be liable for forfeiture by the BMC if
 - a) I/We fail to keep the e-tender open as aforesaid,
 - b) I / We fail to execute the formal contract or make payment of contract deposit when called upon to do so,
 - c) I / We do not commence the supply on or before the date specified by officer/engineer in hiswork order/indent.
 - d) I / We fail to produce required information, testimonials or a letter in original whenever called upon to do so or I/We fail to give satisfactory reason for non-production of such information, testimonials, letter etc. within a period of 6 days from receipt of such demand.
- 11. I/We hereby further state and declare that I/We are
 - not declared insolvent any time in the past.
 - not debarred/ black listed by either BMC / central Govt. / state Govt. / Public sector undertaking/any other Local body from start date of tender notice.
 - not convicted under the provision of IPC or Prevention of Corruption Act., nor any criminal case is pending against me/us in any court of law.
- 12. I/ we do hereby agree that if in future, it comes to the notice of BMC/ if it is brought to the notice of BMC that any disciplinary/penal action due to violation of terms and conditions of the tender which amounts to cheating /depicting of malafide intention during the completion of the contract anywhere in BMC or either by any of central Govt. / state Govt. / Public sector undertaking/any other Local body, BMC will be at discretion to take appropriate action as its finds fit.
- 13. The acceptance of this tender by BMC shall constitute a binding contract between me / us and BMC
- 14. I/we further confirm that the information/document submitted by me regarding GST No. (If applicable) is true and correct as per record of GST Department and in the event if it is revealed subsequently after opening of tender or after allotment of work/contract to me/us that any information given by me/us is false or incorrect, I/we shall be debarred from participating in the tenders for BMC for 10 years.

15.	I/We,	who	are	proven	and	repu	table
	manufacturer of	(N	Name	& des	criptio	n of	the
	goods offered in the tender) having factories at		,	hereby	certif	ied tha	at do
	hereby state that I/We have a full-fledged and well establishe	d servi	ce ce	entre in	Mumb	ai.	
16.	* I/We,	_ here	eby	declare	that	on	our
	establishment there are less than 20 employees/ Labourers	and a	s suc	h it is r	not ma	ndato	y to
	register our firm under EPF & MP Act 1952.						
	-						

17. *I/We -----hereby declare that we are using the energy for production purpose. However there are less than 10 employees / Labourers on our establishment.

I/We -----hereby declare that we are not using the energy for production purpose. There are less than 20 employees / Labourers employed in production activity.

As such, the provisions of ESIC Act 1948 are not applicable to our firm and it is not mandatory for us to register the firm under ESIC Act 1948. (* Strike out if not applicable)

Or

Or

19. "I/We do hereby further undertake that, we have offered the best prices for the subject supply work as per the present market rates. Further, we do hereby undertake and commit that we have not offered/supplied the subject product / similar product / systems or suab systems in the past one year in the Maharashtra State for quantity variation upto – 50% or + 10% at a price lower than that offered in the present bid to any other outside agencies including Govt. /Semi Govt. Agencies and within BMC also. Further, we have filled in the accompanying tender with full knowledge of the above liabilities and therefore we will not raise any objection or dispute in any manner relating to any action including forfeiture of deposit and blacklisting, for giving any information which is found to be incorrect and against the instruction and direction given in this

behalf in this tender.

Notary

by

notarized

Public

First

Class

Magistrate.)

I/We further agree and undertake that in the event, if it is revealed subsequently after the allotment of work/ contract to me/us that any information given by me/us in this tender is false or incorrect, I/We shall compensate the Municipal Corporation of Greater Mumbai for any such losses or inconveniences caused to the Corporation, in any manner and will not raise any claim for such compensation on any grounds whatsoever. I/We agree and undertake that I/We shall not claim in such case any amount, by way of damages or compensation for cancellation of the contract given to me/us or any work assigned to me/us or is withdrawn by the Corporation."

However, in case of price difference, if it is a result of differential tax structures, different Dollar value of Rupee, considering this aspect, before invoking the penalty, blacklisting etc., I/we will be given a reasonable opportunity of being heard by representing our case as to why such price variation/differential has arisen.

In case, if the explanation submitted by me/us is unsatisfactory then action as stated above including forfeiture of deposit & blacklisting may be taken against me/us.

I/we solemnly confirm the compliance of all the requirements/ Conditions of the Tender documents.

Full name and complete address of a	
1 2	
3.	
<u> </u>	
	× Ø ′
	Signature with Date, Name, & designation of Manufacturer /
	100% Indian subsidiary of foreign manufacturer duly registered
	in India / Subsidiary of principle Foreign Manufacturer duly
	registered in India / sister concern of Foreign manufacturer duly
	registered in India /Associate of Foreign manufacturer duly
	registered in India /joint venture of Foreign manufacturer duly registered in India / affiliate of Foreign manufacturer duly
	registered in India / armate of Foreign manufacturer duty
	registered in maid
	OR
. 5	
	Distributor /Dealer / Importer /Traders/agent of foreign Manufacturer
	Office Stamp)
WITNESS:	The stamp
(1) Full Name	
And Address	
Signature	
-	
(2) Full Name	
And Address	
Signature	
Note:- To be filled in and signed by the	tenderer and to be submitted on non judicial paper of Rs 200/-duly

document.

Equivalent

ANNEXURE – 3-A Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(To be uploaded in Packet 'A')

(In case of bid submitted by Authorized Distributor /Dealer / Importer /Traders/agent for foreign Manufacturer)

TRI PARTY AGREEMENT BETWEEN BMC, MANUFACTURER AND BIDDER

This agreement made on this theday of, Two Thousand Between **BMC**, having its registered office at CST, MUMBAI hereinafter referred to as the PURCHASER (1^{ST} Party) and **M/s**, **India.** A firm (hereinafter referred to as the "SUPPLIER" which expression where the context admits shall include its successors in interest and assigns of the other part(2^{nd} party) and **M/s** (3^{rd} Party as Principle).

Whereas as the PURCHASER is desirous that Supply, Installation, testing and commissioning of the equipment & accessories be done by supplier or manufacturer as per the terms and conditions laid out in tender document of the PURCHASER. Purchaser will follow standard practices as per the terms and condition laid out in the tender document to evaluate the bids submitted by the suppliers or manufacturers. Bidders who unconditionally accept all the terms and conditions of the purchaser will be eligible to bid.

All the suppliers (distributors) have to be authorized by the manufacturers and manufacturers indemnifies that all the terms are acceptable to them as well.

Purchaser will be given 5% bank guarantee by the Manufacturer/ Distributor /Dealer / Importer /Traders/agent for foreign Manufacturer towards the performance of the supplied equipment for the product life cycle (5 yrs warranty plus 5 years CMC/AMC) (10 years).

Manufacturer has accepted the bid terms and conditions submitted by his Distributor /Dealer / Importer /Traders/agent for the Comprehensive/Annual Maintenance Contract & Supply Order terms under reference and whereas the Distributor /Dealer / Importer /Traders/agent has agreed to execute the CMC/AMC on the quoted rate, terms and condition as hereinafter referred to at a comprehensive/ annual maintenance cost (Inclusive of taxes, Duties Levies, transportation, handling, insurance, GST etc.)

And whereas various General, technical & commercial negotiation/ correspondences took place between SUPPLIER & PURCHASER as a result of which SUPPLIER'S final offer has been accepted and whereas supply order has already been issued to the SUPPLIER by the PURCHASER vide Ref. no.______ which has been duly accepted by the SUPPLIER.

NOW THIS AGREEMENT WITNESSED & THE PARTIES AGREES AS FOLLOWS:

- 1. In pursuance of the agreement and in consideration of Rate only as payable to the Manufacturer/Bidder, the Manufacturer/Bidder shall start commence the work in the manner as stated in the agreement.
- 2. The parties hereunder shall respectively and faithfully abide by the terms and conditions and stipulations contained in this agreement and perform / discharge their part of the obligation of the agreement accordingly.
- 3. The agreement shall be executed within the purview of the Indian Laws.
- 4. In this agreement words and expressions shall have the same meanings as are respectively assigned to them in the conditions of agreement herein before referred to.
- 5. The three sets of agreement shall be signed & 1 set of agreement shall remain with the PURCHASER, BIDDER and with Principle i.e. OEM.

- 6. IN WITNESS WHEREOF the parties have hereunto set their respective hand seals at Mumbai on the date, month and year first above written.
- 7. The Supplier has agreed for 5 years CMC/ AMC (with spares) for preventive and breakdown maintenance of the supplied equipment and it's accessories in order to ensure proper functioning of the equipment. The CMC/ AMC period will start only after successful completion of warranty period of five years which is further extendable as per DOWNTIME PENALTY clause stipulation as under:

During warranty period of 5 years i.e. 60 months from the date of satisfactory commissioning / installation of the equipment, log book will be maintained at the **Engineering/User Department**. If the availability of the equipment, during warranty period, falls below 96% i.e. assuming 351 working days in the year of 365 days and similarly 1051 days in three years, the warranty period will be extended for the breakdown days the equipment remains breakdown minimum 96% availability of the equipment in terms of working days.

CMC/AMC Charges: The CMC/AMC charge has been agreed by all the executors. The charges for CMC/AMC (with spares) for 5 years for total unit & will start after successful completion of 5 years warranty period.

- 8. **Scope Of Work:** The scope of work under this agreement for CMC/AMC will be as under:
- a) The CMC/AMC will be effective from the day after successful completion of warranty/ guarantee period. During CMC/AMC period, the Service Engineer will have to make 04 (four) compulsory Quarterly visits per year for preventive maintenance while breakdown calls (unlimited) will be attended within 72 hours (3 days) from the date & time of lodging of complaint with the supplier / principle through phone / fax/person/post/courier/e-mail. The complaint/message will be sent to the address given in this contract as well as in supply order.
- b) If the breakdown is attended and rectified within 120 hours (5 days) at our sits, no penalty/deduction will be made from the CMC/AMC bill.
- c) If it is not rectified within 120 hours (5 days) i.e. stipulated time by the supplier at our site, deduction will be made @ double the 89rorate basis CMC/AMC charges per day from the bill after allowing stipulated period of 120 hours i.e. 5 days.
- d) If the problems are required to be rectified at Service Centre site/workshop/premises, additional 7 days period will be allowed i.e. total 10 days from the day of initial breakdown report. Normal CMC/AMC charges for additional 7 days period will be deducted from the bill of CMC/AMC on 89rorate basis. If the equipment is not made available in all respect after rectification from the Service Centre site/ premises within 10 days, there will be a provision to deduct @ double the CMC/AMC charges/ day on 89rorate basis from the bills for delayed period.
- e) The CMC/AMC will be comprehensive and it will include supply, fitment, Maintenance, repair of the equipment, its parts. Arrangement of spares will be the sole responsibility of the Principle Manufacturer and / or its Distributor /Dealer / Importer /Traders/agent (in case of imported item) for which no extra charges will be paid to the party by BMC as it has already been incorporated in CMC/AMC charges.
- f) In the event of failure of the Dealer/Indian distributor/importer/Trader/agent to execute the CMC/AMC as per agreed TENDER terms and conditions, the entire responsibility to execute the CMC/AMC will be on the Principle Manufacturer/OEM at the quoted cost only.
- g) In case the Principle Manufacturer changes the Distributor /Dealer / Importer /Traders/agent, it will be the sole responsibility of the Principle Manufacturer/OEM to communicate the same immediately to BMC management to get the CMC/AMC executed uninterrupted through their reappointed/nominated Distributor /Dealer / Importer /Traders/agent to ensure that there is no discontinuation of the CMC/AMC due to change/re-appointment of Distributor /Dealer / Importer /Traders/agent etc. DEAN OR DMC, CPD or authorized representative will represent BMC for agreement and its further renewals. Performance Bank Guarantee which will remain valid up to the end of 10 year which will be the responsibility of the Principle Company.

- h) The responsibility of supply, installation, testing and commissioning of medical equipments along with 5 years warranty and **5 years** Comprehensive Maintenance Contract / Annual Maintenance Contract (As applicable) shall be of Manufacturer and Distributor /Dealer / Importer /Traders/agent **JOINTLY AS WELL AS SEVERALLY**.
- i) No advance payment will be made to the supplier on a/c of CMC/AMC rather; the payment of AMC/CMC of the medical equipments shall be made on six monthly basis subject to satisfactory completion of maintenance and servicing activities. In case of no Breakdown, failure in providing Quarterly Preventive Maintenance service will lead to nonpayment of proportionate CMC/AMC charges for that six months payment.
- j) This is a firm & fixed price agreement for CMC/AMC till CMC/AMC period. No taxes, duties etc, shall be reimbursed by the PURCHASER separately on this account and no variation/escalation shall be applicable during agreement period.

The CMC/AMC charges are exclusive of Service Tax/VAT which will be paid at actual by BMC separately during the CMC/AMC period.

k)	I/We	(Manufacturer)	and
	I/We	(Distributor /Dealer /	Importer
	/Traders/agent) hereby further state and declare that I/We are		_

- not declared insolvent any time in the past.
- not debarred/ black listed by either BMC / central Govt. / state Govt. / Public sector undertaking/any other Local body from start date of tender notice.
- not convicted under the provision of IPC or Prevention of Corruption Act., nor any criminal case is pending against me/us in any court of law.

Settlement of Disputes: It is incumbent upon the supplier/Principle OEM to avoid litigation and disputes during the course of the execution. However, if such disputes take place between the contractor and the BMC department, effort shall be made first to settle the disputes at the BMC level.

The supplier/Principle OEM should make request in writing to the BMC for settlement of such disputes /claims within 30 (thirty) days of arising of the cause of disputes/claim failing which no disputes/claims of the supplier shall be entertained by the company.

If differences still persist, in case of parties other than Govt. agencies the redresses of the dispute may be sought in the Court of Law in Mumbai Jurisdiction only.

"The Supplier shall familiarize with the orders of the State/ Central Govt. applicable to the work, payment of wages Act, Workman's Compensation Act, Contract Labour (R&A) Act etc. and shall be fully responsible and liable for due observance of the same."

SIGNED, SEALED & DELIVERED

Name:

Address:

By the said Supplier (2 nd party)	By the said (1 st party)
For M/s .	For BMC
	Dean / DMC, CPD
Signature	1
Name:-	
Designation:	Signature
Address:	Name:
Contact No.	Designation:
E-mail ID:	Address:
By the said (3 rd party)	
For MANUFACTURER/OEM	
Signature	
Name:-	
Designation:	
Address:	
Contact No.	
E-mail ID:	
20	
IN THE PRESENC	CE OF (WITNESS)
Signature	Signature

Name:

Address:

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

PRO-FORMA for uploading details of EMD and Annexure-3 $\,$

(To be uploaded in PACKET A)

1	Naı	me of Tenderer	c uploaucu iii i ACKET A)			
2	Naı	me of Supply				
3	Dej	partment	Central Purchase Departme	nt		
4		l No. & e Date		2003		
		Details	E.M.D.	Annexure-3 (Affidavit)		
	A	Amount Rs.		-		
5	В	On line Payment.	Yes	6		
	С	Date		_		
	D	Bank Details:-	XO,	-		
	Е	IFSC Code:-	100	-		
6	Is upl	original Annexure-3 oaded?		Yes		

Full Signature of the tenderer

with Official Seal & Address

NOTE: PRO-FORMA should be on letter head of the tenderer.

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(Technical Offer)

(To be upload in Packet 'B')

Item Group No.	<u>Description of the Items</u> (Bidder shall quote the following items as per technical specifications)	Quantity
1.	SITC of 3 Tesla MRI Machine as per technical specifications	4 Nos.
	Make	
	Model	
2	SITC of Local Accessories as per technical specifications	4 Nos.
	Make	,
	Model	
3	MRI Room, Oxygen deficiency level monitoring system	4 Nos.
	Make	
	Model	
4	MRI Compatible Transport Ventilator	4 Nos.
	Make	
	Model	
5	MRI Compatible Wheel Chair	4 Nos.
	Make	
	Model	
6	Myelin in the brain as per point no.14 (d) of Technical specification (Section 8)	4 Nos.
	Make	
	Model	
7	Site Modification (Civil Work, Electrical Work, Plumbing and Sanitary fitting, Air Conditioning)	4 Nos.
8	CMC for MRI Machine, Local Accessories & Site Modification work	
	6 th year CMC rate	4 Nos.
	7 th year CMC rate	4 Nos.
	8 th year CMC rate	4 Nos.
	9 th year CMC rate	4 Nos.
	10 th year CMC rate	4 Nos.
Scope of Supply	·	
	Bidder shall carry out CMC for 5 years after the completion of warranty period of 5 years.	

Note: 1) Price should NOT be quoted in this Annexure

2) Scope of Supply:- Bidder shall clearly mention the scope of supply Including standard, essential accessories and Local brands/supply of external monitor /cameras/computers/external cable, accessories etc as applicable if any

3) Detailed Service Manual shall be provided with the Equipment.

Full signature of the Tenderer With Official Seal and Address



Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(List of Consumables) (To be uploaded in Packet 'B')

NOT APPLICABLE

Full signature of the Tenderer With Official Seal and Address

ANNEXURE -7A Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_

NOT APPLICABLE

Full signature of the Tenderer Revised Mahatender With Official Seal and Address

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(To be uploaded in Packet 'B')

COMPARISION OF TENDER SPECIFICATION V/S EQUIPMENT SPECIFICATION

Tenderer should submit information in the following proforma.

- 1.Scan copy of original Technical Brochure's for quoted model and all other allied equipment's having technical specifications shall be uploaded. Scan copy of original Technical Brochure's for quoted model shall be signed and stamped by Original Equipment manufacturer.
- 2. The reference number asked in column(4) shall be specific to technical particulars asked in column(3). Vague answers such as "we comply", "same as', "at the time of DEMO" etc will not be accepted."

(To be uploaded in Packet B)

Sr No	Techni	cal particulars/Description as per tender.	Technical	Catalogue
BITTO		our particulars, Bescription as per tender.	particulars/Description	/Brochure/Document
			of offered	Reference No.(Page
			Equipment/Model(To	no./Item no.) (To be
			be Filled by Bidder)	Filled by Bidder)
A	Name	of Equipment		•
В	Name	of Manufacturer		
С	Model	of Equipment		
D	Techn	ical Specification for 3 Tesla MRI Machin	ne:-	
		400		
Whole	body 3.	0 Tesla Magnetic Resonance Imaging system		
optimiz	ed for h	nigher performance in cardiac and neurological		
examin	ations	with short superconducting magnet, high		
perform	nance gr	radients and digital Radio frequency system.		
_	_	ould have 32 channels RF system. The system		
-		ly new and should not contain refurbished or		
		d items. Silent scanning (noise level <80dB) to		
_	oled as st			
The mo	del shou	ald be the latest and launched in or after 2017.		
The und	dertakin	g should be submitted from the manufacturer		
for the				
1	MAG	NET		
_	a.	3.0T active shielded super conductive		
	a.	magnet with best homogeneity. Field		
		stability over time should be < or equal to 0.2		
		ppm/hr		
	b.	Length should be short with at least 70cm		
	D.	bore diameter.		
	c.	It should have facilities of better		
		illumination ventilation and designed to		
		avoid patient claustrophobia.		
	d.	The homogeneity of the magnet should be		
		mentioned in relation to 10, 20, 30, 40 cm		
		DSV. Automatic shimming in phantom		

		should be better than 3.5ppm in 40 DSV.		
	e.	Please specify upto what FOV gradient		
		linearity is maintained.		
	f.	Magnet should be shielded from external		
		interferences. Smaller fringe field preferred		
		5 Gauss and 10 Gauss Line in X, Y, Z axis		
		specify yours Quote value for 5 gauss and 10		
		gauss line. The 5 Gauss line will have to be		
		marked.		
	g.	Cryogen vessel to be of Helium only with		
		appropriate super thermal shielding and		. 1
		refrigeration facility for minimum Helium		
		boil-off, Specify the Helium tank capacity		
		and boil-off rate.	. (
	h.	Helium level monitoring equipment in the) /
		magnet and facility for appropriate quick		
		shutdown of the magnet in the event of		
		emergency		
	i.	Helium refill time should not be not less than	107	
		2 years. Please mention the helium refill		
		time.		
	j.	Noise level inside the examination room		
		should be minimum as possible. Specify		
		db level		
	k.	The vendor should quote model with		
		physiological signal display on gantry if		
		available		
	1.	Built - in 2 way Intercom facility to		
		communicate with patient is required		
	m.	Emergency helium release button should be		
		provided at least in two places [inside MR		
		examination room and console room]		
2.	Shim	system		
	a.	High performance and highly stable shim		
		system with global and localized manual and		
		auto-shimming for high homogeneity		
		magnetic field for imaging. Specify time for		
		shimming. Quote the number of shim coil		
	1	used		
	b.	Off-centre shimming should be possible.		
		System must have Second order/high order		
		shimmming. Auto shim (global and voxel shim) should		
	c.	take minimum time to shim the magnet with		
		patient in position.		
3.	Crods	ient system		
3.		Activity shielded Gradient System with		
	a.	strength of at least 44 mT/m at slew rate of		
		200T/m/sec to be achieved simultaneously		
		2001/11/Sec to be achieved simultaneously		

		for the same EOV & mafambly lavy linearity		
		for the same FOV & preferably low linearity. The rise time should not be more than 225		
		micro second to reach the maximum gradient		
		strength.		
		Added Para: The gradient and slew rate value must be actual and should not be		
		compared to 44mT/m and 200T/m/s on the		
		basis of equivalent performing TE/TR		
	1	Values. These true slew rates should be available		
	b.			4
		in each axis independently, for overall		
		better duty cycle performance of the gradient.		
	c.	The duty cycle should be 100 percent.		
	d.	The Gradient system should have) >
		provision for eddy current compensation.		
		Mention level of Eddy current compensation		
		in %	A	
	e.	Field of View should be at least 45 cm in all three axes.		
	f.	Minimum TE & TR in 2D/3D should be		
	1.	specified in relation to the sequences.		
		Minimum Slice Thickness in 2D & 3D		
	g.	should be specified in relation to the		
		sequences.		
	h.	Echo Train length in both Spin echo and		
	11.	Gradient Echo should be at least 255 or		
		more.		
	i.	The measurement matrix should be from		
	1.	128x128 to 1024x1024 in both 2D and 3D		
		imaging as well.		
4.	RF sy			
	a.	A fully digital RF system capable of		
	u.	transmitting power of at least 30 KW or		
		more. Suitable technique should be provided		
		for better B1 homogeneity.		
	b	It should also have at least minimum of 32		
		independent ADC or channel independent		
		hardware RF channels with each having		
		bandwidth of 1MHz or more along with		
	7	necessary hardware to support		
		Quadrature/CP array coils.		
	c.	It should support Parallel acquisition		
		techniques like ASSET/SENSE/iPAT with a		
		factor of at least 4.		
5.	RF Co	pils		
	The sy	stem body Coil integrated to the magnet must		
	_	drature /CP. In addition to this coil, following		
		(preferably be with equal number of		
	elemer	ats as the channels) be quoted. RF coils in		

	additio	on to main body coil (Transmit / Receive		
	or rec	ceive coils) auto tune, array or no tune		
	coils.	Coils for the following applications should		
		vailable with the system. Circular polarized		
		array coils should included in the offer. Coil /		
		sign should support compatibility to coils		
		actured by other manufacturers. Please		
		the measures taken to prevent dielectric		
		ts. (Quadrature design & EPI compatible)		
		ition to main body coil. All array coils should		
		mpatible with parallel imaging techniques.		
		specify the number of channels and		4
		nts available for each coil. Please mention		
	the true	e acceleration factor for each of the array coils.		
	a.	32 channels or more head coil-capable of		
		multi frequency MR spectroscopy (1H).		
	b.	Neurovascular coil of 16 channels or more		
ŀ	c.	Spine phased array coil for 32 channel or		
	C.	more acquisition with single or combination		
		of coils. (If more than one coil offered		
		against this point, the offered coils will not		
		-	A () '	
	,	be considered against any other applications)		
	d.	Body phased array coils 32 channels of more		
		(single or in combination) at least 45 cm z-		
		axis coverage for imaging of abdomen, with		
		at least 32 channels acquisition for body		
		parts.		
	e.	Dediacted coil/coil combination for		
		peripheral angiography of 32 or more		
		channel with coverage of 80cm or more.		
		Dedicated coil if available with vendor		
		should be quoted. If not available, original		
		product datasheet and an undertaking from		
		OEM should be submitted		
	f.	Suitable Carotid coil .		
	g.	Breast coil 16 channel or more .		
	h.	Shoulder coil:		
		a. Dedicated Shoulder coil – 16 channel or		
		more- 1 No		
		b. flex coils -2 nos. (One large and one		
		small as specified below & as per BOQ)		
		i. Shoulder coil: Flex coils (Small) - 4		
		Channel or more		
		ii. Shoulder coil: Flex coils (Large) - 8		
	7	Channel or more OR multipurpose coil of 16		
		channel or more.		
	i.	High resolution knee coil 16 channels or		
		more; Tx & Rx.		
ľ	j.	High resolution foot/ ankle coil – 8 channels		
	J.	or more.		
	5.a.	The supplier should quote coils or their		
		combinations exclusively for each		
		application. The number of coils should be		
		as per the BOQ. It should be mentioned as		
		independent coils and not having overlapping		
		applications.		
		аррисацона.		

	5.b.	The bidder should provide line wise break-up		
		for offered number and name/model of the		
		coil against each coil specified in the		
6.	Patie	technical specification & BOQ. nt Table		
0.	a.	The table should be fully motorized, MRI		
	a.	Compatible computer controlled table		
		movement in vertical and horizontal		
		directions Position accuracy should be +/- 1.0		
		mm or better.		
	b.	Should be able to take at least 140 kg load.		<u> </u>
	c.	The table should have facility for manual		
		traction in case of emergency.		
	d.	Cushions and other patient comfort		
		accessories. All parts of the table should		<i>y</i>
		be protected from liquid spill		
	e.	The table should have patient hand-held		
		alarm system.		
	f.	The table should deliver the protocols for	A (7)	
		automatic bolus chasing in peripheral		
		angio with automatic table movement.		
7.		PUTER SYSTEM IMAGE		
	PRO	CESSOR / OPERATOR CONSOLE) ′	
	a.	Computer should be latest in the industry,		
		fast and efficient		
	b.	One colour console for acquisition, all		
		calculations, post processing etc Console		
		must have full colour with user define		
		protocols with programmable inter scan		
		delay. Necessary image processor with		
		large RAM for ultra-fast image		
		reconstruction should be provided It		
		should be at least 8 GB RAM.		
	c.	Computational Speed to match the single shot Echo Planar Imaging (EPI).		
		Interactive angiogram, multi-planar three		
		dimensional (3D) reconstruction, surface		
		rendering, dynamic Imaging, vascular		
		Imaging/angiography. Functional imaging,		
		DTI etc.		
		The main host computer should have at		
		least 18-inch or more TFT/LCD type		
		colour monitor.		
	d.	The main console should have integrated		
		facility for music system for the patient in the		
		magnet room or dedicated music system		
		should be supplied, if the main console does		
		not have integrated facility for music system		
	e.	Filming and adequate storage for images and		
L	1		I	

	other applications.		
f.	Total hard disk memory to be sufficient to		
	store at least 250,000 images of 256 x 256		
	matrix data size Systems offering higher'		
	storage will be preferred. The system		
	should have CD/DVD archiving facility		
	on the main console and work station.		
	DVD write/CD Read/Rewrite drive for		
g.			
	writing of images, spectra and raw data along		
	with the necessary software for reading the		4
	Images and spectra on DVD/CD storing		
	capabilities. Provision for archival of k-		
	space data and raw (unprocessed) images.		
h.	There should be a provision of retrieval of	۸ (
	the reconstruction data (raw files) in an user		
	friendly manner.		
i.	DICOM interface to hook DICOM dry/laser		
	camera capable of storing printing 1024 x		
	1024 matrix size images at least in 16 format	10	
	without loss of digital resolution.		
j.	The system should be capable to connect to		
	PACS through RIS/HIS at no extra cost.		
	Highest version of DICOM connectivity to) '	
	be provided.		
8. Wor	kstation		
1.	One server with 2 node with concurrent		
	licenses to be supplied with the system.		
	Licenses: 2 nos. Concurrent license here		
	implies the capability to process all the		
	loaded software to be accessible and usable		
	on all the systems simultaneously without		
	any processing delay. The software should		
	also include a reputed antivirus software of a		
	perpetual type or renewed by the supplier.		
	1		
	Hardware: Node: The vendor has to supply		
	the hardware in the form of CPU and		
	Medical grade monitor 18" or more of 2MP		
	resolution. Hardware Server: The server		
	(single/dual configuration) should have		
	image storage capacity of at least 20 TB		
	(internal/external) minimum 40,000		
	concurrent slice processing power and at		
	least 128 GB RAM.		
	The server hardware to be included with 21"		
	or more FT/LCD monitor with dual		
	processor. DICOM 3.0 compatibility and		
	interfacing with other modalities must be		
I	<u> </u>		

	•	le. The workstation shall have the		
		tion, software and all functionality of a		
		alone workstation		
2.		necessary software including post-		
	proces	· ·		
		ations including evaluation for		
		perfusion (ASL, T1 perfusion and		
	-	perfusion), diffusion, DTI with fibre		
	trackir			
		ated post processing like MIP, MPR,		<i>A</i>
		e reconstruction should be provided.		
	The	workstation should have the		
	follow	ving features:		
	a.	Cardiac perfusion analysis,	→ (
		quantitative T1 mapping, with		
		colour metabolite mapping,		
		quantification of the CSF flow		
		data.		
	b.	Image Fusion software should be	70	
	0.	provided for Inter-modality and		
		Intra-modality fusion.		
	c.	Software for vascular properties		
		like IAUC, KEP as standard.		
	d.	DSA images should be viewable in		
		Subtraction mode.		
	e.	Necessary and adequate hardware		
		and software for sending and		
		receiving the patient data {text		
		+ images}. Printing of films		
		should be possible from both		
		main console and workstation.		
	f.	Workstation should also be able		
		to function independent of the		
	41	main console. Post processing of		
		the MRS data including for CSI		
		_		
		with paramagnetic metabolic		
		mapping		
	g.	Capability to calculate colour		
		display of real MTT, real CBV,		
		and real CBF		
	h.	Compatibility with data from other		
		MRI system for post processing.		
	i.	Output in the form of jpeg, avi /		
		equivalent formats should be		
		possible.		
Cardia	ac Pack	rage: Two Licenses: The workstation		
		5		

	mode comprincted upgrad and verelative	have display of Cardiac cine images in movie with rapid avi creation and should have ehensive cardiac post processing software ing for coronary MRA with regular free des in future. Calculation of ventricular area olume, stroke volume, ejection fraction and we ejection fraction, Time volume diagram		
	_	ation, filling rates and myocardial wall		
		n, Graphic display of output calculation of		
		and velocity parameter with colour coded		4
	_	y of velocity parameters. vocardial tagging should be possible.		
		age mapping should be quoted as standard		
		ardial Mapping (T1 & T2, T2* Map) should be		
	_	ed as standard.)
9.	•	Acquisition		
	a.	The system should be capable of 2D and 3D acquisitions in conventional, fast & ultra-fast spin echo and gradient echo modes so that real- time online images can be observed if needed.	Jest .	
	b.	2D multi-slice imaging should be possible in all planes (axial, sagiltal, coronal, oblique arid double oblique).		
	c.	Minimum 512 x 512 matrix acquisition for all applications.		
	d.	Half Fourier or other techniques to reduce scan acquisition time while maintaining adequate SNR		
	e.	3D volume, multiple contiguous slabs, multiple interleaved and multiple overlapping slabs		
	f.	Slice thickness in 2D and partition in 3D to be freely selectable		
	g.	Dynamic acquisition (serial imaging) with capability to initiate scan sequences either		
	1	from the magnet panel or from the console.		
	h.	Dynamic acquisition number of repeat scans with delay time either identical time interval or selectable.		
	i.	Auto slices positioning from the localizer images.		
	j.	Maximum -off centre positioning both anterior-posterior and lateral direction and should be selectable.		
	k.	Gating: physiological signals like ECG, pulse, respiratory, external signal triggering (interface for triggering input pulse from external source).		

	1.	Simultaneous acquisition, processing and		
		display of image data in 2D multi-slice		
		mode.		
-	m	Selection of voxel from oblique slices should		
	m.	be possible while doing spectroscopy.		
	n.	The application software for image		
		smoothing and edge sharpness etc. for		
		improvement in image resolution should be		
		quoted.		
	0.	Artifact reduction/motion correction		A
		techniques/imaging enhancement/image		
		filtering/image subtraction/addition		
		multiplication/division techniques:		
	p.	Flow 1st and 2nd order flow artifact	۸ (
		compensation.		
	q.	Presentation slabs: a number of		
		relocatable saturation bands to be placed		
		either inside or outside the region of interest.		
	r.	Magnetization transfer saturation: Off	10'	
		resonance RF pulses to suppress signals		
		from stationary tissue in FOV phase contrast		
		capability in 2D & 3D mode.		
	S.	Breath Hold Acquisition for Cardiac and) '	
		Abdominal Imaging must be possible,		
	t.	Fat saturation techniques: frequency		
		selective RF pulses to suppress fat signal		
		in the measured image FO. ROI selective		
		(regional) fat suppression should also be		
		given.		
	u.	Magnetization transfer saturation; OFF-		
		resonance RF pulses to suppress signals		
		from stationary issue in FOV.		
	V.	Phase contrast capability in 2D and 3D		
	•	mode.		
	w.	Image intensity correction.		
	X	Breath hold acquisition		
10. H	EPI n	<u> </u>		
10.		Single and multi shot EPI imaging		
	a.	techniques.		
	b.	Data acquisition in all three standard		
	υ.	planes (axial, sagittal coronal) and oblique		
		and double oblique planes		
	C	Multi-coil acquisition in order to optimize		
	c.	throughput increase and increased effective		
		FOV. Individual acquisition of every coil		
		should be mentioned.		
	J			
	d.	Higher matrix acquisition capability in single shot EPI, Acquisition time, TR TE and		
		_		
		slice thickness should be clearly		

mentioned and supported by data sheet reference. e. BOLD, SWI, T2 Perfusion (with all post processing licences as standard) f. Complete Functional MRI of Brain package as standard. 32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be available
e. BOLD, SWI, T2 Perfusion (with all post processing licences as standard) f. Complete Functional MRI of Brain package as standard. 32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
processing licences as standard) f. Complete Functional MRI of Brain package as standard. 32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
f. Complete Functional MRI of Brain package as standard. 32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
as standard. 32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
32" size or more LCD/LED based FMRI sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
sytem should be provided. g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
g. Susceptibility-weighted Phase Imaging to differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
differentiate calcification & haemorrhage. 11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
11. Imaging sequences a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
a. The system should be capable of selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
selecting TR and TEs as per requirement in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
in majority of the pulse sequences. b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
b. Spin echo (SE); multi-slice single echo, multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
multislice multi- echo(B echo or more) with minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
minimum TR and TE.SE with symmetrical and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
and asymmetrical echo intervals: MT-SE imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
imaging sequence. Compress Sensing & Simultaneous Multislice Imaging should be
Simultaneous Multislice Imaging should be
avanaoic
c. Inversion recovery (IR) including short
TI, modified IRSE, FLAIR, DIR (Double
Inversion Recovery) MT and FLAIR.
d. Gradient echo (GE) 3D gradient echo
with shortest TR and TE, free choice of
flip angle selection while maintaining SNR
Fast sequences
a. Fast spin echo in 2D and 3D mode TI,
T2 and PD contrast capable of acquiring
maximum number of slices with a given TR a
minimum TE. echo train should be at least
128 or more in fast spin echo mode.
b. Half Fourier acquisition capabilities
should be available with/ without
diffusion gradients and in combination with
fast spin echo.
c. Fast inversion recovery with spin echo.
d. Fast gradient spin echo, IR multi-slice multi-
echo mode with maximum turbo factor
Sequences should incorporate RF focusing to
acquire ultra fast gradient spin echo.
e. Fast gradient echo sequence should be
provided to acquire images in ultra-fast 2D
and 3D mode.
f. Fat and water suppressed imaging sequences
including the sequence which should give 4
contrast (in phase, opposed phase. FAT and
Water) images in a single acquisition to be

	1 1 777 1 1		
	quoted as standard. EPI optimized sequences		
	for T1, T2, PD imaging. perfusion, regular		
	diffusion values {5b, 3 directions),		
	EPI-FLAIR. CPI-IR, IPI-FLAIR diffusion		
	tensor. EP1-MT-FLAIR, tensor diffusion (5b		
	values in minimum in six directions) for		
	diffusion studies. Suitable artifact/fat		
	suppression techniques to be incorporated in		
	the sequence to have optimum image quality.		
	There should be capability of generation of		. 1
	ADC map		
	(isotropic and anisotropy from the regular		
	diffusion and tensor data).		<i>y</i>
	Facility of online generation of ADC map		
	should be there. Optimized sequence package		
	for special applications. Small focus DWI		
	should be standard		
		70.	
g.	MR angio; 2D/3D TOF, 2D/3D Phase		
	contrast (with and without gating)		
	magnetization transfer saturation, black		
	blood angiography for cerebral, pulmonary,) '	
	abdominal and peripheral vessel For		
	peripheral angio moving table angiography		
	should be offered so that complete limb can		
	be examined in one go Bolus tracking		
	software package should be offered.		
	Sequences for breath hold angiography		
	with contrast enchainment should also be		
	offered.		
1.	NON Contrast Angiography like Native,		
h.			
	Inhance, Trance for whole body		
	applications to be quoted as standard.		
i.	Contrast bolus tracking (including single		
	shot whole body MRA, interactive and		
	automatic, etc.		
j.	J1. The system should have the		
	Hydrogen, Single Voxel spectroscopy,		
	Multivoxel, multislice 2D, 3D		
	Spectroscopy and also the Chemical shift		
	imaging in 2D/3D. The complete processing /		
	post- processing software including colour		
	metabolite maps should be available.		
	J2. Full comprehensive cardiac sequences		
	which includes, (a) MR cardiology		
	package for evaluation of heart in long		
	and short axis with black blood cardiac		
	imaging, (b) package for- prospective and		

		retrospective gating, etc. Advanced		
		Cardiac Applications: morphology, wall		
		motion, perfusion imaging myocardial		
		viability imaging, Myocardial tagging,		
		Cardiac functions including EF, ED/ES		
		volume, Cardiac output, and wall thickness.		
		This processing can be in workstation and		
		console.		
	1_			
	k.	Sequence package for diffusion study		
		including DTI (tractography) in organs like brain.		4
	1			
	1.	Perfusion study in organ systems like kidney,		
		brain, heart etc. Evaluation package for		
		calculating CBV, CBF, MTT, perfusion	۸ (
		map etc. Post processing of perfusion		
		should be available in console also.		
	m.	Sequences for MRI imaging of joints		
		with Metal implants like WARP/Maverick		
		should be offered	A (7)	
	n.	Hardware and sequences post processing		
		software for MR Elastography of	70'	
		abdomen.		
	0.	Contrast Kinematics like TWIST / TRICKS		
	0.	4DTRAK should be offered.		
	n			
	p.	Image fusion should be offered		
	q.	Whole body imaging of 200 cm should be		
		offered		
	r.	Programming environment under research		
		agreement should be offered for creating		
		and modifying pulse sequences and working		
		on the system.		
	S.	Flow quantification in vessels and CSF,		
		hepatobiliary system.		
	t.	MRI neurofunctional imaging sequence		
		including BOLD/ Mosaic etc.		
	u.	Optimized breath hold sequences for		
		abdominal studies including angiogram.		
	v.	Sequence package for functional mapping of		
		brain.		
ŀ	w.	Internal ear imaging. 3D acquisitions like		
	'''	CUBE. SPACE, VISTA.		
ŀ	Х.	Susceptibility Weighted imaging should be		
	Α.	provided as essential.		
ŀ	X 7	High SNR even in small FOV should be		
	у.	available. (Specify the details of the smallest		
		FOV and the technique)		
	aa.	Non Contrast perfusion Imaging software		
		like 2D/3D-ASL and its post processing		
		should be offered.		

	bb.	MR Cholangiography and Pancreatogram:		
		Both breath-hold and respiratory triggered -		
		Specialized sequences and processing to		
		perform MRCP.		
	cc.	Pulmonary 2D/3D MRA sequence, including		
		single breath hold sequence.		
	dd. MR ventriculography and Cisternography,			
	aa.	Myelography.		
	ee.	Parallel acquisition technique such as		
		SENSE/SMASH/ASSET/ GRAPPA , iPAT,		
		ARC and other new sequences to be quoted		1
		as standard		
	ff.	Specify the factor by which the		
		acquisition time is reduced for similar		
		acquisition with and with out parallel		<i>O</i> ,
		imaging technique. A scan time reduction		
		factor 4 for head, body, cardiac, angio and		
		ortho application is required		
	gg.	Flow quantification packages for CSF	A (7)*	
		with dynamic CSF flow imaging,		
		aqueduct. and spinal canal In-line motion		
		correction for uncooperative'		
		patients/pediatric applications, that is) ,	
		motions/patient movement correction		
		sequence and algorithm (not just faster		
		scanning or parallel imaging techniques)		
		for non-cooperative/sick patients/children		
		should be provided.		
	hh.	Post contrast free breathing radial k-Space		
		filling sequences.		
12.	Imagi	ng sequences		
	a.	MRS: Proton (1H) MRS- Single voxel (SV),		
		Multi-voxel CSI -2D and 3D- in both short		
		and long TE		
	b.	Fat and iron quantification of liver: standard		
13.	POST	PROCESSING AND EVALUATION		
	a.	3DMultiplanar reconstruction (MPR) in any		
	2	arbitrary plane including curved planes with		
		freely selectable slice thickness and slice		
	7	Increments.		
	b.	3D Surface reconstruction and evaluation on		
		reconstructed images with minimum time.		
	c.	MIP in 2D and 3D mode,		
		targeted/segmented MIP in any orthogonal		
		axis with minimum processing time and		
		capable of displaying in cine mode.		
	d.	Full cardiac evaluation Operator selective		
		or automatic contour mapping and		
		calculation of Cardiac parameters like wall		

		thistmass study volume EE filling acts		
		thickness, stroke volume EF, filling rate		
		myocardial wall motion including display of		
		data in label, graph and in cine mode with		
		standard cardiology reporting set in BullsEye		
		method. Blood flow quantification, velocity		
		mapping, pressure gradient quantification		
		shunt quantification, regurgitation		
		calculation, stenosis blood flow, etc.		
		These should be usable on main or on		
		the work station. Evaluation and display of		
		diffusion images, fMRI reference of EPI		4
		optimized sequence.		
_				
	e.	Full Perfusion imaging with necessary		
		post processing with time intensity graph	۸ (
		and other statistical parameters		
	f.	Flow quantification and evaluation for		
		vascular (high and low). CSF, bladder outlet		
		and cine display Full Fledged Advanced		
		Functional MRI: Whole brain coverage	A (7)	
		using high temporal resolution T2* -		
		weighted BOLD) imaging Single-shot EP1	~ 0'	
		for multi-slice imaging. Complete fMRI		
		processing software, Automatic real-time	Y	
		processing of functional BOLD MR data sets		
		into functional activation map		
_	~	Full post processing for SVS, CSI, metabolic		
	g.	mapping with colour coding for BRAIN,		
		BREAST, LIVER & PROSTRATE.		
-	1			
	h.	Image statistics: measurement of distance,		
		area, volume (2D and 3D), angle, SD,		
		mean, image addition subtraction,		
		multiplication, division, interpolation,		
		segmental, threshold, histogram (ROC)		
		Evaluation features like zoom, rotation,		
		scroll, image synthesis, multi point T1		
		and T2 calculation (more than 8) window		
	0	searching, text dialogues graphics. Sorting,		
		searching, archiving, recalling, etc.		
		The CCTV system with LCD display to		
		observe the patient.		
		Two-way communication should be		
		possible with the patient from the console		
		room		
14.	Additi	onal Points		
	a.	Sequence optimization using compressed		
	a.	sensing/Hyper Sense/Compressed Sense		
		technique should be offered in Neuro, body,		
		cardiac & MSK imaging for all sequence		
		cardiac & Mark imaging for an sequence		

		2D/2D Carre		
		2D/3D Scans.		
		Added Para: The complete package of		
		compressed sense/sensing/hypersense with		
		all available options with the vendor must		
		be offered as standard.		
	b.	Multi-slice Simultaneous Sequence to		
		provide Better image quality in EPI.		
		Multi-slice Simultaneous Sequence should be		
		offered in TSE sequence, if available.		
	c.	Sequence to provide IRON and FAT		
		quantification.		1
	d.	Added Para:		
	<u>.</u>	Estimation of Myelin in the brain (US		
		FDA/European CE/BIS approved for Clinical		
		Usage). Calculation of brain volume.) Y
		The price for the same should be quoted		
		separately and will be taken for price		
		ranking. However the order will be placed		
		based on the requirement from the individual	10'	
		consignees.		
15.	UPS			
	Thogs	stem should be provided with the suitable UPS	, ,	
	•	-		
	-	for the complete system (MR + accessories		
	except	Chiller) with at least 30 minutes back up.		
16.	DOCI	UMENTATION		
10.	Doce	SWENTATION		
	a.	The dry imager system should have digital		
		DICOM 3.0 dry chemistry camera with		
		resolution of 16 bits/ 500 dpi or more. The		
		system must have at least three online film		
		sizes, and should be capable to print on any		
		of the 8 x 10, 10 x 12, 14 x 17 sizes. The		
		system should be freely configurable by the		
		user, to use any of the above mentioned size.		
		should be <i>supplied</i> with 500 films of each		
	1.	Size.		
	b.	A colour laser printer for printing colour		
		images and protocols on plane in 1200 dpi		
17	ACCT	resolution and more than 20 ppm		
17.	ACCE	ESSORIES		
	1.	Storage cabinet for all coils		
	2.	MRI Compatible Dual Syringe Pressure		
		injector : Independent dual-Syringe Pressure		
		injector with following Features; Non-		
		_		
		ferrous, automatic syringe size detection,		
		performs single and dual phase contrast		
		injections, provides Saline flush delivery and		

		01101110	timed contrast delivery Must be		
			•		
		_	tible with 5, 7.5 &10ml pre-filled		
			st syringes and 50 ml syringes for both		
			& contrast (20 Nos. of 50 ml Syringes		
			00 nos. of tube connectors should be		
		_	led) Must be able to observe progress		
			ction and view injection result		
	3.		Compatible ECG electrodes (100 no.s		
			sable Electrodes for MRI Image gating)		
	4.		Compatible (upto 3 Tesla) Anaesthesia		
			ne with atleast 8 inch screen and		1
		_	ated electronic ventilator, 2 vaporiser,		
		inbuilt	suction circle absorber, AGM and		
		remot	e monitor.		
		a.	Capable of ventilating adult, pediatric		
			and neonates.		
		b.	Software for ventilation should		
			support Volume control, Pressure		
			control and Pressure support modes		
			and advanced modes (SIMV,PSV)		
			along with integrated suction.		
		c.	Should have oxygen, nitrous oxide		
			and air flow meters) /	
		d.	Isoflurane and sevoflurane		
			vaporisers		
		e.	All safety alarms		
		f.	All consumables required for		
			installation & commissioning of the		
			system should be supplied.		
			Additionally patient circuits should		
			also be supplied as below:		
			Adult size -10 Sets, Pediatric size -3		
			Sets & Neonate size -02 Sets		
-	5.	One N	MRI compatible Multiparameter Vital		
	0.		Patient Monitor of 5000 Gauss		
		. ~	liance from isocentre in MRI Room		
	0	•	ne Slave monitor in console room with		
	7		ring modules provision to monitor the		
		follow	-		
			or should be atleast 10" display		
•		a.	Heart rate		
		b.	wireless ECG		
			NIBP – Size of Cuffs (adult &		
		c.	pediatric neonatal)		
		٦.			
		d.	Respiration (Capnograph)		
		e.	Oxygen Saturation- wireless Pulse		
			oximeter with adult, pediatric probe,		
			and neonatal probes - 2 sets (with the		
			spare probes), Should have		

	mlethyrome enough mentionian feeten
	plethysmograph perfusion factor
	f. ETCO2 and ETAA (end tidal
	anesthetic agents)
	g. Dual Temperature (adult and
	pediatric)
	h. All consumables required for
	installation & commissioning of the
	system should be supplied.
	200 Nos. of per patient consumables
	should be provided during supply of
	the system. Unit price for per patient
	consumable should be quoted
	separately and the same should be
	valid during warranty period.
	i. IBP modules- 2 nos.
6.	3.0T MRI compatible syringe pump – 2 Nos.
0.	3.01 Wild companiole syringe pump 2 1 tos.
7.	Arrangement of Gas lines in recovery
	room and magnet room – MRI compatible
	high pressure gas outlet for :
	a. Oxygen
	b. Air
	Nitrous Oxide with MRI compatible
	c. indexed system.
	d. Vacuum suction
0	MRI Compatible 1 set of Laryngoscope :4
8.	1
	sizes blades- Neonatal, paediatrics, adult,
0	extra
9.	MRI compatible Magill forceps : Adult &
10	paediatric size- Two each.
10.	Stylet for endotracheal tube : Ault, paediatric
4.4	size-Three each
11.	MRI compatible Clamps 2 Nos. : Either
1.5	towel clip or artery forceps.
12.	MRI Compatible two IV stands. (if not
	provided already)
13.	Two non-magnetic height adjustable patient
	transfer trolleys, which do not alarm in Ferro
	Magnetic Detector System, should be
	provided
14.	Two Anaesthesia bed/trolley for recovery
	room
15.	Walk through Metal detector with multiple
	fluxgate or equivalent sensor to help detect
	approaching ferro magnetic hazards and with
	door ignore function to be installed at entry
	door of MRI Scanner Room (Zone III type) -
	01 no. Must have continuous detection or

	1	1 / 131/ 6 11 / 2/07/ 1	T	
		alert capability following MRI door opening,		
		or following preceding alert. Must allow		
		passage of patient trolley.		
	16.	Phantoms to be provided for regular QA		
		studies.		
	17.	Complete manuals and other necessary		
		documentation's should be provided.		
	18.	MRI compatible Suction Apparatus - 2 nos.		
	19.	MRI room Oxygen deficiency level monitor		
		1 no. (price to be quoted separately)		
	20.	MRI compatible transport ventilator 1 no.		
		(Price to be quoted separately)		
	21.	MRI compatible wheel chair 1 no (Price to		
	21.	be quoted separately)		
	22.	SCREENER FOR IMPLANT DETECTION		
	22.			
10	(DD A I)	- 1 No.	,	
18.	TRAI	NING		
	On si	ite Training for a period of 2 Weeks	A (2) y	
		ing training on MRI safety and MRI		
		ds for Level 1 and Level 2 personnel.		
	IIuzui	as for Bever's and Bever's personner		
19.	STAN	DARD AND SAFETY) '	
	a.	Should have import/manufacturing license		
		from Central licensing Authority or State		
		licensing authority of CDSCO for Medical		
		Devices and copy of valid license should be		
		submitted for the quoted model.		
		In case the vendor has not yet obtained		
		import/manufacturing license from CDSCO		
		for the quoted model, proof of application for		
		CDSCO medical device license to be		
		submitted in the bid document and valid		
		CDSCO license to be produced at the time of		
		supply/ NOA for the quoted model		
	b.	Offered system should be BIS / European CE		
		with 4 digit notified body no / USFDA		
		certified.		
20.	SITE	MODIFICATION WORK		
	_	The system should be installed and		
	a.	The system should be installed and		
		handed over in working condition with		
		all necessary electrical, air conditioning		
		and civil work undertaken by the vendor		
		in consultation with the user dept.		
	b.	All necessary interconnecting interfaces,		
		cable, modules, and other hardware and		
		software to fully integrate the system for full		

	operat	ional status.		
	_	Site-Modification Scope of Work -		
	MRI			
	The so	cope of work includes complete Civil		
	work,	Electrical, Plumbing, Furnishing,		
	Aircon	nditioning, Fire detection system for		
	the co	instruction of MRI Scan Centre. While		
	prepar	ring the plan, the following aspects		
	have to	o be addresse		
	a.	The MRI should be sited in such a		
		manner; in order to minimise the		. 1
		effect of fringe magnetic field on		
		surrounding areas. The areas lying		
		within 5 Gauss line should be clearly		
		demarcated and cordoned off with		
		adequate warning.		
	b.	Care should be taken to provide easy	.6	
		negotiation of the patient stretchers/		
		trolleys through corridors and doors.	A (2)	
		RF shielding for doors, walls, glass		
	c.	viewer etc.		
	d.	Furniture like desk, chairs, shelves		
	u.	etc.		
		Patient stretcher and other		
	e.	furniture/ accessory to make the		
		scan centre functional.		
	The c	ost of Site Modification Work for the		
	area o	of 1500sq.ft and Air-conditioning of		
	Tonna	ge 25 TR (including standby unit/s)		
	will b	e considered for Ranking / Evaluation		
	purpos	se		
		over Bidders will have to quote the Unit		
		of the following components of Site		
		ication Work and detailed BOQ should		
	be me	ntioned.		
	a.	Civil works (in units like sq.m / cubic		
	7	m, kg etc)		
		Electrical work (in unit s like per		
	b.	metre price, unit price for panel,		
7		isolation etc)		
		Public health (plumbing and		
	c.	sanitary fittings like per meter of		
		pipe, number of points etc.)		
		Air Conditioning (HVAC)-rate of		
	d.	tonnage, type of false ceiling and		
		sq.m rate etc		
	e.	Interior Furnishing & Furniture		
	f.	Miscellaneous		
	Fire I	Detection system(consisting fire panel,		

	am alra	Phast datastans hostons manages		
		&heat detectors, hooters, response		
		tors etc.) for the entire MRI area		
	Scope	of work for Site Modification MRI		
	unit	works:-		
	The s	upplier should inspect the proposed		
		nd submit all the detailed structural		
		chitectural drawings and BOQ for the		
		sed MRI Scan Centres along with		
	• •	C		
	technic			
		IRI SCAN CENTRE shall consist of		
	the fol	lowing rooms:		1
	a.	MRI Room		
	b.	Console room		A
	c.	Equipment room	\ (
		Patient preparation room cum patient		
	d.	change room		
		•		
	e.	Radiologist room		
		ctual area of Site Modification works	A	
		will be considered for payment, based		
	on the	unit rates and site measurements and		
	as per	the area available.		
	Civil v	work		
	Demol	lition of existing walls etc and		
	recons	truction under MRI complex is		
		oiguously included in the Site		
		ication scope of work. This includes,		
		not limited to expanding the area of		
		gantry room so as to make it compliant		
	_	tallation of a 3T strength magnet.		
	1			
	a)	Civil construction work including		
		construction of brick wall,		
		plastering, flooring as per the		
		approved plan and equipment layout		
		plan.		
	b)	Concrete bed at MRI equipment area.		
	c)	Platform for unloading and shifting		
		the MRI should be provided if		
		necessary.		
	d)	Platform for Chiller unit would be		
	u)	provided. Fencing and weather		
		protection facility should be provided		
		for the Chiller unit.		
	-)			
	e)	Cable tray, trench & channel –		
		necessary trenches, cable tray and		
		channels at required location would		
		be provided.		
	f)	All the construction work to be done		
		as per the final plan approved by the		
		purchaser.		
				11.0

		g)	Active and passive room shielding		
		8)	for magnetic, fringe field should		
			be provided as per the requirement of		
			the equipment.		
		b)			
		h)	The entire complex will be made		
			rodent/pest proof.		
a.	Floori				
			nyl flooring within the Magnet room		
		_	d laying approved quality, colour,		
	_		hade fully homogeneous 600 x 600		
			to be specified by the manufacturer)		
			flooring (Marbonite or Granamite,		
		-	IS code 15622 with water absorption		
			3%) flooring in pattern as detailed in	۸ (
		•	directed by the EIC and grouted with		
		•	our approved quality readymade grout,		
	_		ng etc to required line level etc. all		
	_		Il leads, lifts and heights to the entire		
			the EIC. Providing and fixing 2-3mm	10'	
		_	otection over polythene covering sheet		
		•	as till handed over and cleaning, etc all		
	_		per drawings & specification and as		
		-	C with 100mm tile skirting to match in) '	
			, equipment room , patient preparation		
		_	ng room, patient waiting area and		
		•	oom. Note: Mode of measurement		
			ace area of the tiles shall be measured		
	_		e shall be inclusive of providing and		
			ng course, PVC spacers, providing and		
			xy grout and no additional payment		
			for wastages)		
			x cement concrete flooring at all		
	heights				
		_	surfaces, neat cement finished to		
			or as required to receive architectural		
			and plumb, curing wherever required		
	1.2		per requirements and drawings, with		
			g in MRI equipment / UPS room.		
b.	Painti	ng			
	Two	coats P	Plastic Emulsion Paint over 2 coats		
			utty including primer in patient		
			rea, Lobby area, console room, MRI		
			om etc. Pre laminated particleboard wall		
			ARI examination room.		
c.	False (Ceiling			
	Acoust	tical ti	le for ceiling with light weight		
			terial of high quality supported on		
<u></u>	mounat	5 1110	meriai or ingli quality supported off	l	

	grid	or finished seamless with support above		
	ceiling	g. Finished with white paint or powder		
	coated	with white paint, if metallic. Ceiling		
		to suit the equipment mount and clearances.		
	neight	to suit the equipment mount and clearances.		
	Flootr	ric work		
e.	Eiccu	K WOLK		
	The s	supplier shall be required to specify the		
		load requirements for the MRI scan centre		
		_		
		ing the load of air conditioning, room lighting		
	and fo	or the accessories if any. The supply line will		4
	be pr	rovided by the Institute up to one point		
		the MRI Scan centre area. The distribution		
		shall be provided by the vendor. Few		
	_	in each room shall be connected to the UPS to	. (
	_			
	_	le emergency lighting. The electrical work		
	shall in	nclude the following		
	a.	a. Wiring – All interior electrical wiring-		
		with main distribution panel board,	10'	
		necessary MCBs, DB, joint box, switch		
		box etc. the wires shall be of copper of		
		different capacity as per the load and should	*	
		be renowned make as listed below.		
	L	b. Switches light and power points should be		
	b.			
		of modular type and of standard make as		
		listed below.		
	c.	c. General lights – LED light fittings with		
		500 Lux Illumination		
	d.	d. MRI compatible lights for MRI		
		examination room. The bulbs used within		
		the RF cage should be easy replaceable and		
		locally available.		
	-	e. All wires used must be FRLS (Fire		
	e.			
		Retardant with low smoke) type only		
		Added Para :		
		Adequate number of earthing required for		
		equipment and accessories should be		
	7	provided by the equipment vendor.		
f.	AIR (CONDITIONING:		
	i.	Total capacity of the Air-Conditioning for		
		the entire MRI scan centre area should be at		
		least 25 TR.(incl. standby airconditioning).		
		However, if the installed system requires		
		_		
		more capacity, it will be the responsibility of		
		the supplier.		
	ii.	Ductable Split / Ductable package air		
		conditioners may be used according to room		
		requirement and suitability.		

iv. Ventilation is required in toilet. v. Dehumidifier of 110 Liter - 2 Nos. to be provided. g. Environment specifications: i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rufber foam mattress to be kept in the patient preparation room. v. Tables for Workstation, nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All, the nooms in the complex will be signifested. Sun film & ventilation blinds / cultain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Muscellaneous: 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as					
iv. Ventilation is required in toilet. v. Dehumidifier of 110 Liter - 2 Nos. to be provided. g. Environment specifications: i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 + 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area. 1 No. iv. Patient trolley with rubber form mattress to be kept in the patient preparation room. v. Tables for Workstation nodes: 2 Nos. vi. Changing rooms should have change lockers and dressing table. viii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds /curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. Miscellaneous: 1. Reporting room should have I.ED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as		iii.	The outdoor units of AC should have grill		
v. Dehumidifier of 110 Liter - 2 Nos. to be provided. g. Environment specifications: i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. iii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation, nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dusthins (plastic with lid): 10 Nos. viii. All, the rooms in the complex will be signposted. Sun film & ventilation blinds / cuttain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14°x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as			coverings to prevent theft and damage.		
g. Environment specifications: i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. iii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area. – 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation.nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as		iv.	Ventilation is required in toilet.		
g. Environment specifications: i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 + 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All, the rooms in the complex will be signposted. Sun film & ventilation blinds / cutrain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		v.	Dehumidifier of 110 Liter - 2 Nos. to be		
i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All, the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Misrellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness: capable of holding 3 films of 14°x17° size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			provided.		
i. Relative Humidity range: To be maintained between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All, the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Misrellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness: capable of holding 3 films of 14°x17° size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as	g,	Envi	ronment specifications:		
between 60% and 80% in all areas except equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All, the rooms in the complex will be signposted. Sun film & ventilation blinds / cuttain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14°x17" size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as	8				
equipment room which shall be as per requirement of the equipment. ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness: capable of holding 3 films of 14"x17" size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as		i.			
ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest −8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. −3 Nos. iii. Drug trolleys for patient preparation area. 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes −2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / cuntain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as			between 60% and 80% in all areas except		
ii. Temperature ranges: 22 ± 2° C in all areas except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as			equipment room which shall be as per		
except equipment room which shall be as per requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area. – 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation, nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as			requirement of the equipment.		. 1
requirement of the equipment. iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14'x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as		ii.	Temperature ranges: 22 ± 2° C in all areas		
iii. Air conditioning load: The heat load calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc. 3. Fire extinguisher ABC type of 2kg each as			except equipment room which shall be as per		
calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			requirement of the equipment.	. (
calculations and maintaining the desired temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		iii.	Air conditioning load: The heat load		<i>)</i>
temperature and humidity shall be the responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest - 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			calculations and maintaining the desired		
responsibility of the bidder h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as					
h. Furniture: i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area. – 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes – 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			-		
i. Revolving chairs height adjustable, mediumback with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as	h.	Furn		A (7)	
back with hand-rest – 8 Nos. ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as					
ii. Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement. – 3 Nos. iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes - 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid) : 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. – 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		i.	Revolving chairs height adjustable, medium-	70	
storage of spare parts and accessories and records as per requirement. — 3 Nos. iii. Drug trolleys for patient preparation area.— 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes— 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			back with hand-rest -8 Nos.		
records as per requirement. — 3 Nos. iii. Drug trolleys for patient preparation area.— 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes— 2 Nos. vi. Changing rooms should have change lockers and dressing table. viii. Dustbins (plastic with lid): 10 Nos. viiii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		ii.	Cupboard with laminate door shutters for		
iii. Drug trolleys for patient preparation area 1 No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			storage of spare parts and accessories and		
No. iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			records as per requirement. – 3 Nos.		
iv. Patient trolley with rubber foam mattress to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		iii.	Drug trolleys for patient preparation area 1		
to be kept in the patient preparation room. v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			No.		
v. Tables for Workstation nodes- 2 Nos. vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		iv.	Patient trolley with rubber foam mattress		
vi. Changing rooms should have change lockers and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. — 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			to be kept in the patient preparation room.		
and dressing table. vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		v.	Tables for Workstation nodes- 2 Nos.		
vii. Dustbins (plastic with lid): 10 Nos. viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		vi.	Changing rooms should have change lockers		
viii. All the rooms in the complex will be signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			and dressing table.		
signposted. Sun film & ventilation blinds / curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		vii.	Dustbins (plastic with lid): 10 Nos.		
/ curtain will be put up in all windows. ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		viii.	<u> </u>		
ix. All furniture items should be of standard make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			signposted. Sun film & ventilation blinds		
make as mentioned in the table below. i. Miscellaneous: 1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as			/ curtain will be put up in all windows.		
 Miscellaneous: Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size.		ix.	All furniture items should be of standard		
1. Reporting room should have LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		5 X	make as mentioned in the table below.		
Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as	i.	Misco	ellaneous:		
Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		1	Denomina man should be IED V		
capable of holding 3 films of 14"x17" size. - 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		1.	,		
- 2 nos. 2. Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as					
Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc Fire extinguisher ABC type of 2kg each as					
camera system, console system, workstation and computers etc 3. Fire extinguisher ABC type of 2kg each as		_			
and computers etc 3. Fire extinguisher ABC type of 2kg each as		2.			
3. Fire extinguisher ABC type of 2kg each as			*		
required for the huilding sofety 5 nos with		3.			
required for the building safety - 3 nos., with			required for the building safety - 5 nos., with		

	initial filling in brand new cylinder with power		
	coated finish, fitted with Gun metal union,		
	high pressure cartridge, discharge hose, wall		
	mounting bracket etc. complete, confirming to		
	IS:2171 of approved make & complete as		
	directed by EIC.		
	4.5 kg MRI compatible fire Extinguisher - 2		
	nos. to be also supplied		
	LIST OF ITEMS AND SUGGESTED		
	MANUFACTURERS.		4
SL	ITEMS		
NO	PREFERRED MAKES		
A	FLOORING VITRIFIED TILES		
A	-Somany, Kajaria , H&R Johnson, RAK india		<i>y</i>
В	PAINT -		
	Dulux, Asian Paints, Nerolac		
С	PLUMBING -		
	Kohler, Jaguar, Grohe, Roca	A (7) Y	
D	SANITARY ITEMS -		
ע	CERA, Hindware, Parryware		
Е	ELECTRICAL	Y	
1	CABLES		
1	Finolex, Havells ,V-Guard		
2	SWITCHES -		
2	Legrand, L&T, Crabtree, Roma		
3	DISTRIBUTION BOX, MCB -		
3	Legrand, L&T, Siemens, Havels		
4	LIGHT FITTINGS		
4	- Philips / Crompton / Wipro/Syska		
Е	AIR CONDINTIONING -		
F	Daikin, Hitachi, Blue Star, Voltas,		
C	FURNITURE -		
G	Hermen Miller, Godrej, Featherlite, Geeken		
	BILL OF QUANTITY:-		
S.No	ITEM	Qty	UOM
1.	Whole body 3.0 Tesla Magnetic Resonance Imaging	1	No
1	system - 32 channels RF system; as specified	•	
2	System Body Coil - Quadrature	1	No
3	32 channels or more HEAD coil-capable of multi	1	No
	frequency MR spectroscopy (H1).		
4	NEUROVASCULAR coil - 16 channels or more	1	No
5	SPINE: Phased array coil 32 channels or more	1	No
	acquisition (single or combination)	1	110
6	BODY: Phased array coils 32 channels or more	1	No
	(single or in combination)	1	110
7	Dediacted coil/coil combination for peripheral	1	No
,	angiography of 32 or more channel with coverage of	1	110

	80cm or more		
8	BREAST coil - 16 channel or more	1	No
_	Shoulder coil: a. Dedicated Shoulder coil – 16		
9	channel or more	1	No
10	Shoulder coil: Flex coils (Large) - 8 Channel or more	4	
10	OR multipurpose coil of 16 channel or more	1	No
11	Shoulder coil: Flex coils (Small) - 4 Channel or more	1	No
12	High resolution foot/ ankle coil – 8 channels or more.	1	No
10	High resolution knee coil 16 channels or more; Tx &		
13	Rx.	1	No
14	Suitable Carotid coil .	1	No
15	Server: Thin-client server as per specification	1	No
16	Concurrent licenses for Server	2	Nos.
17	Node Hardware: CPU and Medical grade monitor	2	Nos.
18	Antivirus software for Server / Node	2	Nos.
19	Cardiac Package – License	2	Nos.
	ACCESSORIES:		
Ī			
1	Storage box for all coils	1 1	No
2	Dual Syringe Pressure injector	1	No
3	Dual Syringe Pressure injector syringes	20	Nos.
4	Dual Syringe Pressure injector syringe connector	100	Nos.
5	MRI Compatible ECG electrodes (disposable)	100	Nos.
6	MRI Compatible Anaesthesia as per specification	1	No
	MRI compatible Multiparmeter Vital Signs Patient		
7	Monitor and One Slave monitor, as per specification	1	No
	-qty 1 set		
8	3.0T MRI compatible syringe pump	2	Nos.
9	MRI Compatible sets of Laryngoscope : 4 sizes	1	No
	blades- Neonatal, paediatrics, adult, extra large	1	
10	MRI compatible Magill forceps : Adult size-	2	Nos.
11	MRI compatible Magill forceps : Paediatric size-	2	Nos.
12	Stylet for endotracheal tube : Adult size	3	Nos.
13	Stylet for endotracheal tube : Paediatric size	3	Nos.
14	MRI compatible Clamps: Either towel clip or artery	2	Nos.
	forceps.		
15	MRI Compatible IV stands	2	Nos.
16	MRI compatible suction apparatus	2	Nos.
17	Non-magnetic patient transfer trolleys	2	Nos.
18	Metal detectors : Handheld	2	Nos.
19	Metal detector: Walk-through	1	No
20	Phantoms to be provided for regular QA studies.	1	LS
21	Walk through Metal detector with multiple sensor	1	No
	and multiple location LED (Zone IV type)		
22	Dry Chemistry laser camera as specified	1	No
	Components of Site Modification Work:		
1	Civil works	1500	ft^2
2	Electrical work	1500	$\frac{ft}{ft^2}$

3	Public health (plumbing and sanitary fittings).	1500	ft^2
4	Air Conditioning (including standby unit/s)	25	TR
	<u>Furniture:</u>		
1	Revolving chairs height adjustable, medium-back with hand-rest in the Control room, Radiologist room and viewing area	8	Nos.
2	Cupboard with laminate door shutters for storage of spare parts and accessories and records as per requirement.	3	Nos.
3	Drug trolleys for patient preparation area.	1	No
4	Patient trolley with rubber foam mattress to be kept in the patient preparation room.	2	Nos.
5	Tables for Workstation Nodes.	2	Nos.
6	Changing rooms (with change lockers and dressing table).	1	set
7	Dustbins (plastic with lid) to be provided as required.	10	Nos.
8	Room Signage	1	LS
9	Venetian Blinds	1	LS
	Miscellaneous:		
1	LED X-ray Film viewer with adjustable brightness; capable of holding 3 films of 14"x17" size.	2	Nos.
2	Cabling of Network (LAN) connectivity for camera system, console system, workstation and computers etc	1	LS
3	Fire extinguisher ABC type of 2kg each as required for the building safety	5	Nos.
4	4.5 kg MRI compatible fire Extinguisher	2	Nos.
5	MRI room Oxygen deficiency level monitor (price to be quoted separately)	1	No
6	MRI compatible transport ventilator (Price to be quoted separately)	1	No
7	MRI compatible wheel chair (Price to be quoted separately)	1	No
8	Dehumidifier of 110 Liter	2	Nos.

Note:-The quoted product shall be available on the current official website of the manufacturer and the website link/ web address shall be provided in Annexure- 8

I/We have gone through all the details tender specification of BMC and offered our specification as mentioned above.

I also undertake to supply the equipment as per same specification quoted by me.

Full Signature of the tenderer with Official Seal & Address

ANNEXURE-9A

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

PRO-FORMA FOR MANUFACTURER'S LETTER

(If tender is submitted by Indian or foreign manufacturer) (To be uploaded in PACKET A)

Го,	
Municipal Commissioner,	
BMC Mumbai.	
Sir,	4
511,	1
Reference: - Your E-Tender Document No.	dated
We ,	
manufacturer of (name of medical equipment)	having factory/factories at, hereby
state that we have (name of medical equipment)	ent) manufacturing unit/units as per tender condition. We
	ical equipment) as per the tender specification.
nereby agree to manufacture the (name of med.	real equipment) as per the tender specimenton.
Also I/we declare that our manufacturing unit	has output of units /year and during previous five
years manufactured units, year wise breal	
1	tup is us follows.
2.	
<u></u>	
3	
<u>, </u>	
1	X
+.	
=	
5	nul Maintanana Contro t. Communicativa Maintanana
	nual Maintenance Contract, Comprehensive Maintenance
	ices offered for supply of medical equipment against this
tender document.	
	Yours faithfully
	10010 1011011
	(Signature with Date, Name, & designation and stamp.)
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	of manufacturer i.e. M/s
	E-mail ID
	Contact Details:
Note: 1) This letter shall be on the letter	er head of the manufacturing firm in same format and shall
	tent and having the power of attorney to legally bind the
manufacturer.	tent and naving the power of attorney to legally office the
111411414444141	

Original letter shall be uploaded during the submission of Tender.

2)

ANNEXURE-9B

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

PRO-FORMA FOR MANUFACTURER'S LETTER

(For foreign manufacturer's only) (To be uploaded in PACKET A)

То,	
Municipal Commissioner,	
BMC Mumbai.	
	_1
Sir,	
Reference: - Your E-Tender Document No	dated
I/ We ,	who are an established and reputed
` 1 1	iving factory/factories at, hereby
state that we have (name of medical equipment)	
	diary of Principle foreign manufacturer /sister
	ed in India (In case of Foreign Manufacturer only) are
	as contained in the above referred tender document for
· · ·	cture the (name of medical equipment) as per the tender
specification.	
I/We state that the price gueted by M/s	Our 100% Indian subsidiary / subsidiary of
Dringing foreign manufacturer /gister concern/gg	sociate/affiliate/joint venture- registered in India for this
	would have quoted, had we participated in this tender.
	as output of units /year and during previous five
years manufactured units, year wise breaku	
1.	5 13 u.3 10110 w.s.
2.	
3.	
4.	
5	
We also hereby extend our full warranty, Annu	al Maintenance Contract, Comprehensive Maintenance
	es offered for supply of medical equipment against this
tender document.	
7)	Yours faithfully
	Todas faldindary
	(Signature with Data Name & decignation and stamp)
	(Signature with Date, Name, & designation and stamp.)
	of manufacturer i.e. M/s
	E-mail ID
	Contact Details:

- **Note:**1) This letter shall be on the letter head of the manufacturing firm in same format and shall be signed by a person competent and having the power of attorney to legally bind the manufacturer.
 - 1) Original letter shall be uploaded during the submission of Tender.

ANNEXURE-9C Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

PRO-FORMA FOR MANUFACTURER'S LETTER

(For foreign manufacturer's only) (To be uploaded in PACKET A)

To,			
Municipal Co BMC Mumba			
Sir,			
	Your E-Tender Document No		
I/ We <u>,</u>	of (name of medical equipment) have	wild are ar	hereby
	nave (name of medical equipment) m		
	es hereby certify that M/s		
appointed by	us are submitting this tender again	st your requirement as co	ontained in the above referred
	nent for the above materials. We	hereby agree to manufa	cture the (name of medical
equipment) a	as per the tender specification.		
I/We state tha	at the price quoted by M/s	Distributor /De	aler / Importer /Traders/agent
appointed by	us in India for this tender is reason	nable and not higher than	what we would have quoted,
	ipated in this tender.		•
	clare that our manufacturing unit has		year and during previous five
•	ctured units, year wise breakup	is as follows.	
1	_		
2	_		
3.	.0	,	
4	_		
5	- · · · · · · · · · · · · · · · · · · ·		~
	by extend our full warranty, Annua		
-	pplicable for the goods and services	s offered for supply of m	edical equipment against this
tender docume	ent.	***	C : 1 C 11
		Yours	faithfully
	7)		
		(C) (I) D (N)	
		· · · · ·	ne, & designation and stamp.)
			M/s
		-mail ID	
	C	Contact Details:	
Note: 1)	This letter shall be on the letter he be signed by a person competent		
	manufacturer.	- *	

Original letter shall be uploaded during the submission of Tender.

2)

ANNEXURE -10 Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1 __(To be uploaded in Packet B)

EXPERIENCE CERTIFICATE

"M/s	have supplied their mo	odel
	to our institution in (month/year). The uni	t is
working sa	atisfactorily and the service support is adequate".	
	Signature and designation of the	
	Authorized officer issuing certificate	
	Contact details:	
	E-mail ID:	
NOTE:	1) Experience Certificate in respect of supply of a	
	unit to State Government / Central Government or their undertaking / Semi	
	Government Bodies / Local bodies / Large Corporate hospitals - more than 200	
	beds (without disclosing rates therein) should be supplied in the above	
	mentioned format.	
	2) The above mentioned certificates which <u>must be valid and current</u> on the due	
	date should be uploaded.	
	3) Experience Certificate should be in the name of Bidder or Manufacturer.	
	Scanned copies shall be uploaded in the Packet "B".	
	Bidder/Manufacturer shall provide certified copies of the Executed	
\	purchase orders along with completion certificates in support of the	
	experience.	

PROFORMA FOR Statement of experience Certificate

(For the period of last five years)

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1 (To be uploaded in Packet 'B')

Tender Reference No. :	
Date of Opening :	
Time :	_ (
Name & Address of the Tenderer:	
Name & Address of manufacturer:	

Order placed by (Full address of Purchase/ Consignee)	Description and quantity of ordered goods and services	(attached documentary proof)**
1	2	3
A	Y	

Signature & seal of the Tenderer

Note:

Experience Certificate should be in a name of the bidder **or** manufacturer.

Bidder/Manufacturer shall provide certified copies of the Executed purchase orders along with completion certificates in support and performance certificates of the experience.

Specify how much quantity of products were supplied to the State Government / Central Government or their undertaking / Semi Government Bodies / Local Bodies/ Large Corporate hospitals - more than 200 beds as shown below. (Use separate sheet, if necessary)

ANNEXURE -11

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(To be uploaded in Packet 'A') AUTHORISATION LETTER FOR ATTENDING TENDER OPENING

To,	
The Municipal Commissioner, BMC	
Subject: Tender No	
due on	
Sir,	205
Mr has been authorized to be produced at 16:00 hrs on my/our behalf.	esent at the time of opening of above tender due on
	Yours faithfully,
	Signature and seal of the tenderer
Specimen Signature of representative	
Note:- Photo ID of Representative is compulsory	

ANNEXURE – 12

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1 (To be uploaded in Packet 'A')

Tender / Quotation	dated	d20.	
Standing Committee Resolution No		or's/ Addl.	Municipal
	Vo		
Dated			4
CONTRACT FOR THE WORK			
			.,
This agreement made this day of			
Two thousand		Betwe	een
	• • • • • • • • • • • • • • • • • • • •		• • • •
Inhabitants of Mumbai, carrying on business at .			
initial control of the control of th	A (7)		
In Bombay under the style and name of Messrs .			·····
contractor of the one part and Shri		• • • • • • • • • • • • • • • • • • • •	···· the
1			.,, :1-: -1-
The Dy. Municipal Commissioner (CPD) (he			
expression are included unless the inclusion is in			_
his successor or successors for the time being ho		-	
(CPD) of the second part and the Brihanmun	J	*	
Corporation") of the third part, WHEREAS th	e contractor has tende	red for the c	construction,
completion and maintenance of the works descr	ibed above and his tend	der has been	accepted by
the Commissioner with the approval of the St	anding Committee /M	ayor's/ Addl.	. Municipal
Commissioner's/DMC's of the Corporation.			
NOW THIS AGREEMENT WITNESSETH as	follows:-		
1) In this agreement words and express		same meani	ings as are
respectively assigned to them in the Gen			_

- In this agreement words and expressions shall have the same meanings as are respectively assigned to them in the General conditions of Contract for works hereinafter referred to:-
- 2) The following documents shall be considered an integral part of the contract, irrespective of whether these are not appended / referred to in it.
 - 1) Letter of Acceptance
 - 2) The Contractor's Bid
 - 3) Addendum to Bid, if any
 - 4) Tender Document
 - 5) The Bill of Quantities / Price Packet
 - 6) The specifications
 - 7) The General conditions of Contract
 - 8) The Special conditions of Contract
 - 9) Final written submissions made by the contractor during negotiations, if any
 - 10) All correspondence documents between bidder and BMC.
 - 11) Integrity Pact

- 2) In consideration of the payments to be made by the Commissioner to the contractor as hereinafter mentioned the contractor hereby covenants with the Commissioner to supply, installation, Testing, Commissioning and CMC in conformity in all respects with the provision of the contract.
- 3) The Commissioner hereby covenants to pay to the Contractor in consideration of the supply, installation, Testing, Commissioning and CMC, the contract sum, at times and in the manner prescribed by the contract.

IN WITNESS WHERE OF the parties hereto have caused their respective common seals to be herein to affixed (or have hereunto set their respective hands and seals) the day and year above written.

SIGNED, SEALED AND DELIVERED	A) /
<i>By</i>	404
Of	
In the presence of	
1)	8
2)	CONTRACTOR
SIGNED, SEALED AND DELIVERED	70
<i>By</i>	
D.M.C.(C.P.D.) in the presence of	
1)	
2)	D.M.C.(C.P.D.)
The Common Seal of the Brihanmumbai Municipal	
Corporation was	
Affixed on thisday of	SEAL
Two Thousand in the presence of	
1)	
2)	
Two members of the Standing Committee	
Of the Municipal Corporation of Greater	
Mumbai.	
Witness	
Municipal Secretary	
Contract examined with the Tender and Resolution of	of the Standing Committee No
of and found correct.	

ANNEXURE – 13

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(To be uploaded in Packet 'A')

1.

DETAILS OF LITIGATION HISTORY

I M/s. participating in the above subject Bid, here by

	declared that there is no litigation history against me during the last 5 years, prior to due dat				
	the tend	ler.			1
			Or		96,
2.	I M/s.		part	icipating in the above sub	pject Bid, here by
	declared	d that the litig	ation history against me du	uring the last 5 years, prior	to due date of the
tender, is as under					
	Sr. No.	Year	Action taken	Name of the Organization	Remarks
	1.				
	2.				
	3.				
	4.				
	5.				

I further declared that information furnished above is correct, and in future, if BMC finds that information disclosed is false or in complete, then BMC can directly disqualify my bid and can initiate penal action including blacklisting of the firm.

Full Signature of the tenderer with Official Seal and Address

(The above undertaking shall be submitted by the bidder on Rs 200/- stamp paper)

ANNEXURE – 14

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1 (To be uploaded in Packet 'A') FORM OF INTEGRITY PACT

This Agreement (hereinafter called the Integrity Pact) is entered into
onday of themonth of 20 between Municipal Corporation of Greater Mumba
acting through Shri(Name and Designation of the
officer) (hereinafter referred to as the "BMC" which expression shall mean and include, unless the
context otherwise requires, his successors in office and assigns) of the First Part and M/s(Name of the company) represented by Shri
Chief Executive Officer / Authorised signatory (Name and Designation of the officer) (hereinafter called
as the "Bidder / Seller" which expression shall mean and include, unless the context otherwise requires
his successors and permitted assigns) of the Second Part.
WHEREAS THE BMC invites for the
(Name of the Stores / Equipment / Service, Tender No. &
Date) and the Bidder /Seller is willing to submit bid for the same and

WHEREAS the BIDDER is a private Company / Public Company/ Government Undertaking / Partnership Firm / Ownership Firm / Registered Export Agency, constituted in accordance with the relevant law in the matter and the BMC is Urban Local Body.

NOW, THEREFORE

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence / prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-

Enabling the BMC to obtain the desired said stores / equipment / services / works at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and

Enabling SERVICE PROVIDERS to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the BMC will commit to prevent corruption, in any form, by its officials by following transparent procedures. In order to achieve these goals, the BMC will appoint an external independent monitor who will monitor the tender process and execution of the contract for compliance with the principles mentioned above.

The parties hereto agree to enter into this Integrity Pact and agree as follows:-

1. COMMITMENTS OF THE BMC

1.1 BMC commits itself to take all measures necessary to prevent corruption and follow the system, that is fair, transparent and free from any influence / prejudice prior to, during and subsequent to the currency of the contract to be entered into to obtain stores / equipments / services at a competitive prices in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement.

- 1.2 The BMC undertakes that no employee of the BMC, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.
- 1.3 BMC will during tender process treat all service providers with equity and reason. The BMC before and during tender process provide to all service providers the same information and will not provide to any bidder any confidential / additional information through which the bidder could obtain an advantage in relation to the tender process or execution of contract.
- 1.4 In case any such proceeding misconduct on the part of such official(s) is reported by the Bidder to the BMC with full and verifiable facts and the same is prima facie found to be correct by the Municipal Corporation of Greater Mumbai, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BMC and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BMC the proceedings under the contract would not be stalled.

2. COMMITMENTS OF THE SERVICE PROVIDERS / CONTRACTORS

- 2.1 The Bidder commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract states in order to secure the contract or in furtherance to secure it.
- 2.2 The Service providers will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BMC, connected directly or indirectly with the bidding process or to any BMC person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 2.3 The Bidder further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BMC or otherwise in procuring the contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with BMC for showing or forbearing to show favour or disfavor to any person in relation to the contract or any other contract with BMC.
- 2.4 The Service providers/ Contractors will not enter with other service providers into any undisclosed agreement or understanding, whether formal or informal, in particular regarding prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 2.5 The Service providers / Contractors will not commit any offence under relevant anti corruption laws of India. Further, the service providers will not use improperly, for purposes of competition for personal gain or pass on to others, any information or document provided by BMC as part of the business relationship regarding plans, technical proposals and business details including information obtained or transmitted electronically.
- 2.6 The Service providers/ Contractors of foreign origin shall disclose the names and addresses of agents /representatives in India, if any, and Indian bidder shall disclose their foreign principles or associates.

- 2.7 The Bidder shall not lend to or borrow any money from or enter into any monitory dealings or transactions, directly or indirectly, with any employee of the BMC.
- 2.8 The Bidder will not bring any Political, Governmental or diplomatic influence to gain undue advantage in its dealing with BMC.
- 2.9 The Bidder will promptly inform the Independent External Monitor (of BMC) if he receives demand for a bribe or illegal payment / benefit and If he comes to know of any unethical or illegal practice in BMC
- 2.10 The Service providers / Contractors will disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract while presenting his bid.
- 2.11 The Service providers / Contractors shall not lend to or borrow any money from enter into any monetary dealings directly or indirectly, with any employee of the BMC or his relatives.
- 2.12 The Bidder will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 2.13 The Service providers / Contractors will undertake to demand from all sub contractors a commitment in conformity with this Integrity Pact.
- 2.14 The service providers / Contractors will not instigate third persons to commit offences outlined above or be an accessory to such offences.

3. PREVIOUS TRANSGRESSION

- 3.1 The Bidder declares that no previous transgressions occurred in the last 3 years immediately before signing of this Integrity Pact, with any other company in any country or with Public Sector Enterprises in India in respect of any corrupt practices envisaged hereunder that could justify BIDDER's exclusion from the tender process.
- 3.2 If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract if already awarded, can be terminated for such reasons.

4. DISQUALIFICATION FROM TENDER PROCESS AND

EXCLUSION FROM FUTURE CONTRACTS

If the Service providers/ Contractors or anyone employee acting on his behalf whether or without the knowledge of the Bidder before award of the contract has committed a transgression through a violation of aforesaid provision or in any other form such as put his reliability or credibility into question, the BMC is entitled to exclude the bidder from the tender process or to terminate the contract if already signed and take all or any one of the following actions, wherever required..

- 4.1 To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the Bidder. Further, the proceedings with the other Service providers would continue.
- 4.2 The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit / Performance Bond (after the contract is signed) shall stand forfeited either fully or partially, as decided by the BMC and BMC shall not be required to assign any reasons therefore.
- 4.3 To immediately cancel the contract, if already signed, without giving any compensation to the

Bidder.

- 4.4 To recover all sums already paid with interest thereon at 5% higher than the prevailing Base rate of State Bank of India.
- 4.5 If any outstanding payment is due to the Bidder from BMC in connection with any other contract, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
- 4.6 To encash any advance Bank Guarantee and performance bond/warranty, if furnished by the Bidder, in order to recover the payment already made by BMC along with interest.
- 4.7 To cancel all other contracts with the Bidder. The Bidder shall be liable to pay compensation for any loss or damages to the BMC resulting from such cancellation / rescission and the BMC shall be entitled to deduct the amount so payable from the money due to the Bidder.
- 4.8 Forfeiture of Performance Bond in case of a decision by the BMC to forfeit the same without assigning any reason for imposing sanction for violation of the Pact.
- 4.9 The decision of BMC to the effect that the breach of the provisions of this Pact has been committed by the Bidder shall be final and conclusive on the Bidder.
- 4.10 The Bidder accepts and undertakes to respect and uphold the absolute right of BMC to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground including the lack of any hearing before the decision to resort to such exclusion is taken.
- 4.11 To debar the Service providers/ Contractors from participating in future bidding process of BMC for a minimum period of three years.
- 4.12 Any other action as decided by Municipal Commissioner based on the recommendation by Independent External Monitors (IEMs).

5. FALL CLAUSE

5.1 The Bidder undertakes that it has not supplied similar products / systems or subsystems in the past six months in the Maharashtra State for quantity variation upto -50% or +10%, at a price lower than that offered in the present bid in respect of any other Ministry / Department of the government of India or PSU or BMC and if it is found at any stage that similar products / systems or sub systems was supplied by the BIDDER to any other Ministry / Department of the Government of India or a PSU or BMC at a lower price, then that very price will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the BMC, if the contract has already been concluded, else it will be recovered from any outstanding payment due to the bidder from BMC.

6. EXTERNAL INDEPENDENT MONITOR / MONITORS

- 6.1 The BMC appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the Parties comply with the obligations under this Agreement.
- 6.2 The Monitor is not subject to instructions by the representatives of parties and perform his functions neutrally and independently and report to the Municipal Commissioner / concerned Additional Municipal Commissioner.
- 6.3 Both the parties accept that the IEM has the right to access, without restriction, to all documentation relating to the project / procurement, including minutes of meetings.

- 6.4 The Bidder shall grant the IEM upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to sub contractors.
- 6.5 The IEM is under contractual obligation to treat, the information and documents of the Bidder/Contractor/sub-contractor, with confidentiality.
- 6.6 The BMC will provide to the IEM sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the IEM the option to participate in such meetings.
- As soon as the IEM notices, or believes to notice, a violation of this Agreement, he will so inform the Additional Municipal Commissioner. The IEM can in this regard submit non-binding recommendations. If Additional Municipal Commissioner has not, within a reasonable time, taken visible action to proceed against such offence, the IEM may inform directly to the Municipal Commissioner.
- 6.8 The IEM will submit a written report to the Municipal Commissioner / Additional Municipal Commissioner within 8 to 10 weeks from the date of service or intimation to him by BMC/ Bidder and should the occasion arise, submit the proposal for correcting problematic situations.
- 6.9 The word "IEM" would include both singular and plural.
- 6.10 Bothe parties accept, that the recommendation of IEM would be in the nature of advise and would not be legally binding. The decision of Municipal Commissioner in any matter/ complain will be the final decision.

7. VALIDITY OF THE PACT

- 7.1 The validity of this Integrity Pact shall be from the date of its signing and extend upto two years or the complete execution of the contract to the satisfaction of both the BMC and BIDDER / Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.
- 7.2 If any claim is made/ lodged during the validity of this contract, such claim shall be binding and continue to be valid despite the lapse of this pact unless it is discharged / determined by the Municipal Commissioner / Additional Municipal Commissioner of the BMC

8. FACILITATION OF INVESTIGATION

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BMC or its agencies OR Independent External Monitor shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible health for the purpose of such examination.

9. MISCELLANEOUS

- 9.1 This Agreement / Pact is subject to the Indian Laws, place of performance and jurisdiction is the registered office of the BMC i.e. Mumbai and the actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extent law in force relating to any civil or criminal proceedings.
- 9.2 If the Contractor is a partnership, this Agreement must be signed by all partners members.
- 9.3 Should one or several provisions of this Agreement turn out to be invalid, the remainder of this

Pact remains valid. In this case, the Parties will strive to come to an Agreement to their original intentions.

10. The Parties here	eby sign this Integrity Pact at	on
BMC	BIDDER/SELLER	
Signature		
Name of officer		
Designation		
Name of Company		
Address		
Dated		
WITNESS-1(BMC)	Witness-1(BIDDER/SELLER)	
Signature		
Name of officer		
Designation		
Name of Company		
Address		
Dated		

(The above undertaking shall be submitted by the bidder on Rs 200/- stamp paper)

ANNEXURE – 15 Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1 INTERNAL GRIEVANCE REDRESSAL MECHANISM

BMC has formed a Grievance Redressal Mechanism for redressal of bidder's grievances. Any Bidder or prospective Bidder aggrieved by any decision, action or omission of the procuring entity being contrary to the provisions of the tender or any rules or guidelines issued therein, in Packet "A", "B" & "C" can make an application for review of decision of responsiveness in Packet "A, 'B' & 'C within a period of 7 days or any such other period, as may be specified in the Bid document.

While making such an application to procuring entity for review, aggrieved bidders or prospective bidders shall clearly specify the ground or grounds in respect of which he feels aggrieved.

Provided that after declaration of a bidder as a successful in Packet A (General Requirements), an application for review may be filed only by a bidder who has participated in procurement proceedings and after declaration of successful bidder in Packet 'B' (Technical Bid) an application for review may be filed only by successful bidders of Packet A Provided further that, an application for review of the financial bid can be submitted by the bidder whose technical bid is found to be acceptable/responsive.

Upon receipt of such application for review, BMC may decide whether the bid process is required to be suspended pending disposal of such review. The BMC after examining the application and the documents available to him, give such reliefs, as may be considered appropriate and communicate its decision to the Applicant and if required to other bidders or prospective bidders, as the case may be.

BMC shall deal and dispose off such application as expeditiously as possible and in any case within 10 days from the date of receipt of such application or such other period as may be specified in pre-qualification document, bidder registration document or bid documents, as the case may be.

Where BMC fails to dispose off the application within the specified period or if the bidder or prospective bidder feels aggrieved by the decision of the procuring entity, such bidder or prospective bidder may file an application for redressal before the "Internal Procurement Redressal Committee within 7 days of the expiry of the allowed time or of the date of receipt of the decision, as the case may be. Every such application for internal redressal before Redressal Committee shall be accompanied by fee of Rs 25,000/- and fee shall be paid in the form of D.D. in favour of BMC.

1" Appeal by the bidder against the decision of C.E/ HOD/ Dean can be made to concerned DMC/Director who should decide appeal in 7 days.

If not satisfied, 2 Appeal by the bidder can be made to concerned A.M.C. for decision.

Grievance Redressal Committee (GRC) is headed by concerned D.M.C / Director of particular department for the first appeal/grievances by the bidder against the decision for

responsiveness / non- responsiveness in Packet 'A', Packet 'B' or Packet "C" and if not satisfied, concerned A.M.C will take decision as per second appeal made by the bidder

This Grievance Redressal Committee (GRC) will be operated through DMC (CPD) office where appeals of aggrieved bidder will be received with fee of Rs 25,000/- from aggrieved bidder. The necessary correspondence in respect of said applications to the aggrieved bidder & concerned department, issuing notices, arranging of Grievance Redressal Committee (GRC) with D.M.C. and further proceeding will be carried out through registrar appointed by BMC.

No application shall be maintainable before the redressal Committee in regard of any decision of the BMC relating to following issues:

Determination of need of procurement

The decision of whether or not to enter into negotiations.

Cancellation of a procurement process for certain reasons.

On receipt of recommendation of the Committee, It will be communicate his decision thereon to the Applicant within 10 days or such further time not exceeding 20 days, as may be considered necessary from the date of receipt of the recommendation and in case of nonacceptance of any recommendation, the reason of such non-acceptance shall also be mentioned in such communication.

Additional Municipal Commissioner and/or Grievance Redressal Committee, if found, come to the conclusion that any such complaint or review is of vexatious, frivolous or malicious nature and submitted with the intention of delaying or defeating any procurement or causing loss to the procuring entity or any other bidder, then such complainant shall be punished with fine, which may extend to Five Lac rupees or two percent of the value of the procurement, whichever is higher. Reviseo

Full signature of the bidder with official Seal & Address

ANNEXURE – 16

Tender No. Dv.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024 MCGM 1048130 1 (To be uploaded in packet B)

Details of CE/US FDA Certificate

Bidder shall submit the details of CE and/or US FDA certificate along with documentary evidences. Bidders are requested to note that as per required certificates as mentioned in specification, the relevant data from concerned certificate shall be filled properly in below format with signature of bidder.

For Medical device and In vitro Diagnostics Medical Device

"The equipment must have CE marked from European confirmatory (EC) notified body issued from European address and / or USFDA and documentary evidences to that effects shall be uploaded".

A) CLASSIFICATION: CLASS Is, Im, IIa, IIb & Class III

Description	Whether complies or not	Specify
1. CE certificate issued from EU notified body is must for devices under class Is, Im, IIa, IIb & Class III.		
X		
This certificate shall be on letter head of Notified bodies with		
a) Body identification number and address of Notified Body		
b) Certificate number and validity of certificate		
c) Product name/line (Quoted product category etc.)		
d) Name of appropriate directives		
e) Name and address of manufacturer,		
f) Product classification, Name of EU representative if any		

2. If CE certificate as mentioned (1) above is not for the quoted model and issued for Product specific or general product line, then

Description	Whether complies or not	Specify
a. Shall be accompanied with Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model		
b. Endorsed (By notified Body) technical documents submitted to notified body mentioning model/s no./s		
Or		
List of model/s approved by notified body with classification if any on letter head of notified body		

3. If CE certificate as mentioned (1) above is for the quoted model then also

Description	Whether complies or not	Specify
a. Shall be accompanied with Declaration of conformity by manufacturer		
Or		
EU representative of Manufacturer for the quoted model		

Note :For equipment where other equipments also are part of the main equipment

Description	Whether complies or not	Specify
a) Documentary evidence to show all such equipment/s is/are covered by single certificate is required from notified body additional to above Sr. No. (A) -1 & 2 or 3.		
Or		
b) Individual certification for each equipment as mentioned in Sr. No. (A)-1 & 2 or 3 above is required	76,	
c) If equipment manufacturer by different /other manufacturer is part of supplied equipment as per OEM agreement, then CE certificate issued to manufacturer is required from notified body as mentioned in sr. no. (A) – 1,2,3 along with the copy of OEM agreement		

B) CLASSIFICATION: CLASS I only.

This route is self-declaration or self-certification and is described in Annex VII Module A, EC Declaration of Conformity. The manufacturer ensures and formally declares, via a written statement, that the products meet the applicable provisions of the Directive.

Following Documents are required

Description	Whether complies or not	Specify
a. Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model.		
b. Documentary evidence regarding firm registered with EEA (European Economic Area) Competent authority is required		
Or		
European Representative registered with EEA (EUROPEAN ECONOMIC AREA) Competent authority appointed by firm is required	20	
Or		
Other documents like certificates from notified body along with declaration of conformity is required		

Declaration of Conformity

The declaration of conformity should have following:-

Description	Whether	Specify
	complies or not	
a) the name and address of manufacturer		
b) Notified body Name and address if any with certificate No.		
c) EU representative of manufacturer if any		
d) identification of the product allowing traceability		
e) list of relevant directives & Harmonized standards.		
f) Declaration statement, name and position/job title of person signing (This should be someone with enough responsibility to ensure the declaration is true which is affirmed by their signature and date)		

CE CERTIFICATION REQUIREMENT FOR PRODUCTS UNDER IVD (98/79/EC) CLASSIFICATION :1)DEVICE FOR SELF TESTING, LIST 'B' & LIST 'A' DEVICES

Description	Whether complies or not	Specify
CE certificate issued from EU notified body is must		
This certificate shall be on Letter head of Notified Bodies with		
a) Body identification number and address of Notified Body		1
b) Certificate number and validity of certificate		
c) Product name/line (Quoted product category etc.),		
d) Name of appropriate directives		A () Y
e) Name and address of manufacturer		
f) Product classification, Name of EU representative if any		
Shall be accompanied with Declaration of conformity by manufacturer or EU representative of Manufacturer.	79.0	

CLASSIFICATION: GENERAL IVD

This route is self-declaration or self-certification. The manufacturer ensures and formally declares, via a written statement, that the products meet the applicable provisions of the Directive.

Description	Whether complies or not	Specify
a. Declaration of conformity by manufacturer or EU representative of Manufacturer for the quoted model.		
b. Documentary evidence regarding firm registered with EEA (EUROPEAN ECONOMIC AREA) Competent authority is required		
Or		
European Representative registered with EEA (EUROPEAN ECONOMIC AREA) Competent authority appointed by firm is required		
Or		
Other documents like certificates from notified body along with declaration of conformity is required.		

Declaration of Conformity

The declaration of conformity should have following:-

Description	Whether complies or not	Specify
a) the name and address of manufacturer,	_	
b) Notified body Name and address if any with certificate No		
c) EU representative of manufacturer if any		4
d) identification of the product allowing traceability		4
e) list of relevant directives & Harmonized standards		
f) Declaration statement, name and position/job title of person signing (This should be someone with enough		
responsibility to ensure the declaration is true which is affirmed by their signature and date).	10	

US FDA

	Description	Whether complies or not	Specify
US FDA Certificate			

Documents required to be submitted in support of USFDA Certification

Following documents are required for confirmation of USFDA approval certificate

Description	Whether	Specify
	complies or not	
a) Approved 510 (k) notification documents for equipment		
offered model is required.		
Or		
b) Documents to establish the firm and offered model register with US FDA is required		

Manufacturer on their letter head needs to provide the link				
of notified body and / or USFDA for concerned				
certificate/s submitted as per specification, so that same				
can be verified from website of Notified body/USFDA				

Note:

Competent Authority

Under the terms of the Medical Device Directive a competent authority is nominated by the Government of each member state to monitor and ensure compliance with its provisions.

Notified Body

The organization which will check whether the appropriate conformity assessment procedures have been followed is known as the Notified Body. It is a certification organization which the Competent Authority, of a Member State designates to carry out one or more of the conformity assessment procedures described in the annexes of the Directives.

List of approved Notified body under 93/42/EEC (Medical devices) is available on

http://ec.europa.eu/growth/tools-

databases/nando/index.cfm?fuseaction=directive.notifiedbody&dir_id=13

and

under 98/79/EC (Invitro Diagnostic medical devices is available on

http://ec.europa.eu/growth/tools-

databases/nando/index.cfm?fuseaction=directive.notifiedbody&dir_id=20

Authorized Representative

A non-EU Manufacturer's European Authorized (Authorised) Representative is the one who will represent the manufacturer to deal with the CE Marking vigilance authorities from the Member States. It is required by the EU legislation that a non-EU manufacturer of Medical Devices must print its European Authorised Representative name, address & contacting details on the packaging/labeling of the medical devices sold onto the EEA (EU & EFTA) market.

EU:- European Union.

EFTA:- European Free Trade Association.

EEA:-European Economic Area.

ANNEXURE-"A"

Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

Irrevocable Undertaking

(On Rs.500/- Stamp Paper)

I Shr	i/Smt	. aged years Inc	rs Indian Inhabitant.				
Propi	rietor/Partner/Director of M/s		residen	t at			
		do	hereby give	Irrevocable			
unde	rtaking as under;		۸(
i.	I say & undertake that as specified in section	on 171 of CGST Act, 2	017, any reduct	ion in rate of			
	tax on supply of goods or services or the	e benefit of input tax	credit shall be	mandatorily			
	passed on to BMC by way of commensurate	e reduction in prices.					
ii.	I further say and undertake that I understa	and that in case the sa	me is not pass	ed on and is			
	discovered at any later stage, BMC shall be at liberty to initiate legal action against me for its						
	•		-				
	Counsel.	(Z) ^y	8				
iii.		ng is hinding upon me	/my nartners/co	mpany/other			
	·	4/ 10					
		y/our regar neirs, assig	nee, Executor, a	aummstrator			
	etc.						
iv.			Act, I shall b	e liable for			
	penalty/punishment or both as per the provi	sions of GST Act.					
What	tever has been stated here in above is true & co	orrect to my/our own kr	nowledge & bel	ief.			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			io wiedge ee oor				
	Solemnly affirmed at	above said irrevocable undertaking is binding upon me/my partners/company. In the company and also upon my/our legal heirs, assignee, Executor, administ to compliance with the provisions of the GST Act, I shall be liable nishment or both as per the provisions of GST Act. stated here in above is true & correct to my/our own knowledge & belief.					
4	This day of	BEFORI	E ME				
_							

Interpreted Explained and Identified by me.

ANNEXURE-B Tender No. Dy.Ch.E./CPD/ 08 /TDR /AE-5 of 2024-25 e-Tender ID-2024_MCGM_1048130_1

(It shall be uploaded in Packet B)

	SAC /HSN Code	Items as per Item Data	Bidder To Indicate the % of Applicable Taxes.							
Sr. No			CGST		SGST		IGST		Other Taxes If Any	
			%	Amount	%	Amount	%	Amount	%	Amount
								△		

- **Note-1**) Bidder shall submit tax structure for all items i.e. GST / CGST / SGST / IGST etc. as applicable for items in Item Data excluding CMC / AMC and Consumables.
 - 2) Annexure B shall be certified by Chartered Accountant.
 - 3) Bidders are requested not to disclose any price of Items.
 - 4) The GST taxes will be paid at actual as per prevailing rates on CMC / AMC and Consumables